Permit Number 162531

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission	Source Name (2)	Air Contaminant	Emission	Rates (7)
Point No. (1)		Name (3)	lbs/hour	TPY (4)
STM-01-01	Panel Stamping	voc	<0.01	<0.01
CAS-01 through	Casting Furnaces	voc	0.19	0.84
CAS-03		PM ₁₀	0.34	1.51
		PM _{2.5}	0.34	1.51
		NO _x	2.31	10.13
		со	1.33	5.82
		SO ₂	0.02	0.09
		Pb	<0.0001	<0.0001
CAS-04 MC	Reverb Furnace Main Chamber	voc	0.12	0.55
	Chamber	PM ₁₀	0.34	1.48
		PM _{2.5}	0.34	1.48
		NO _x	1.71	7.48
		со	0.87	3.79
		SO ₂	0.01	0.06
		Pb	<0.0001	0.0003
CAS-04 SW	Reverb Furnace Side Well	PM ₁₀	0.04	0.18
	VVEII	PM _{2.5}	0.04	0.18
		Pb	<0.0001	<0.0001
CAS-05 MCDH	Reverb Furnace Main Chamber and Dry	voc	0.29	1.28
WCDIT	Hearth	PM ₁₀	1.23	5.38
		PM _{2.5}	1.23	5.38
		NO _x	3.99	17.48
		со	2.43	10.64
		SO ₂	0.032	0.14

		Pb	<0.0003	<0.0011
CAS-05 SW		PM ₁₀	0.05	0.22
	Well	PM _{2.5}	0.05	0.22
		Pb	<0.0001	<0.0001
Cast Cap	Casting Furnaces Cap	VOC	0.61	2.66
		PM ₁₀	2.00	8.76
		PM _{2.5}	2.00	8.76
		NO _x	8.01	35.10
		со	4.62	20.26
		SO ₂	0.07	0.29
		Pb	0.0003	0.0012
CAS-01-21 through	Metal Trimming Machines Cap	PM ₁₀	0.04	0.18
CAS-01-30	wacrimes Cap	PM _{2.5}	0.04	0.18
SND-01	Sanding	PM ₁₀	0.04	0.18
BIW-01-01 through BIW-01-15	Body in White Sealers and Adhesives	VOC	1.08	2.36
PPT-01a, PPT-02a,	Pretreat Line A	voc	0.26	0.56
PPT-03a		Nitric Acid	0.13	0.28
		Hydrofluoric Acid	0.02	0.03
ECT-03a	E-coat Sanding Line A	PM ₁₀	0.21	0.55
		PM _{2.5}	0.21	0.55
ECT-05- PMa	E-Coat Line A (Heavy Sanding)	PM ₁₀	<0.01	0.04
I Wid	Sanding)	PM _{2.5}	<0.01	0.04
TO-01a	Body Paint Line A: E-coat Dip Tank, E-	VOC	31.44	66.46
	coat Oven, Heated Flash Basecoat 1	PM ₁₀	0.33	1.45
	Booth, Basecoat 2,	PM _{2.5}	0.30	1.31
	Booth, Clearcoat Booth, Clearcoat	NO _x	2.87	12.58
	Oven and Purge Solvent,	со	6.96	30.49
	E-coat Oven Burners, E-coat Air Supply Air	SO ₂	0.02	0.10
act Number: 3106	Heaters, Topcoat			

Emission Sources - Maximum Allowable Emission Rates

		Exempt Solvents	0.46	1.00
TO-1a SS	Startup and Stabilization for TO-1a	voc	0.10	0.01
	Both Burners Firing	PM ₁₀	0.13	0.02
		PM _{2.5}	0.13	0.02
		NO _x	1.31	0.16
		со	5.33	0.66
		SO ₂	0.01	<0.01
PRA-01a	Paint Repair Area Line a (Offline)	VOC	0.15	0.66
	Line a (Online)	PM10	0.00	0.01
		PM2.5	0.00	0.00
		Exempt Solvents	0.04	0.15
PRA-02a	Paint Repair Area Line a (GA)	VOC	0.15	0.66
	Line a (OA)	PM10	<0.01	0.01
		PM2.5	<0.01	0.00
		Exempt Solvents	0.04	0.15
		PM _{2.5}	<0.01	0.04
BRN-01	Heated Flash Line A - Burner 1, 2 and 3	voc	0.02	0.10
	4.08 MMBtu/hr	PM ₁₀	0.03	0.13
		PM _{2.5}	0.03	0.13
		NO _x	0.30	1.31
		СО	1.19	5.22
		SO ₂	<0.01	0.01
BRN-02	Dehumidifier Line A Air Supply Heater	voc	<0.01	0.02
	1.02 MMBtu/hr	PM ₁₀	<0.01	0.03
		PM _{2.5}	<0.01	0.03
		NO _x	0.07	0.33
		со	0.30	1.30
		SO ₂	<0.01	0.01
PPT-01b, PPT-02b,	Pretreat Line B	VOC	0.26	0.56

		Nitric Acid	0.13	0.28
		Hydrofluoric Acid	0.02	0.03
ECT-03b	E-coat Sanding Line B	PM ₁₀	0.21	0.55
		PM _{2.5}	0.21	0.55
ECT-05- PMb	E-Coat Line B (Heavy Sanding)	PM ₁₀	<0.01	0.04
TO-01b	Body Paint Line B: E-coat Dip Tank, E-	voc	31.44	66.46
	coat Oven, Heated Flash Basecoat 1	PM ₁₀	0.33	1.45
	Booth, Basecoat 2, Booth, Clearcoat	PM _{2.5}	0.30	1.31
	Booth, Clearcoat	NO _x	2.87	12.58
	Oven and Purge Solvent	со	6.96	30.49
	E-coat Oven Burners,	SO ₂	0.02	0.10
E-coat Air Supply Air Heaters, Topcoat Oven Burners, Topcoat Air Supply Heaters, Concentrator Burners, and Redundant RTO Burners 78.82 MMBtu/hr	Exempt Solvent	0.46	1.00	
TO-1b SS	Startup and Stabilization for TO-1b	VOC	0.10	0.01
	Both Burners Firing	PM ₁₀	0.13	0.02
		PM _{2.5}	0.13	0.02
		NO _x	1.31	0.16
		со	5.33	0.66
		SO ₂	0.01	<0.01
PRA-01b	Paint Repair Area Line B (Offline)	voc	0.15	0.66
	Line B (Online)	PM10	<0.01	<0.01
		PM2.5	<0.01	<0.01
		Exempt Solvents	0.04	0.15
PRA-02b	Paint Repair Area Line B (GA)	voc	0.15	0.66
	Line b (GA)	PM10	<0.01	<0.01

Emission Sources - Maximum Allowable Emission Rates

		Exempt Solvents	0.04	0.15
BRN-03	Heated Flash Line B – Burner 1, 2 and 3	VOC	0.02	0.10
	4.08 MMBtu/hr	PM ₁₀	0.03	0.13
		PM _{2.5}	0.03	0.13
		NO _x	0.30	1.31
		со	1.19	5.22
		SO ₂	<0.01	0.01
BRN-04	Dehumidifier Line B Air Supply Heater	VOC	<0.01	0.02
	1.02 MMBtu/hr	PM ₁₀	<0.01	0.03
		PM _{2.5}	<0.01	0.03
		NO _x	0.07	0.33
		со	0.30	1.30
		SO ₂	<0.01	0.01
BRN-06	Air Supply Houses- ASH-01 through ASH- 07, ASH Paint Mix Room, ASH Paint Hospital, ASH Clean Room 52.92 MMBtu/hr	voc	0.29	1.25
		PM ₁₀	0.39	1.73
		PM _{2.5}	0.39	1.73
		NO _x	3.86	16.89
		со	9.63	42.19
		SO ₂	0.03	0.14
TO-03	ASU Booth 6.14 MMBtu/hr	voc	0.03	0.15
	(includes PL-BRN-01 and TO-03)	PM ₁₀	0.05	0.20
	and 10-03)	PM _{2.5}	0.05	0.20
		NO _x	0.36	1.57
		со	0.61	2.68
		SO ₂	<0.01	0.02
PL-BRN-02	ARU Heated Flash 1	VOC	<0.01	0.01
		PM ₁₀	<0.01	0.02
		PM _{2.5}	<0.01	0.02
		NO _x	0.03	0.15

		СО	0.16	0.72
		SO ₂	<0.01	<0.01
PL-BRN-03	ARU Heated Flash 2	voc	<0.01	<0.01
		PM ₁₀	<0.01	0.01
		PM _{2.5}	<0.01	0.01
		NO _x	0.02	0.10
		СО	0.11	0.48
		SO ₂	<0.01	<0.01
PL-BRN-04	Oven Zone 1/2	VOC	<0.01	0.01
		PM ₁₀	<0.01	0.02
		PM _{2.5}	<0.01	0.02
		NO _x	0.02	0.10
		СО	0.09	0.39
		SO ₂	<0.01	<0.01
PL-BRN-05	Oven Zone 3/Hold up	voc	<0.01	0.0202
	1	PM ₁₀	<0.01	0.0279
		PM _{2.5}	<0.01	0.0279
		NO _x	0.03	0.13
		со	0.12	0.55
		SO ₂	<0.01	<0.01
PL-BRN-06	Oven Hold up 2	voc	<0.01	0.02
		PM ₁₀	<0.01	0.03
		PM _{2.5}	<0.01	0.03
		NO _x	0.0357	0.16
		СО	0.14	0.63
		SO ₂	<0.01	<0.01
PL-BRN-07	ASU Clean Room	VOC	<0.01	0.016
		PM10	<0.01	0.02
		PM2.5	<0.01	0.02

Emission Sources - Maximum Allowable Emission Rates

		NOx	0.04	0.19
		со	0.12	0.53
		SO2	<0.01	<0.01
PL-BRN-08	ASU Shop / Work Deck	voc	0.03	0.13
	Deck	PM10	0.043	0.19
		PM2.5	0.043	0.19
		NOx	0.37	1.62
		со	1.04	4.55
		SO2	<0.01	<0.01
TO-03	Regenerative Thermal Oxidizer Burner	voc	0.02	0.09
	(Redundant)	PM ₁₀	0.03	0.12
		PM _{2.5}	0.03	0.12
		NO _x	0.20	0.89
		со	0.18	0.77
		SO ₂	<0.01	<0.01
TO-03 SS	Startup and Stabilization for TO-03	voc	0.04	<0.01
	Both Burners Firing	PM ₁₀	0.06	<0.01
		PM _{2.5}	0.06	<0.01
		NO _x	0.40	0.05
		со	0.35	0.04
		SO ₂	<0.01	<0.01
TO-03	Plastic Paint-Purge Solvent - Controlled	VOC	1.35	2.95
TO-03	Plastic Paint-Basecoat #1 - Controlled	voc	1.40	3.06
	#1 - Controlled	PM10	<0.01	0.02
		PM2.5	<0.01	<0.01
TO-03	Plastic Paint-Basecoat #2 - Controlled Line 1	voc	0.76	1.70
	#2 - Controlled Lifte I	PM10	<0.01	0.02
		PM2.5	<0.01	<0.01
TO-03	Plastic Paint-	VOC	2.34	5.12
L ect Number: 319	609		1	1

		PM10	<0.01	0.025
		PM2.5	<0.01	<0.01
PPL-CAP3	Plastics Paint Line	VOC	5.96	13.28
	Сар	Exempt Solvent	1.38	6.05
		PM10	0.02	0.07
		PM2.5	<0.01	<0.02
PCFILTER- 01	Powder Coat Booth- 01 - FILTER-01	PM ₁₀	0.11	0.46
01	OI - FILTER-OI	PM _{2.5}	0.04	0.15
PCOven-01	Powder Coat Booth- 01 - PCOVEN-01	VOC	0.03	0.15
	5.12 MMBtu/hr	PM ₁₀	0.04	0.17
		PM _{2.5}	0.04	0.17
		NO _x	0.17	0.74
		СО	0.38	1.66
		SO ₂	<0.01	0.01
PCFILTER- 02	Powder Coat Booth- 02 - FILTER-02	PM ₁₀	0.11	0.46
02		PM _{2.5}	0.04	0.15
PCOven-02	Powder Coat Booth- 02 - PCOVEN-02	voc	0.03	0.15
	5.12 MMBtu/hr	PM ₁₀	0.04	0.17
		PM _{2.5}	0.04	0.17
		NO _x	0.17	0.74
		СО	0.38	1.66
		SO ₂	<0.01	0.01
PCFILTER- 03	Powder Coat Booth- 03 - FILTER-03	PM ₁₀	0.11	0.46
03	03 - 1 12 12 13-03	PM _{2.5}	0.04	0.15
PCOven-03	Powder Coat Booth- 03 - PCOVEN-03	voc	0.06	0.27
	10.24 MMBtu/hr	PM ₁₀	0.08	0.34
		PM _{2.5}	0.08	0.34
		NO _x	0.34	1.48
		СО	0.76	3.31

Emission Sources - Maximum Allowable Emission Rates

		SO ₂	<0.01	0.03
PDO-01	Parts Dryoff Oven 10.24 MMBTU/hr	VOC	0.06	0.24
	10.24 MIMBTO/III	PM ₁₀	0.08	0.34
		PM _{2.5}	0.08	0.34
		NO _x	0.34	1.48
		СО	0.76	3.31
		SO ₂	<0.01	0.03
WSCO-01	Wade Seal Cure Oven 3.5 MMBtu/hr	voc	0.02	0.08
	3.5 WIWIDIU/III	PM ₁₀	0.03	0.12
		PM _{2.5}	0.03	0.12
		NO _x	0.12	0.51
		со	0.26	1.13
		SO ₂	<0.01	0.01
FCD-1	Foil Coat Dryer 1 1.64 MMBtu/hr	voc	0.01	0.04
		PM ₁₀	0.01	0.05
		PM _{2.5}	0.01	0.05
		NO _x	0.08	0.33
		СО	0.19	0.82
		SO ₂	<0.01	<0.01
FCD-2	Foil Coat Dyer 2 1.64 MMBtu/hr	voc	0.01	0.04
	1.04 WIWIBICATII	PM ₁₀	0.01	0.05
		PM _{2.5}	0.01	0.05
		NO _x	0.08	0.33
		СО	0.19	0.82
		SO ₂	<0.01	<0.01
FCD-3	Foil Coat Dryer 3 1.64 MMBtu/hr	VOC	0.01	0.04
	1.04 MINIDIA/III	PM ₁₀	0.01	0.05
		PM _{2.5}	0.01	0.05
		NO _x	0.08	0.33

		со	0.19	0.82
		SO ₂	<0.01	<0.01
FCD-4	Foil Coat Dryer 4	VOC	0.01	0.04
	1.64 MMBtu/hr	PM ₁₀	0.01	0.05
		PM _{2.5}	0.01	0.05
		NO _x	0.08	0.33
		СО	0.19	0.82
		SO ₂	<0.01	<0.01
FCD-5	Foil Coat Dryer 5	VOC	0.01	0.04
	1.64 MMBtu/hr	PM ₁₀	0.01	0.05
		PM _{2.5}	0.01	0.05
		NO _x	0.08	0.33
		СО	0.19	0.82
		SO ₂	<0.01	<0.01
FCD-6	Foil Coat Dryer 6 1.64 MMBtu/hr	voc	0.01	0.04
		PM ₁₀	0.01	0.05
		PM _{2.5}	0.01	0.05
		NO _x	0.08	0.33
		СО	0.19	0.82
		SO ₂	<0.01	<0.01
FCD Cap	Foil Coat Dryers Cap 9.84 MMBTU/hr	VOC	0.05	0.23
	3.04 WIWID 1 O/III	PM ₁₀	0.07	0.32
		PM _{2.5}	0.07	0.32
		NO _x	0.45	1.97
		СО	1.12	4.91
		SO ₂	<0.01	0.03
CLL-01	Cell Dust Collection System 1	PM ₁₀	0.05	0.23
	Cyolom 1	PM _{2.5}	0.05	0.23
CLL-02	Cell Dust Collection System 2	PM ₁₀	0.04	0.17

		PM _{2.5}	0.04	0.17
011.05	Call Duot Callaction	-		
CLL-03	Cell Dust Collection System 3	PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
CLL-04	Cell Dust Collection System 4	PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
CLL-05	Cell Assembly	voc	<0.01	<0.01
		Exempt Solvent	0.01	0.06
TO-03	CLL-05 to TO-03	voc	0.11	0.46
		Exempt Solvent	1.38	6.05
CTU-01	Cooling Tubes	voc	<0.01	<0.01
BTM-01	Battery Module Assembly	VOC	3.03	5.26
INV-01	Inverter lines	VOC	0.27	1.18
STR-01-01	Stator Lines	VOC	1.67	7.33
BRO-01	Brazing Oven	voc	0.02	0.07
GAA-07	General Assembly Area Adhesives	VOC	0.84	1.84
GAA-01	Windshield Washer Fluid Tank No. 1	VOC	2.41	0.02
GAA-02	Windshield Washer Fluid Tank No. 2	VOC	2.41	0.02
GAA-03	Windshield Washer Fluid Tank No. 3	VOC	0.36	<0.01
GAA-04	Coolant Tank No. 1	VOC	1.43	0.01
GAA-05	Brake Fluid Tank No. 1	VOC	0.06	<0.01
GAA-06	General Assembly Tote Filling	VOC	2.89	1.47
WIP-01	Plantwide Wipe Cleaning	VOC	9.45	41.40
BLR-01 through	Boilers 1 thru 13 (at 6 MMBtu/hr each boiler)	voc	0.42	1.84
BLR-13	www.bia/iii cacii boilei)	PM ₁₀	0.58	2.55
		PM _{2.5}	0.58	2.55
		NO _x	0.86	3.76

		СО	6.42	28.14
		SO ₂	0.05	0.20
FP-01	Cells Fire Pump 1	VOC	0.03	<0.01
	(Cell)	PM ₁₀	0.03	<0.01
		PM _{2.5}	0.03	<0.01
		NO _x	0.62	0.10
		СО	0.18	0.03
		SO ₂	<0.01	<0.01
FP-02	Cells Fire Pump 2	voc	0.03	<0.01
	(GA)	PM ₁₀	0.03	<0.01
		PM _{2.5}	0.03	<0.01
		NO _x	0.62	0.10
		СО	0.18	0.03
		SO ₂	<0.01	<0.01
CT-1	Cooling Tower	PM	0.20	0.87
		PM ₁₀	0.20	0.87
		PM _{2.5}	0.10	0.43
CTW-02	Cooling Tower-02	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-03	Cooling Tower-03	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-04	Cooling Tower-04	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-05	Cooling Tower-05	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-06	Cooling Tower-06	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-07	Cooling Tower-07	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11

CTW-08	Cooling Tower-08	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-09	Cooling Tower-09	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-10	Cooling Tower-10	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-11	Cooling Tower-11	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-12	Cooling Tower-12	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-13	Cooling Tower-13	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-14	Cooling Tower-14	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-15	Cooling Tower-15	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-16	Cooling Tower-16	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-17	Cooling Tower-17	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-18	Cooling Tower-18	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-19	Cooling Tower-19	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-20	Cooling Tower-20	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-21	Cooling Tower-21	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-22	Cooling Tower-22	PM ₁₀	0.05	0.22
	•		•	•

		PM _{2.5}	0.02	0.11
CTW-23	Cooling Tower-23	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-24	Cooling Tower-24	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-25	Cooling Tower-25	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-26	Cooling Tower-26	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-27	Cooling Tower-27	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-28	Cooling Tower-28	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-29	Cooling Tower-29	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-30	Cooling Tower-30	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-31	Cooling Tower-31	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-32	Cooling Tower-32	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-33	Cooling Tower-33	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-34	Cooling Tower-34	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-35	Cooling Tower-35	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
CTW-36	Cooling Tower-36	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11

				T
CTW-37	Cooling Tower-37	PM ₁₀	0.05	0.22
		PM _{2.5}	0.02	0.11
WWTP-1	Wastewater Treatment Plant	voc	0.15	0.67
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
		Exempt Solvent	0.04	0.17
MSS-01-01	MSS for Basecoat/Topcoat Filter Changeout	voc	0.07	0.30
		Exempt Solvent	0.03	0.12
TO-01a	Line A MSS for Booth Cleaning	voc	0.71	3.12
		Exempt Solvent	0.29	1.27
TO-01b	Line B MSS for Booth Cleaning	voc	0.71	3.12
		Exempt Solvent	0.29	1.27
MSS-PL-01	Plastic Parts MSS for Filter Changeout	voc	0.07	0.30
		Exempt Solvents	0.03	0.12
MSS-PL-02	Plastic Parts MSS for Booth Cleaning	voc	0.05	0.21
		Exempt Solvents	0.02	0.09
PILOT BLD FUG	Startup and Pilot Build Coating Lines Without Abatement	voc	55.24	0.93
100		PM ₁₀	0.02	<0.01
		PM _{2.5}	<0.01	<0.01
	Casting Furnaces – 2 Total During Startup/Shakedown for no more than 120 Days	voc	0.14	0.20
CAS-02		PM ₁₀	0.20	0.29
		PM _{2.5}	0.20	0.29
		NO _x	1.64	2.36
		со	0.94	1.35
		SO ₂	0.02	0.03
		Pb	<0.0001	<0.0001
CAS-01 through	Casting Furnace During Filtration System Bypass for Filtration System Maintenance	voc	0.26	0.02
CAS-03		PM ₁₀	0.36	0.03
CAS-04SW CAS-05SW		PM _{2.5}	0.36	0.03
L		i		i e

		NO _x	3.09	0.23
		со	1.77	0.13
		SO ₂	0.03	<0.01
		Pb	<0.0001	<0.0001
All EPNs	All Sources at the Site	Individual HAP		<10
		Total HAP		<25

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- Those carbon compounds or mixtures of carbon compounds used as solvents which have been (3) Exempt Solvent excluded from the definition of volatile organic compound.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

- total oxides of nitrogen NO_x

- sulfur dioxide SO_2

- total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented PM

- total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as PM_{10}

represented

 $\mathsf{PM}_{2.5}$ - particulate matter equal to or less than 2.5 microns in diameter

- carbon monoxide CO

Pb Lead

HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of

Federal Regulations Part 63, Subpart C

- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Products of combustion.
- (7) Includes planned maintenance, startup and shutdown activities.