### Emission Sources - Maximum Allowable Emission Rates

## Permit Number 48923

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

#### Air Contaminants Data

Emission Point No.	Source Name (2)	Air Contaminant	Emission Rates (6)	
(1)		Name (3)	lbs/hour	TPY (4)
1, 2, 3, and 23	Stockpiles (5)	PM (Inactive)		0.07
		PM <sub>10</sub> (Inactive)		0.04
		PM <sub>2.5</sub> (Inactive)		0.01
		PM (Active)		1.53
		PM <sub>10</sub> (Active)		0.77
		PM <sub>2.5</sub> (Active)		0.12
4A and 4B	Drop Point (Loader To Hopper) (5)	PM	0.02	0.06
		PM <sub>10</sub>	0.01	0.02
		PM <sub>2.5</sub>	<0.01	0.01
5 and 6	Drop Point (Hopper To Conveyor) (5)	PM	0.02	0.06
		PM <sub>10</sub>	0.01	0.02
		PM <sub>2.5</sub>	<0.01	0.01
7A and 8A	Drop Point (Conveyor To Dryer) (5)	PM	0.02	0.06
		PM <sub>10</sub>	0.01	0.02
		PM <sub>2.5</sub>	<0.01	0.01
7A1 and 8A1	Rotary Dryer Stack	VOC	0.03	0.10
		NO <sub>X</sub>	0.57	1.75
		SO <sub>2</sub>	<0.01	0.01
		PM	5.50	17.00

Project Number: 175285

# Emission Sources - Maximum Allowable Emission Rates

		PM <sub>10</sub>	5.50	17.00
		PM <sub>2.5</sub>	5.50	17.00
		СО	0.48	1.47
7B	Drop Point (Dryer To Conveyor)(5)	PM	0.04	0.13
	Conveyor)(3)	PM <sub>10</sub>	0.02	0.05
		PM <sub>2.5</sub>	<0.01	0.01
7C	Drop Point (Conveyor To Cooler) (5)	PM	0.01	0.04
	Cooler) (3)	PM <sub>10</sub>	<0.01	0.01
		PM <sub>2.5</sub>	<0.01	<0.01
7D	Drop Point (Cooler To Elevator - Foundry Site)	PM	0.01	0.04
	(5)	PM <sub>10</sub>	<0.01	0.01
		PM <sub>2.5</sub>	<0.01	<0.01
8B	Drop Point (Dryer To Elevator) (5)	PM	0.04	0.13
		PM <sub>10</sub>	0.02	0.05
		PM <sub>2.5</sub>	<0.01	0.01
9 and 10	Drop Point (Elevator To Screens) (5)	PM	0.04	0.13
		PM <sub>10</sub>	0.02	0.05
		PM <sub>2.5</sub>	<0.01	0.01
11 - 18	Screen Decks (5)	PM	6.30	19.47
		PM <sub>10</sub>	1.51	4.67
		PM <sub>2.5</sub>	0.23	0.71
19	Drop Point (Sacking Operation) (5)	PM	0.09	0.28
	Operation, (3)	PM <sub>10</sub>	0.03	0.10
		PM <sub>2.5</sub>	0.01	0.02

Project Number: 175285

#### Emission Sources - Maximum Allowable Emission Rates

20 and 21	Truck Loading (5)	PM	0.06	0.20
		PM <sub>10</sub>	0.02	0.07
		PM <sub>2.5</sub>	<0.01	0.01
22	Unloading - Slag Plant (5)	РМ	0.01	0.04
		PM <sub>10</sub>	<0.01	0.01`
		PM <sub>2.5</sub>	<0.01	<0.01

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - NO<sub>x</sub> total oxides of nitrogen
  - SO<sub>2</sub> sulfur dioxide
  - PM total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented
  - PM<sub>10</sub> total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented
  - PM<sub>2.5</sub> particulate matter equal to or less than 2.5 microns in diameter
  - CO carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date:			

Project Number: 175285