

# Emission Sources - Maximum Allowable Emission Rates

Permit Number 119665

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (6)	
			lbs/hour	TPY (4)
S-1	Drying Kiln No. 1	VOC*	16.23	71.10
		PM	0.08	0.37
		PM <sub>10</sub>	0.08	0.37
		PM <sub>2.5</sub>	0.08	0.37
		Acetaldehyde	0.02	0.09
		HCHO	0.04	0.17
		MeOH	0.91	3.98
		Phenol	0.04	0.17
		HAP	1.03	4.51
S-2	Drying Kiln No. 2	VOC*	16.23	71.10
		PM	0.08	0.37
		PM <sub>10</sub>	0.08	0.37
		PM <sub>2.5</sub>	0.08	0.37
		Acetaldehyde	0.02	0.09
		HCHO	0.04	0.17
		MeOH	0.91	3.98
		Phenol	0.04	0.17
		HAP	1.03	4.51
S-3	Drying Kiln No. 3	VOC*	16.23	71.10
		PM	0.08	0.37

## Emission Sources - Maximum Allowable Emission Rates

		PM <sub>10</sub>	0.08	0.37
		PM <sub>2.5</sub>	0.08	0.37
		Acetaldehyde	0.02	0.09
		HCHO	0.04	0.17
		MeOH	0.91	3.98
		Phenol	0.04	0.17
		HAP	1.03	4.51
S-28	Natural Gas Boiler Stack	VOC*	0.20	0.89
		NO <sub>x</sub>	3.68	16.12
		SO <sub>2</sub>	0.02	0.10
		PM	0.28	1.22
		PM <sub>10</sub>	0.28	1.22
		PM <sub>2.5</sub>	0.28	1.22
		CO	3.09	13.54
S-4	Log Merchandising System	HAP	0.07	0.30
		PM	0.02	0.02
		PM <sub>10</sub>	<0.01	<0.01
S-5	Planer Baghouse Stack	PM <sub>2.5</sub>	<0.01	<0.01
		PM	0.86	3.76
		PM <sub>10</sub>	0.86	3.76
S-10	Debarker (5)	PM <sub>2.5</sub>	0.86	3.76
		PM	0.07	0.23
		PM <sub>10</sub>	0.04	0.13
S-11	Debarker (5)	PM <sub>2.5</sub>	0.04	0.13
		PM	0.07	0.23

## Emission Sources - Maximum Allowable Emission Rates

		PM <sub>10</sub>	0.04	0.13
		PM <sub>2.5</sub>	0.04	0.13
S-10 and S-11	2 Debarkers (5)	PM	0.15	0.23
		PM <sub>10</sub>	0.08	0.13
		PM <sub>2.5</sub>	0.08	0.13
S-15	Manufacturing Building (Sawing and Chipping) (5)	PM	3.48	5.59
		PM <sub>10</sub>	1.99	3.19
		PM <sub>2.5</sub>	0.07	0.11
S-21	Sawdust and Chips Bin Truck Loadout (5)	PM	<0.01	<0.01
		PM <sub>10</sub>	<0.01	<0.01
		PM <sub>2.5</sub>	<0.01	<0.01
S-23	Wet Bark Handling (5)	PM	0.01	0.02
		PM <sub>10</sub>	<0.01	<0.01
		PM <sub>2.5</sub>	<0.01	<0.01
S-25	Bark Bin Truck Loadout (5)	PM	<0.01	<0.01
		PM <sub>10</sub>	<0.01	<0.01
		PM <sub>2.5</sub>	<0.01	<0.01

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO<sub>x</sub> - total oxides of nitrogen
- SO<sub>2</sub> - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented
- PM<sub>10</sub> - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented
- PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- HCHO - formaldehyde
- MeOH - methanol
- HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C

Emission Sources - Maximum Allowable Emission Rates

- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Planned startup and shutdown emissions are included, as well as planned maintenance activities identified as part of the permit issued on the date TBD.

\* VOC as propane

Date: TBD