EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

C-19618

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contaminant Name (2) Name (3)	Emission Rates* #/hr TPY		
901	Drum	VOC	0.500	0.034
902	Drum	VOC	0.560	0.100
903	Drum	VOC	0.290	<0.001
904	Drum	VOC	0.300	0.007
945	Baghouse	VOC PM	0.016 0.072	0.019 0.210
946	Baghouse	VOC PM	0.016 0.072	0.019 0.210
947	Baghouse	VOC PM	0.027 0.120	0.030 0.330
948	Baghouse	VOC PM	0.027 0.120	0.030 0.330
951	Baghouse	VOC PM	0.196 0.072	0.200 0.150
952	Baghouse	VOC PM	0.196 0.072	0.200 0.150
955	Baghouse	VOC PM	<0.001 <0.001	<0.001 <0.001
956	Baghouse	VOC PM	0.990 0.360	0.080 0.060

957	Baghouse	VOC PM	0.990 0.360	0.080 0.060
982	Tank	VOC	0.143	0.120

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contaminant Name (2) Name (3)	Emission Rates* hr TPY		
983	Tank	VOC	0.146	0.240
984	Tank	VOC	0.150	0.130
985	Tank	VOC	0.174	0.520
986	Tank	VOC	0.174	0.520
987	Scrubber	VOC	0.001	0.004
988	Tank	PM	<0.001	<0.001
989	Tank	VOC	0.145	0.150
1011	Tank	VOC	0.533	<0.001
908	Fugitives (4)	VOC	0.690	2.900
922	Fugitives (4)	VOC	0.410	1.730
933	Fugitives (4)	VOC	148.070	9.200
934	Fugitives (4)	VOC	1.862	8.430
958	Fugitives (4)	VOC	1.950	8.540
973	Fugitives (4)	VOC	0.960	4.060
991	Fugitives (4)	VOC	0.171	1.130
992	Fugitives (4)	VOC	0.160	1.300
1001	Fugitives (4)	Refrigerant R-502	0.056	0.250
1002	Fugitives (4)	Refrigerant	0.042	0.180

		R-502		
804	Boiler	VOC	1.653	1.270
1006	Boiler Feed Fugitives (4)	VOC	0.041	0.150

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contai Name (2) Name	minant <u>Emission</u> e (3) #/hr TF		
1012	Backup Flare		VOC 32.900 NOx 4.470 CO 0.890 SO2 0.004	1.100 0 0.220
1007	Flare Feed Fugi	tives (4)	VOC <0.002	2 <0.001

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1

PM - particulate matter including PM10

NO_x - oxides of nitrogen CO - carbon monoxide SO₂ - sulfur dioxide

- (4) Fugitive emission rates are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day	_Days/week	Weeks/year	or Hrs/year <u>8760</u>	
	Revised			