

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 21538

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
<u>Train 8</u>				
ES-801	Package Boiler	VOC	0.43	1.90
		NO _x	2.90	12.69
		SO ₂	0.02	0.10
		PM ₁₀	0.72	3.17
		CO	7.97	34.89
ES-802	Alkyl Flare	VOC	0.43	0.10
		NO _x	0.10	0.10
		SO ₂	0.01	0.01
		CO	0.41	0.88
ES-805	Train 8 Flare	VOC	9.97	5.78
		NO _x	1.36	2.37
		SO ₂	0.01	0.01
		CO	8.88	12.92
F-8	Fugitives (4)	VOC	0.69	3.00
EF-806	Cooling Tower	VOC	0.57	2.48
EV-811	Cooling Water Additive Tanks	VOC	1.20	0.01
EV-871	Carlot Silo Blender Vent Filter	VOC	1.60	(5)
		PM	0.18	0.80
EV-872	Additive Feed Hopper Vent Filter	PM	0.04	0.01
EV-873	Pellet Dryer Exhaust	VOC	1.60	(5)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
EV-874	Pellet Surge Hopper Vent	VOC	1.60	(5)
EV-875	Powder Master Batch Weigh Bin Vent Filter	PM	1.44	0.04
EV-876-1	Pellet Classifier Vent	VOC	0.80	(5)
EV-876-2	Pellet Classifier Vent	VOC	0.80	(5)
EV-877-1	Pellet Classifier Vent	VOC	0.80	(5)
EV-877-2	Pellet Classifier Vent	VOC	0.80	(5)
EV-878-1	Railcar Loading Elutriator Bag Filter	VOC	2.50	(5)
		PM ₁₀	0.05	0.06
EV-878-2	Railcar Loading Elutriator Bag Filter	VOC	2.50	(5)
		PM ₁₀	0.05	0.06
T8-OG	Train 8 Off-Gas (5)	VOC		6.00
EV-854	Railcar Wash Vacuum Filter	PM	0.27	0.20
		<u>Train 9</u>		
EF-906	Cooling Tower	VOC	1.18	5.15
F-9	Fugitives (4)	VOC	0.85	3.71
EV-971	Carlot Silo Blender Vent Filter	VOC	2.60	(6)
		PM ₁₀	0.32	1.22
EV-972A	Additive Hopper Vent Filter	PM	0.03	0.01
EV-972B	Additive Hopper Vent Filter	PM	0.03	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
EV-978	Elutriator Bag Filter	VOC	2.60	(6)
		PM ₁₀	0.06	0.24
EV-973A	Pellet Dryer Exhaust	VOC	1.30	(6)
EV-973B	Pellet Dryer Exhaust	VOC	1.30	(6)
EV-974A	Pellet Surge Hopper Vent	VOC	1.30	(6)
EV-974B	Pellet Surge Hopper Vent	VOC	1.30	(6)
EV-975A	Pellet Classifier Vent	VOC	1.30	(6)
EV-975B	Pellet Classifier Vent	VOC	1.30	(6)
EV-976A	Pellet Classifier Vent	VOC	1.30	(6)
EV-976B	Pellet Classifier Vent	VOC	1.30	(6)
T9-OG	Train 9 Off-Gas (6)	VOC		10.00
ES-975 0.75	Blender/Feeder Vent Gas Catalytic		VOC	0.20
	Oxidizer (7)	CO	0.01	0.03
		PM ₁₀	0.38	0.14
ES-976	Train 8 and 9 Enclosed	VOC	0.11	0.48
	Vapor Combustor (7)	NO _x	0.05	0.20
		SO ₂	0.01	0.01
		PM ₁₀	0.03	0.12
		CO	0.03	0.13
EV-911 0.01	Cooling Water Additive Tanks		VOC	1.20
EV-869	Additive Storage	VOC	0.01	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
Point No. (1)	Name (2)	Name (3)	<u>lb/hr</u>	
	TPY**			
	Tank Vent			
EV-808	Catalyst Building Guard Oil Tank Vent	VOC	0.19	0.01
EV-820	Mineral Oil Drying Tank Vent	VOC	0.01	0.01
EV-197	Mineral Oil Storage 0.01 Tank Vent	VOC		0.01
EV-715	TEAL KO Pot Vent	0.01	VOC	0.01

- (1) Emission point identification - either specific equipment designation or emission point number (EPN) from plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) PM - particulate matter, suspended in the atmosphere, including PM₁₀
PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
NO_x - total oxides of nitrogen
SO₂ - sulfur dioxide
CO - carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) EPN T8-OG provides the cumulative annual VOC emission limit for EPNs EV-873, EV-874, EV-876-1, EV-876-2, EV-877-1, EV-877-2, EV-871, EV-878-1, and EV-878-2.
- (6) EPN T9-OG provides the cumulative annual VOC emission limit for EPNs EV-973A, EV-973B, EV-974A, EV-974B, EV-975A, EV-975B, EV-976A, EV-976B, EV-971, and EV-978.
- (7) ES-975 and ES-976 shall not emit simultaneously.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>
	<u>TPY**</u>		

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day ____ Days/week ____ Weeks/year ____ or Hrs/year 8,760

** Compliance with annual emission limit is based on a rolling 12-month period.

Dated March 23, 2004