EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES 19340

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Air Contaminant <u>Emission R</u> Name (2) Name (3) lb/hr | Rates * TPY | | |
|---------------------------|--|----------------|-------|-------|
| 129T515 | Concentrator Vent (4) | VOC | 15.0 | 29.2 |
| 129T517 | T-206 Overhead Receiver | CH2O | 0.12 | 0.5 |
| 129T516 | Finishing Area Scrubber | VOC | 2.38 | 10.0 |
| 129T518 | CH2O Storage Tank Scrubber | CH2O | 0.05 | 0.1 |
| 129V1751 | BUH Storage Tank | VOC | 0.38 | 0.8 |
| 129V743 | HAC Feed Tank | VOC | 0.007 | 0.015 |
| 129V746 | ETAC Feed Tank | VOC | 0.05 | 0.1 |
| 129V746 | ETAC Tank | VOC | 0.05 | 0.1 |
| 129V755 | ETAC Tank | VOC | 0.20 | 0.43 |
| 129V756 | Crude TMP Tank | VOC | 0.014 | 0.03 |
| 129V757 | Off-Spec TMP Tank | VOC | 0.007 | 0.015 |
| 129V724 | Off-Spec TMP Tank | VOC | 0.007 | 0.015 |
| 129V725 | Crude TMP Tank | VOC | 0.007 | 0.015 |
| 129V1684 | TMP Tank | VOC | 0.007 | 0.015 |

| 129V1680 | EMISSION SOURCES - MAXINT TMP Tank | MUM ALLOWABLE EMISSION VOC | RATES 0.007 | 0.015 |
|---------------------------|--|--|--------------------|-------|
| 129V734 | TMP Tank | VOC | 0.007 | 0.015 |
| 129V733 | TMP Tank | VOC | 0.007 | 0.015 |
| 129V732 | TMP Tank | VOC AIR CONTAMIN | 0.007 ANTS DATA | 0.015 |
| Emission Point No. (1) | Source Air Contamina Name (2) Name (3) | ant <u>Emission Rates *</u> lb/hr TPY | | |
| 129V161 | NAFO Tank | VOC | 0.057 | 0.09 |
| 129V744 | Formic Acid Feed | VOC | 0.029 | 0.06 |
| F129 | Fugitives (5) | VOC | 4.17 | 17.5 |

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1 CH2O formaldehyde
- (4) The Concentrator Vent (EPN 129T515) may emit up to 3.0 lb/hr and 5.0 TPY of CH2O.
- (5) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day___Days/week___Weeks/year___or Hrs/year_8,760_

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

| Revised | |
|---------|--|
|---------|--|