

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 1733A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY
7-2-2	Fugitives (4)	VOC	1.68	7.37
		NH <sub>3</sub>	0.51	2.22
7-2-3	Truck Loading	VOC	0.34	0.08
7-2-4	Rail Loading	VOC	2.80	0.07
7-2-5	T-12 Overhead Drum	VOC	0.045	0.18
7-2-6	Dehydro Methane Burner	CO	0.09	0.36
		NO <sub>x</sub>	0.47	1.78
		PM <sub>10</sub>	0.02	0.09
		VOC	0.02	0.09
7-2-7	Dehydro Methane Burner	CO	0.09	0.36
		NO <sub>x</sub>	0.47	1.78
		PM <sub>10</sub>	0.02	0.09
		VOC	0.02	0.09
7-2-8	Dilute Acid Water Tank	Organic Acids	0.038	0.15
7-2-9	Anolon Storage Tank	VOC	0.30	1.40
7-2-11	Tech Anol Feed Tank	VOC	0.15	0.16
7-2-12	Tech Anol Feed Tank	VOC	0.02	0.16
7-2-13	D-Anone Storage Tank	VOC	0.19	0.81

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
7-2-14	Dehydro Feed Tank	VOC	0.05	0.10
7-2-15	Cyclohexanol Tank	VOC	0.05	0.05
7-2-16	Cyclohexanol Tank	VOC	0.04	0.43
7-2-17	Cyclohexanone Storage Tanks 0.36		VOC	4.75
7-2-18	Cyclohexanone Storage Tank 0.18		VOC	2.37
7-2-19	Cyclohexanone Storage Tank 0.18		VOC	2.37
7-2-21	Concentrated Catalyst Tank 0.02		VOC	2.51
7-2-22	Cyclohexanone Storage Tank 0.18		VOC	2.37
7-2-23	Cyclohexanone Storage Tank 0.18		VOC	2.38
7-2-24	Anolon Storage Tank	VOC	0.051	0.20
7-2-25	Dehydro Feed Tank	VOC	1.37	0.07
7-2-27	Dilute Catalyst Tank	VOC	0.71	0.04
7-2-30	Anone and Anolon Storage Tank 0.35		VOC	1.18
9-1-24	Cyclohexane Tank	VOC	0.26	0.32

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
9-1-25	Cyclohexane Tank	VOC	0.23	0.38
9-1-26	Cyclohexane Tank	VOC	0.12	0.38
9-1-27	Concentrated Acid Water Tank	Organic Acids		<0.003
	0.03			
9-1-28	Emergency Dump Tank	VOC	60.87	4.66
11-1-2	Catalytic Incinerator	CO	64.19	281.18
		NO <sub>x</sub>	0.97	0.94
		TSP	0.05	0.05
		VOC	26.99	118.29

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
11-1-3	Dehydro Methane Burner	CO	0.09	0.36
		NO <sub>x</sub>	0.47	1.78
		TSP	0.02	0.09
		VOC	0.02	0.09
11-1-4	Dehydro Methane Burner	CO	0.09	0.36
		NO <sub>x</sub>	0.47	1.78
		TSP	0.02	0.09
		VOC	0.02	0.09
11-1-5	Dehydro Methane Burner	CO	0.09	0.36
		NO <sub>x</sub>	0.47	1.78
		TSP	0.02	0.09
		VOC	0.02	0.09
11-1-6	Dehydro Methane Burner	CO	0.10	0.36
		NO <sub>x</sub>	0.51	1.78
		TSP	0.03	0.09
		VOC	0.03	0.09
11-1-7	Waste Burner	CO	0.56	2.45
		NO <sub>x</sub>	0.37	1.64
		TSP	0.12	0.52
		VOC	4.00	17.57
11-1-9	Vent Condenser	VOC	0.02	1.3
11-1-10	Anolon Tank	VOC	0.89	0.12
11-1-14	Overhead Condenser	VOC	<0.01	<0.01
11-1-21	EP 316/223 Tank	VOC	0.40	0.11
11-1-22	EP 323 Storage Tank	VOC	<0.01	0.024

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
11-1-23	Concentrated Acid Water	Organic Acids	<0.01	<0.01
11-1-25	Concentrated Catalyst Tank 0.02	VOC		1.93
11-1-26	Dilute Catalyst Tank	VOC	0.04	0.11
11-1-27	Hotwell Tank	VOC	<0.001	<0.01
11-1-29	Anolon Tank	VOC	0.02	1.3
11-1-35	Cyclohexanone Tanks (3)	VOC	1.28	6.11
11-1-36	Dehydro Feed Tank	VOC	0.14	0.19
11-1-37	Dehydro Feed Tank	VOC	0.14	0.19
11-1-38	Dehydro Feed Tank	VOC	0.14	0.19
11-1-39	Dehydro Feed Tank	VOC	0.14	0.19
11-1-40	Heavies Cracking Feed	VOC	0.11	0.52
11-1-41	EP-316 Storage Tank	VOC	0.43	0.30
11-1-42	EP-316 Storage tank	VOC	0.34	0.54
11-1-43	Dehydro Methane Burner	CO	0.22	0.96
		NO <sub>x</sub>	0.61	2.67
		TSP	0.02	0.09
		VOC	0.04	0.18
11-1-44	Dehydro Methane Burner	CO	0.22	0.96
		NO <sub>x</sub>	0.61	2.67
		TSP	0.02	0.09

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
		VOC	0.04	0.18
11-1-45	Emergency Dump Tank	VOC	62.35	0.86
11-1-47	Fugitives (4)	VOC	2.79	12.21
11-1-48	Fugitives (4)	VOC	2.17	9.52
11-1-49	Fugitives (4)	NH <sub>3</sub>	0.63	2.78
11-1-50	Railcar Loading	VOC	3.33	4.03
11-1-51	Truck Loading	VOC	3.00	0.19
11-1-52	Off-site Barge Loading	VOC	3.60	0.52
11-1-53	Deepwell Tank	VOC	<0.01	<0.001
11-1-55	Deepwell Tank	VOC	0.30	<0.001
11-1-71	Deepwell Tank	VOC	0.01	0.001
12-2-4	Deepwell Tank	VOC	<0.01	<0.001
12-2-5	Deepwell Tank	VOC	<0.01	<0.001
12-2-6	Deepwell Tank	VOC	<0.01	<0.001
12-2-8	Deepwell Tank	VOC	<0.01	<0.001
12-2-9	Deepwell Tank	VOC	<0.01	<0.001
12-2-10	Deepwell Tank	VOC	<0.01	0.01
12-2-11	Deepwell Tank	VOC	<0.01	0.01

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
12-2-12	Deepwell Tank	VOC	<0.01	0.03
7-3-34	Kettle Scrubber Vent	Acids	0.5	2.19
7-3-35	Catalytic Converter Vent <0.001		TSP	<0.001
7-3-42	Catalyst Oven Vent	TSP	<0.001	<0.001
7-3-43	Catalyst Oven Vent	TSP	<0.001	<0.001
7-3-44	Catalyst Oven Vent	TSP	<0.001	<0.001
7-3-55	Fugitives (4)	NH <sub>3</sub>	0.98	4.3
12-1-1	Vent Gas Flare	NO <sub>x</sub>	32.34	141.69
		CO	2.50	10.97
12-1-2	Nitric Oxide Flare	NO <sub>x</sub>	0.23	1.02
		CO	0.11	10.97
12-1-8	Concentrated Sulfuric Acid <0.001 Storage Drum		H <sub>2</sub> SO <sub>4</sub>	<0.001
12-1-9	Concentrated Sulfuric Acid <0.001 Storage Drum		H <sub>2</sub> SO <sub>4</sub>	<0.001
12-1-29	Catalytic Converter Vent 0.003		TSP	<0.001
12-1-30	Kettle Scrubber Vent	Acids	2.19	9.52

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
12-1-31	Catalyst Oven Vent	TSP	<0.001	<0.001
12-1-32	Catalyst Oven Vent	TSP	<0.001	<0.001
12-1-33	Catalyst Oven Vent	TSP	<0.001	<0.001
12-1-34	Catalyst Oven Vent	TSP	<0.001	<0.001
12-1-35	Catalyst Oven Vent	TSP	<0.001	<0.001
12-1-36	Catalyst Oven Vent	TSP	<0.001	<0.001
12-1-44	Catalyst Transfer Station 29.29		TSP	7.04
12-1-45	Fugitives (4)	NH <sub>3</sub>	1.61	7.1
12-1-46	Ammonia Flare	NH <sub>3</sub>	0.09	0.38
		NO <sub>x</sub>	1.84	8.05
		CO	9.15	40.10
		VOC	0.14	0.60
12-1-47	Carbon Beds	VOC	3.71	2.10
7-1-1	Neutralization Standpipe <0.01		VOC	<0.01
7-1-2	Neutralization Standpipe <0.01		VOC	<0.01
7-1-7	Anone Stripper OH Drum	VOC	0.53	0.003
7-1-8	Benzene Scrubber Vent	VOC (Benzene)	0.75	3.29
7-1-9	Slurry Settling Drum	VOC	0.28	<0.001



## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
7-1-10	Wash Water Storage Tank	VOC	<0.001	<0.001
7-1-11	Wash Water Storage Tank	VOC	<0.001	<0.001
7-1-12	Wash Water Storage Tank	VOC	<0.001	<0.001
7-1-13	Wash Water Storage Tank	VOC	<0.001	<0.001
7-1-14	SO <sub>2</sub> Scrubber	SO <sub>2</sub>	2.72	11.92
7-1-15	Neutralization Separator Drum <0.001		VOC	0.45
7-1-16	Neutralization Circulation Drum <0.001		VOC	0.14
7-1-17	Neutralization Crude Storage <0.001 Tank		VOC	0.20
7-1-20	Kettle Dump Drum	VOC	0.02	<0.001
7-1-21	Overhead Drum	VOC	0.01	<0.001
7-1-22	Bottoms Drum	VOC	0.10	<0.01
7-1-23	Check Tank	VOC	0.20	0.01
7-1-24	Check Tank	VOC	0.20	0.01
7-1-25	Storage Tank Vent	VOC	7.46	0.006
7-1-26	Kettles Overhead Tank	VOC	0.005	<0.001

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
7-1-27	Bottoms Drum	VOC	0.05	0.004
7-1-28	Check Tank	VOC	0.07	<0.001
7-1-29	Anone Surge Tank	VOC	1.20	0.01
7-1-30	Oleum Scrubber Vent	SO <sub>3</sub> /H <sub>2</sub> SO <sub>4</sub>	<0.001	0.003
7-1-31	Oxime Holdup Tank	VOC	1.02	0.013
7-1-32	Neutralization Separator Drum <0.001		VOC	0.45
7-1-33	Neutralization Circulation Drum 0.05		VOC	0.39
7-1-34	Neutralization Crude Storage 0.05 Tank		VOC	0.39
7-1-35	Extract Storage Tank	VOC	1.96	<0.01
7-1-36	Overheads Drum	VOC	0.08	<0.01
7-1-37	Bottoms Tank	VOC	0.12	<0.01
7-1-38	Product Check Tank	VOC	0.17	0.01
7-1-39	Product Check Tank	VOC	0.17	0.01
7-1-40	Overheads Drum	VOC	0.007	0.001
7-1-41	Poly Return Storage Tank 0.002		VOC	0.13

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
7-1-42	Oxime Salt Storage Tank	VOC	0.16	<0.001
7-1-43	Mother Liquor Storage Tank <0.001	VOC		0.16
7-1-44	Flake Feed Storage Tank	VOC	0.19	0.12
7-1-45	Product Check Tank	VOC	0.01	<0.001
7-1-46	SO <sub>4</sub> Scrubber	TSP	4.86	21.29
		VOC	4.98	21.81
7-1-47	Jet Vent	VOC	0.01	0.046
7-1-48	Jet Vent	VOC	0.01	0.046
7-1-50	Hot Well Tank	VOC	<0.01	<0.001
7-1-51	Hot Well Tank	VOC	<0.01	<0.001
7-1-52	Hot Well Tank	VOC	<0.01	<0.001
7-1-53	Hot Well Tank	VOC	<0.01	<0.001
7-1-54	Hot Well Tank	VOC	<0.01	<0.001
7-1-55	Hot Well Tank	VOC	<0.01	<0.001
7-1-56	Hot Well Tank	VOC	<0.01	<0.001
7-1-57	Hot Well Tank	VOC	<0.01	<0.001
7-1-58	Jet Vent	VOC	0.01	0.046
7-1-59	Jet Vent	VOC	0.01	0.046

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
7-1-60	Jet Vent	VOC	0.01	0.046
7-1-61	Jet Vent	VOC	0.01	0.046
7-1-62	Jet Vent	VOC	0.01	0.046
7-1-63	Jet Vent	VOC	0.01	0.046
7-1-64	N <sub>2</sub> Drying Tower	VOC	0.056	0.24
7-1-65	Vacuum System	VOC	0.01	0.046
7-1-66	Tank Farm Fugitives (4)	VOC	0.30	1.31
7-1-67	Oximation Fugitives (4)	VOC	0.30	1.3
		NH <sub>3</sub>	0.48	2.1
7-1-68	Distillation Fugitives (4) 1.32	VOC		0.3
7-1-69	Reaction Fugitives (4)	VOC	0.3	1.32
7-1-70	Extraction Fugitives (4) 1.32	VOC		0.3
7-1-71	Caprolactam Rail Loading <0.001	VOC		0.01
7-1-73	SO <sub>2</sub> Scrubber	SO <sub>2</sub>	2.76	12.07
		NH <sub>3</sub>	0.29	1.27
7-1-74	Ammonium Sulfate Loading 0.04	TSP		0.01

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
7-1-75	Kettle Dump	VOC	0.06	0.18
7-1-79	Storage Tank	VOC	0.30	0.004
7-1-80	Storage Tank	VOC	0.30	0.004
1-1-Barge	Capro Barge Loading	VOC	<0.01	<0.01
14-1-1	Ammonium Sulfate Loading 0.004		TSP	0.01
14-1-4	Oxime Separator	VOC	0.51	<0.01
14-1-5	Oxime Separator	VOC	1.02	0.01
14-1-6	Overhead Separator	VOC	0.01	<0.01
14-1-8	Lactam Separator	VOC	<0.001	<0.001
14-1-10	Purge Drums	VOC	1.90	6.30
14-1-11	Overhead Drum	VOC	<0.01	<0.01
14-1-12	Centrifuge Feed Tank	VOC	0.027	<0.001
14-1-13	Centrifuge Feed Tank	VOC	0.027	<0.001
14-1-16	Storage Tank	VOC	0.027	0.002
14-1-18	Hot Well Tank	VOC	0.057	0.25
14-1-20	Hot Well Tank	VOC	<0.01	<0.01
14-1-21	Hot Well Tank	VOC	<0.01	<0.01

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
14-1-22	Hot Well Tank	VOC	<0.01	<0.01
14-1-23	Hot Well Tank	VOC	<0.01	<0.01
14-1-25	Oxime Storage Drum	VOC	1.48	0.012
14-1-26	Storage Drum	VOC	0.59	<0.01
14-1-27	Crude Lactam Storage	VOC	0.029	0.008
14-1-29	Extract Storage	VOC	0.007	0.01
14-1-30	Extract Storage	VOC	0.007	0.001
14-1-31	Extract Storage	VOC	0.66	1.44
14-1-32	Storage Tank	VOC	0.54	<0.01
14-1-35	Extract Storage	VOC	1.04	0.01
14-1-36	Foreruns Receiver	VOC	0.76	0.026
14-1-37	Lights Storage	VOC	0.10	0.008
14-1-38	Kettle Feed Drum	VOC	0.25	0.029
14-1-39	Kettle Overheads	VOC	0.61	0.02
14-1-40	Mother Liquor Storage	VOC	0.42	0.002
14-1-41	Mother Liquor Receiver	VOC	0.01	<0.001
14-1-44	Water Storage	VOC	<0.001	<0.001
14-1-45	Concentrated Storage	VOC	4.69	0.10

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>
14-1-46	Oxime Salt Storage	VOC	1.21	0.002
14-1-47	Mother Liquor Storage	VOC	0.62	0.004
14-1-52	Storage Drum	VOC	<0.01	<0.01
14-1-55	Drying Tower	VOC	0.01	0.046
14-1-56	Foreruns Tower Receiver	VOC	0.01	0.046
14-1-57	Finishing Tower	VOC	0.01	0.046
14-1-58	E-511	VOC	0.01	0.046
14-1-60	D-431	VOC	0.02	0.092
14-1-61	Kettle	VOC	0.01	0.046
14-1-62	E-600a	VOC	0.01	0.046
14-1-63	E-600b	VOC	0.01	0.046
14-1-64	E-720	VOC	0.01	0.046
14-1-65	T-130	VOC	<0.001	0.003
14-1-67	Pre-Drying Tower	VOC	0.01	0.046
14-1-68	Caprolactam Loading	VOC	0.45	1.03
14-1-69	Scrubber	TSP	1.17	5.12
		VOC	4.98	21.81
14-1-70	Vacuum Jet	VOC	0.01	0.046

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
14-1-73-01	Oximation Fugitives (4)	VOC	0.20	0.87
14-1-73-02	Anone Recovery Fugitives (4) 0.87	VOC		0.20
14-1-73-03	Caprolactam Fugitives (4) 0.87	VOC (Benzene)		0.20
14-1-73-04	Benzene Fugitives (4)	VOC (Benzene)	0.20	0.87
14-1-73-05	Fugitives (4)	NH <sub>3</sub>	0.136	0.60
14-1-75	Benzene Crude Scrubber	VOC (Benzene)	0.75	3.29
14-1-76	SO <sub>2</sub> Scrubber	SO <sub>2</sub>	2.76	12.07
		NH <sub>3</sub>	0.29	1.27
14-1-77	Oleum Scrubber	SO <sub>3</sub> /H <sub>2</sub> SO <sub>4</sub>	<0.001	0.003
14-1-78	Overhead Drum	VOC	0.95	0.32
14-1-80	Check Tank	VOC	<0.01	<0.01
14-1-81	Check Tank	VOC	<0.01	<0.01
14-1-83	Caprolactam Loading	VOC	0.002	<0.001
14-1-85	Extract Storage	VOC	0.21	0.05
14-1-86	Kettle Dump Trailer	VOC	0.067	0.294
14-1-87	Hot Well Tank	VOC	0.01	0.046
14-1-88	Hot Well Tank	VOC	0.01	0.046



# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			<u>lb/hr</u>	<u>TPY</u>
14-1-89	Hot Well Tank	VOC	<0.01	0.01
14-1-90	Extraction Tower Bottoms <0.01	VOC		<0.001

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) TSP - total suspended particulate matter, including PM<sub>10</sub>.  
PM<sub>10</sub> - particulate matter with an aerodynamic diameter equal to or less than 10 microns.

VOC - volatile organic compounds as defined in General Rule 101.1

NO<sub>x</sub> - total oxides of nitrogen

CO - carbon monoxide

SO<sub>2</sub> - sulfur dioxide

SO<sub>3</sub> - sulfur trioxide

H<sub>2</sub>SO<sub>4</sub> - sulfuric acid

NH<sub>3</sub> - ammonia

(4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day 24 Days/week 7 Weeks/year 52 or Hrs/year 8,760

Dated \_\_\_\_\_