

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 56613

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
STKBRLR2	Steam Boiler No. 2 (4)	CO	19.79	86.66
		NO _x	32.40	141.91
		PM ₁₀	1.79	7.84
		SO ₂	0.14	0.62
		VOC	1.30	5.67
	Steam Boiler No. 2 (5)	CO	19.78	86.65
		NO _x	12.96	56.76
		PM ₁₀	1.79	7.84
		SO ₂	0.14	0.62
		VOC	1.30	5.67
STKBRLR3N	Steam Boiler No. 3	CO	12.96	56.76
		CO (6)	129.60	
		NO _x	2.16	9.46
		NO _x (6)	21.60	
		VOC	1.30	5.67
		VOC (6)	13.00	
		NH ₃	0.11	0.48
		PM ₁₀	1.79	7.84
CO2VENT	Amine Vent	SO ₂	0.14	0.62
		VOC (4)	113.00	494.94
HPFLARE	High Pressure Flare (Pilot Fuel Only)	VOC (5)	0.32	1.39
		CO	0.04	0.17
		NO _x	0.02	0.08
		SO ₂	0.01	0.01
		VOC	0.01	0.02

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) CO - carbon monoxide
NO_x - total oxides of nitrogen
PM₁₀ - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
SO₂ - sulfur dioxide
VOC - volatile organic compounds as defined in the Title 30 Texas Administrative Code § 101.1.
- (4) Pre-control emission rate
- (5) Post control emission rate
- (6) Emission rate for startup/shutdown and reduced load (less than 30 percent) conditions

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24 Hrs/day 7 Days/week 52 Weeks/year

** Compliance with annual emission limits is based on a rolling 12-month period.

Dated January 24, 2008