

Emission Sources - Maximum Allowable Emission Rates

Permit Numbers 105710 and PSDTX1306

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (4)	
			lbs/hour	TPY (5)
TRB1-TRB18 (6 propane, 6 ethylene, and 6 methane refrigeration turbines) are subject to a combined TPY cap.				
TRB1	Propane Refrigeration Turbines Emission rates are per turbine	NO _x	26.70	-
TRB2		CO	16.22	-
TRB7		VOC	0.60	-
TRB8		SO ₂	0.31	-
TRB13		H ₂ S	<0.01	-
TRB14		PM	0.67	-
		PM ₁₀	0.67	-
		PM _{2.5}	0.67	-
TRB3	Ethylene Refrigeration Turbines Emission rates are per turbine	NO _x	28.68	-
TRB4		CO	17.53	-
TRB9		VOC	0.60	-
TRB10		SO ₂	0.31	-
TRB15		H ₂ S	<0.01	-
TRB16		PM	0.72	-
		PM ₁₀	0.72	-
		PM _{2.5}	0.72	-
TRB5	Methane Refrigeration Turbines	NO _x	26.99	-
TRB6		CO	16.36	-
TRB11	Emission rates are per turbine	VOC	0.60	-
TRB12				

Emission Sources - Maximum Allowable Emission Rates

		SO ₂	0.31	-
		H ₂ S	<0.01	-
		PM	0.68	-
		PM ₁₀	0.68	-
		PM _{2.5}	0.68	-
TRB1-TRB18	(6) Propane (6) Ethylene (6) Methane Refrigeration Turbines Annual cap	NO _x	-	2197.3
		CO	-	1333.6
		VOC	-	47.34
		SO ₂	-	24.30
		H ₂ S	-	0.18
		PM	-	55.28
		PM ₁₀	-	55.28
		PM _{2.5}	-	55.28
TO-1	Thermal Oxidizer	NO _x	1.38	6.07
		CO	1.50	6.57
		VOC	0.10	0.13
		SO ₂	0.74	2.95
		H ₂ S	<0.01	0.02
		PM	0.21	0.90
		PM ₁₀	0.21	0.90
		PM _{2.5}	0.21	0.90
TO-2	Thermal Oxidizer	NO _x	1.38	6.07
		CO	1.50	6.57
		VOC	0.10	0.13
		SO ₂	0.74	2.95

Emission Sources - Maximum Allowable Emission Rates

		H ₂ S	<0.01	0.02
		PM	0.21	0.90
		PM ₁₀	0.21	0.90
		PM _{2.5}	0.21	0.90
TO-3	Thermal Oxidizer	NO _x	1.38	6.07
		CO	1.50	6.57
		VOC	0.10	0.13
		SO ₂	0.74	2.95
		H ₂ S	<0.01	0.02
		PM	0.21	0.90
		PM ₁₀	0.21	0.90
		PM _{2.5}	0.21	0.90
WTDYFLR1	Wet/Dry Gas Flare 1 (continuous)	NO _x	1.35	5.20
		CO	11.56	44.59
		VOC	6.56	26.11
		SO ₂	0.02	0.07
		H ₂ S	<0.01	<0.01
WTDYFLR1	Wet/Dry Gas Flare 1 (MSS)	NO _x	368.79	26.80
		CO	3,162.03	229.77
		VOC	1,067.88	21.32
		SO ₂	4.22	0.28
		H ₂ S	0.04	<0.01
WTDYFLR2	Wet/Dry Gas Flare 2 (continuous)	NO _x	1.35	5.20
		CO	11.56	44.59
		VOC	6.56	26.11

Emission Sources - Maximum Allowable Emission Rates

		SO ₂	0.02	0.07
		H ₂ S	<0.01	<0.01
WTDYFLR2	Wet/Dry Gas Flare 2 (MSS)	NO _x	368.79	26.80
		CO	3,162.03	229.77
		VOC	1,067.88	21.32
		SO ₂	4.22	0.28
		H ₂ S	0.04	<0.01
MRNFLR	Marine Flare	NO _x	32.57	4.15
		CO	279.23	35.58
		VOC	5.11	0.59
		SO ₂	0.40	0.59
		H ₂ S	0.01	0.01
GEN1	Standby Generator 1	NO _x	9.42	0.12
		CO	1.48	0.02
		VOC	0.51	0.01
		SO ₂	0.32	<0.01
		PM	0.13	<0.01
		PM ₁₀	0.13	<0.01
		PM _{2.5}	0.13	<0.01
GEN2	Standby Generator 2	NO _x	9.42	0.12
		CO	1.48	0.02
		VOC	0.51	0.01
		SO ₂	0.32	<0.01
		PM	0.13	<0.01
		PM ₁₀	0.13	<0.01

Emission Sources - Maximum Allowable Emission Rates

GEN3	Standby Generator 3	PM _{2.5}	0.13	<0.01
		NO _x	9.42	0.12
		CO	1.48	0.02
		VOC	0.51	0.01
		SO ₂	0.32	<0.01
		PM	0.13	<0.01
		PM ₁₀	0.13	<0.01
GEN4	Standby Generator 4	PM _{2.5}	0.13	<0.01
		NO _x	9.42	0.12
		CO	1.48	0.02
		VOC	0.51	0.01
		SO ₂	0.32	<0.01
		PM	0.13	<0.01
		PM ₁₀	0.13	<0.01
FWPUMP1	Diesel Firewater Pump 1	PM _{2.5}	0.13	<0.01
		NO _x	2.90	0.07
		CO	0.69	0.02
		VOC	0.08	<0.01
		SO ₂	0.01	<0.01
		PM	0.10	<0.01
		PM ₁₀	0.10	<0.01
FWPUMP2	Diesel Firewater Pump 2	PM _{2.5}	0.10	<0.01
		NO _x	2.90	0.07
		CO	0.69	0.02
		VOC	0.08	<0.01

Emission Sources - Maximum Allowable Emission Rates

		SO ₂	0.01	<0.01
		PM	0.10	<0.01
		PM ₁₀	0.10	<0.01
		PM _{2.5}	0.10	<0.01
FWPUMP3	Diesel Firewater Pump 3	NO _x	2.90	0.07
		CO	0.69	0.02
		VOC	0.08	<0.01
		SO ₂	0.01	<0.01
		PM	0.10	<0.01
		PM ₁₀	0.10	<0.01
		PM _{2.5}	0.10	<0.01
IFRTK1	Condensate Tank	VOC	0.19	0.72
TRKLD	Truck Loading	VOC	4.41	0.10
DSLTK1	Diesel Tank	VOC	0.07	<0.01
DSLTK2	Diesel Tank	VOC	0.07	<0.01
DSLTK3	Diesel Tank	VOC	0.07	<0.01
DSLTK4	Diesel Tank	VOC	0.07	<0.01
FWPTK1	Diesel Tank	VOC	0.04	<0.01
FWPTK2	Diesel Tank	VOC	0.04	<0.01
FWPTK3	Diesel Tank	VOC	0.04	<0.01
GDFTK1	Diesel Tank	VOC	0.07	<0.01
GDFTK2	Gasoline Tank	VOC	17.38	0.37
AMNTK1	Amine Storage Tank	VOC	<0.01	<0.01
AMNSRG1	Amine Surge Tank - MSS	VOC	0.01	<0.01
AMNSRG2	Amine Surge Tank - MSS	VOC	0.01	<0.01

Emission Sources - Maximum Allowable Emission Rates

AMNSRG3	Amine Surge Tank - MSS	VOC	0.01	<0.01
FUG	Fugitive Emissions (6)	VOC	6.78	29.70

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- (4) Planned startup and shutdown (SS) lbs/hour emissions for all pollutants are authorized even if not specifically identified as SS.
- (5) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period. Annual emission rates for each source include planned SS emissions, unless otherwise noted.
- (6) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Date: March 21, 2017