

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number T-19117

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
13	Baghouse Stack	PM ₁₀	11.50	7.48
		PM	16.50	10.73
		VOC (a)	16.00	10.40
		NO _x	27.50	17.88
		SO ₂	29.00	18.85
		CO	65.00	42.25
18	Asphalt Heater Vent (4)	PM ₁₀	0.06	0.13
		VOC	<0.01	0.01
		NO _x	0.35	0.77
		SO ₂	0.75	1.63
		CO	0.09	0.19
14	Lime Storage Silo (4)	PM ₁₀	0.05	0.02
19A and B	Asphalt Storage Tanks (4)	VOC	<0.01	0.04
20A and B	Fuel Oil Storage Tanks (4)	VOC	<0.01	0.02
20C and D	Diesel Storage Tanks (4)	VOC	<0.01	0.01
21	Antistrip Storage Tank (4)	VOC	0.03	0.15
15	Storage Silo Filling (4)	PM	0.29	0.19
		VOC	6.09	3.96
		CO	0.59	0.38
16A and B	Truck Load-Out (4)	PM	0.52	0.17
		VOC	3.90	1.27
		CO	1.34	0.44

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
Fugitives	Aggregate Stockpiles (4)	PM	--	2.89
		PM ₁₀	--	1.38
11 and 12	Rap Crushing and Screening (4) 0.39	PM		0.52
		PM ₁₀	0.32	0.19
1 through 10	Material Handling (4)	PM	0.92	0.60
		PM ₁₀	0.44	0.28

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) PM - particulate matter, suspended in the atmosphere, including PM₁₀

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

VOC (a) - mainly asphalt vapors from standard mix

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

(4) Fugitive emissions are an estimate only.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule and production rates:

24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year

Standard Hot Mix: Tons/hour 500 Tons/year 650,000

Permit Number T-19117
Page 3

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY

Truck Load-out Rate Tons/hour 1,000 Tons/year 650,000

Dated November 16, 2005