

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 21083

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates * | |
|---------------------------|----------------------|-----------------------------|------------------|--------|
| | | | lb/hr | TPY ** |
| 1 | Vent Stack | VOC | 0.73 | 2.16 |
| | | Benzene | 0.01 | 0.01 |
| | | Cresols | 0.01 | 0.01 |
| 2 | Hot Oil Heater No. 1 | VOC | 0.08 | 0.35 |
| | | NO _x | 1.47 | 6.43 |
| | | CO | 1.23 | 5.40 |
| | | PM | 0.11 | 0.49 |
| | | SO ₂ | 0.04 | 0.17 |
| 3 | Steam Boiler | VOC | 0.04 | 0.17 |
| | | NO _x | 0.71 | 3.09 |
| | | CO | 0.59 | 2.59 |
| | | PM | 0.05 | 0.24 |
| | | SO ₂ | 0.02 | 0.08 |
| 4 | Fugitives (4) | VOC | 1.37 | 5.98 |
| 5 | Hot Oil Heater No. 2 | VOC | 0.06 | 0.28 |
| | | NO _x | 1.18 | 5.17 |
| | | CO | 0.99 | 4.34 |
| | | PM | 0.09 | 0.39 |
| | | SO ₂ | 0.03 | 0.14 |
| DIESELTK | Diesel Tank | VOC | 0.12 | 0.01 |
| DISLGEN | Diesel Generator | VOC | 0.19 | 0.85 |
| | | NO _x | 5.15 | 22.57 |
| | | CO | 0.40 | 1.75 |
| | | PM | 0.07 | 0.32 |

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates * | |
|---------------------------|----------------------------|-----------------------------|------------------|--------|
| | | | lb/hr | TPY ** |
| | | SO ₂ | 0.91 | 3.99 |
| LOAD | Purifying Unit Loading | VOC | 0.60 | 0.07 |
| PUFUG | Purifying Unit Fugitives | VOC | 0.05 | 0.24 |
| REFLDRUM | Purifying Unit Reflux Drum | VOC | 0.40 | 0.38 |

Allowables for Process Dry-Out Periods (Limited to 30 Days per Year)

| | | | | |
|---|-------------------------------|---------|------|------|
| 8 | Carbon Canisters and Stack | Benzene | 0.20 | 0.10 |
| 9 | Fugitives (4) | Benzene | 0.22 | 0.10 |

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) PM - particulate matter, suspended in the atmosphere, including PM₁₀.

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

(4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | <u>Emission Rates *</u> | |
|---------------------------|--------------------|-----------------------------|-------------------------|--------|
| | | | lb/hr | TPY ** |

Hrs/day 24 Days/week 7 Weeks/year 52

** Compliance with annual emission limits is based on a rolling 12-month period.

Dated _____