

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 28315

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
TR-03	Filter Pre-Coat Tank	VOC	0.21	0.092
TR-04	Filter Feed Tank	VOC	0.24	0.018
TR-05	Catalyst Removal Maintenance Drain Tank	VOC	3.66	0.01
TR-06	Hot Oil Storage Tank	VOC	0.03	0.0004
TR-07	T-250 Storage Tank	VOC	0.002	0.0001
TR-08, TR-09, TR-10	Product Blend Tanks	VOC	--	0.002
TR-08	Blend Tank No. 1	VOC	0.013	--
TR-09	Blend Tank No. 2	VOC	0.013	--
TR-10	Blend Tank No. 3	VOC	0.013	--
TR-11, TR-12, TR-13, TR-14, TR-15	Product Storage Tanks	VOC	--	0.005
TR-11	Product Storage Tank No. 1 --		VOC	0.013
TR-12	Product Storage Tank No. 2 --		VOC	0.013

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY**
TR-13	Product Storage Tank No. 3 --	VOC		0.013
TR-14	Product Storage Tank No. 4 --	VOC		0.013
TR-15	Product Storage Tank No. 5 --	VOC		0.013
TR-16	Truck Loading	VOC	0.49	0.29
TR-18	Railcar Loading	VOC	0.49	0.29
TR-30	Filter Aid Addition	PM	0.12	0.064
TR-33	North Cooling Tower (5)	VOC	0.40	1.77
		PM	0.73	3.21
TR-34	Flare (5)	VOC	10.30	13.04
		NO _x	2.22	5.00
		CO	18.93	45.06
		SO ₂	0.17	0.73
TR-35	Fugitives (4) (5)	VOC	1.86	8.14
TR-36	Degas Vacuum System	VOC	0.002	0.009
TR-37	Evaporator Vacuum System 0.001		VOC	0.001
TR-38	Degasser Ring Pump Water Purge Tank	VOC	0.001	0.0001
TR-39	BHT Feed Tank	VOC	0.14	0.001
TR-40	Hot Oil Expansion Tank	VOC	0.15	0.0001

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY**</u>
TR-41	SPD Feed Tank	VOC	0.86	0.037
TR-42	Evaporator Ring Pump	VOC	0.001	0.0001
TR-43	Water Purge Tank Purge Receiver	VOC	0.001	0.0002
TR-50	Recycle OCE Tank Vent (5)	VOC	0.01	0.01
TR-51	BHT Blend (5)	VOC	0.02	0.01
TR-55	Precoat Filter Tank Vent (5)	VOC	0.23	0.35
TR-56	SPD Tank (5)	VOC	0.35	0.24
TR-57	Filter Feed (5)	PM ₁₀	0.05	0.04
TR-58	Filter Maintenance (5)	VOC	6.58	1.20
TR-60	Loading Fugitives (5)	VOC	3.20	0.03

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

PM - particulate matter, suspended in the atmosphere, including PM₁₀

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.

NO_x - total oxides of nitrogen

CO - carbon monoxide

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY**</u>

SO₂ - sulfur dioxide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Includes start-up and shutdown emissions from Terathane II® Polymer Unit.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day ____ Days/week ____ Weeks/year ____ or Hrs/year 8,760

** Compliance with annual emission limits is based on a rolling 12-month period.

Dated June 18, 2008