ATTACHMENT A.1

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Permit No. 2193

This table lists the maximum allowable emission rates (short term) and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission Point No. (1)	Source Name (2)	Name (3)	Air Contaminant lb/hr	Emission Rates *
1 OIIIC 140: (±)	rume (2)	rvame (o)	10/111	
3-8	ST 3-8		VOC	80.09
3-9	ST 3-9		VOC	80.09
5-1	ST 5-1		VOC	120.13
5-2	ST 5-2		VOC	120.13
5-3	ST 5-3		VOC	120.13
5-4	ST 5-4		VOC	120.13
5-5	ST 5-5		VOC	120.13
5-6	ST 5-6		VOC	120.13
5-7	ST 5-7		VOC	120.13
5-8	ST 5-8		VOC	120.13
5-9	ST 5-9		VOC	120.13
5-10	ST 5-10		VOC	120.13
5-11	ST 5-11		VOC	120.13
5-12	ST 5-12		VOC	120.13

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2) Na	Air Contaminant ume (3) lb/hr	Emission Rates *
5-13	ST 5-13	VOC	120.13
5-14	ST 5-14	VOC	120.13
5-15	ST 5-15	VOC	120.13
5-16	ST 5-16	VOC	120.13
10-1	ST 10-1	VOC	120.13
10-2	ST 10-2	VOC	120.13
10-3	ST 10-3	VOC	120.13
10-4	ST 10-4	VOC	120.13
10-5	ST 10-5	VOC	120.13
10-6	ST 10-6	VOC	120.13
10-9	ST 10-9	VOC	120.13
10-10	ST 10-10	VOC	120.13
10-11	ST 10-11	VOC	120.13
10-12	ST 10-12	VOC	120.13
10-13	ST 10-13	VOC	120.13
10-14	ST 10-14	VOC	120.13
10-15	ST 10-15	VOC	120.13

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3) lb/hr	Emission Rates *
10-16	ST 10-16	VOC	120.13
10-17	ST 10-17	VOC	120.13
10-18	ST 10-18	VOC	120.13
10-19	ST 10-19	VOC	120.13
10=20	ST 10-20	VOC	120.13
12-1	ST 12-1	VOC	140.15
12-3	ST 12-3	VOC	140.15
12-4	ST 12-4	VOC	140.15
12-5	ST 12-5	VOC	140.15
12-6	ST 12-6	VOC	140.15
12-7	ST 12-7	VOC	140.15
12-8	ST 12-8	VOC	140.15
12-9	ST 12-9	VOC	140.15
12-10	ST 12-10	VOC	140.15
12-11	ST 12-11	VOC	140.15
12-12	ST 12-12	VOC	140.15
12-13	ST 12-13	VOC	140.15

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3) lb/hr	Emission Rates *
12-14	ST 12-14	VOC	140.15
12-15	ST 12-15	VOC	140.15
12-16	ST 12-16	VOC	140.15
12-17	ST 12-17	VOC	140.15
12-18	ST 12-18	VOC	140.15
12-19	ST 12-19	VOC	140.15
12-20	ST 12-20	VOC	140.15
12-21	ST 12-21	VOC	140.15
12-22	ST 12-22	VOC	140.15
12-23	ST 12-23	VOC	140.15
12-24	ST 12-24	VOC	140.15
12-25	ST 12-25	VOC	140.15
12-26	ST 12-26	VOC	140.15
12-27	ST 12-27	VOC	140.15
12-28	ST 12-28	VOC	140.15
12-29	ST 12-29	VOC	140.15
12-30	ST 12-30	VOC	140.15

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3) lb/hr	Emission Rates *
15-1	ST 15-1	VOC	160.17
25-1	ST 25-1	VOC	140.15
25-2	ST 25-2	VOC	140.15
25-3	ST 25-3	VOC	140.15
25-4	ST 25-4	VOC	140.15
25-5	ST 25-5	VOC	140.15
25-6	ST 25-6	VOC	140.15
25-7	ST 25-7	VOC	140.15
25-8	ST 25-8	VOC	140.15
25-9	ST 25-9	VOC	140.15
25-10	ST 25-10	VOC	140.15
25-11	ST 25-11	VOC	140.15
25-12	ST 25-12	VOC	140.15
25-13	ST 25-13	VOC	140.15
25-14	ST 25-14	VOC	140.15
25-15	ST 25-15	VOC	140.15
25-16	ST 25-16	VOC	140.15

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Name (3)	Air Contaminant lb/hr	Emission Rates *
25-17	ST 25-17		VOC	140.15
25-18	ST 25-18		VOC	140.15
25-19	ST 25-19		VOC	140.15
25-20	ST 25-20		VOC	140.15
25-21	ST 25-21		VOC	120.13
25-22	ST 25-22		VOC	120.13
25-23	ST 25-23		VOC	120.13
25-24	ST 25-24		VOC	120.13
25-25	ST 25-25		VOC	120.13
25-26	ST 25-26		VOC	120.13
25-27	ST 25-27		VOC	120.13
25-28	ST 25-28		VOC	120.13
25-29	ST 25-29		VOC	120.13
25-30	ST 25-30		VOC	120.13
36-1	ST 36-1		VOC	200.21
40-1	ST 40-1		VOC	120.13
55-1	ST 55-1		VOC	380.4

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Name (3)	Air Contaminant lb/hr	Emission Rates *
55-2	ST 55-2		VOC	600.64
80-9	ST 80-9		VOC	200.21
80-10	ST 80-10		VOC	200.21
80-11	ST 80-11		VOC	200.21
80-12	ST 80-12		VOC	200.21
80-13	ST 80-13		VOC	200.21
80-14	ST 80-14		VOC	200.21
80-15	ST 80-15		VOC	200.21
80-16	ST 80-16		VOC	200.21
80-17	ST 80-17		VOC	200.21
80-18	ST 80-18		VOC	200.21
80-19	ST 80-19		VOC	200.21
80-20	ST 80-20		VOC	200.21
80-21	ST 80-21		VOC	380.40
80-22	ST 80-22		VOC	380.40
80-23	ST 80-23		VOC	380.40
80-24	ST 80-24		VOC	380.40

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Name (3)	Air Contaminant lb/hr	Emission Rates *
80-25	ST 80-25		VOC	380.40
80-26	ST 80-26		VOC	380.40
80-27	ST 80-27		VOC	380.40
80-28	ST 80-28		VOC	380.40
100-1	ST 100-1		VOC	23.44
100-2	ST 100-2		VOC	23.44
100-3	ST 100-3		VOC	23.44
100-4	ST 100-4		VOC	23.44
118-1	ST 118-1		VOC	23.44
118-2	ST 118-2		VOC	23.44
144-1 S	T 144-1		VOC	23.44
187-1	ST 187-1		VOC	23.44
1	ST 1		VOC	200.21
7	ST 7		VOC	200.21
10	ST 10		VOC	200.21
22	ST 22		VOC	140.15
23	ST 23		VOC	200.21

Emission Point No. (1)	Source Name (2) Name (3)	Air Contaminant lb/hr	Emission Rates *
25	ST 25	VOC	140.15
28	ST 28	VOC	140.15
31	ST 31	VOC	140.15
32	ST 32	VOC	200.21
33	ST 33	VOC	200.21
36	ST 36	VOC	200.21
37	ST 37	VOC	120.13
40	ST 40	VOC	80.09
41	ST 41	VOC	80.09
42	ST 42	VOC	80.09
43	ST 43	VOC	80.09
81	ST 81	VOC	120.13
TR-1	Truck Rack No. 1 (9 truck spots)	VOC	170.37 (18.93 lb/hr/spot)
TR-2	Truck Rack No. 2 (20 truck spots)	VOC	378.6 (18.93 lb/hr/spot)
TR-3	Truck Rack No. 3 (3 truck spots)	VOC	56.79 (18.93 lb/hr/spot)

Emission Point No. (1)	Source Name (2)	Name (3)	Air Contaminaı lb/hr	nt <u>Emission Rates *</u>
TR-4	Truck Rac (14 truck	_	VOC	265.02 (18.93 lb/hr/spot)
TR-5	Truck Rac (1 truck s		VOC	18.93
TR-6	Truck Rac (1 truck s		VOC	18.93
TR-7	Truck Rac (3 truck s		VOC	56.79 (18.93 lb/hr/spot)
TR-13	Truck Rac (7 truck s		VOC	132.51 (18.93 lb/hr/spot)
TR-10	Truck Rac (43 truck		VOC	813.99 (18.93 lb/hr/spot)
TR-11	Truck Rac (15 truck		VOC	283.95 (18.93 lb/hr/spot)
TR-12	Truck Rac (9 truck s		VOC	170.37 (18.93 lb/hr/spot)
W-RCR	West Rail (34 rail sp		VOC	643.62 (18.93 lb/hr/spot)
C-RCR	Central Ra (35 rail sp	uil Car Rack oots)	VOC	662.55 (18.93 lb/hr/spot)
E-RCR	East Rail ((24 rail sp		VOC	454.32 (18.93 lb/hr/spot)
SHPDK-1	Ship Dock	No. 1	VOC	113.60

Emission	Source		Air Contaminant	Emission Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	
SHPDK-2	Ship Doc	k No. 2	VOC	113.60
SHPDK-3	Ship Doo	k No. 3	VOC	113.60
BGDK-1	Barge Do	ock No. 1	VOC	94.67
BGDK-2	Barge Do	ock No. 2	VOC	94.67
BGDK-3	Barge Do	ock No. 3	VOC	94.67
FL-1	TR, RC,	and Marine Flare	VOC NOX CO	25.7 1.48 12.71

Emission Point No. (1)	Source Name (2)	e Name (3)	Air Contaminant lb/hr	Emission Rates *
FL-2	TR, RC,	and Marine Flare	VOC NOx CO	25.7 1.48 12.71
FUG	Fugitives		VOC	39.17 (5) 30.02 (5)

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1 NOx - total oxides of nitrogen CO - carbon monoxide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Fugitive emissions shall not exceed 39.17 lb/hr the first six months after this permit is issued. After that time fugitive emissions shall not exceed 30.02 lb/hr.
- * Emission rates are based on an operating schedule of 8,760 hours/year.

Dated	
-------	--