EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 21865

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2) Name (3)	Air Contaminant lb/hr TPY	<u>Emission</u>	Rates *
MPP-7	Tank T-207	VOC	<0.01	<0.01
MPP-9	Tank T-813	VOC	0.04	0.14
MPP-11	Tank A-802	VOC	0.04	0.14
MPP-19 and MPP-33	Product Packout and Comfort Ventilation	VOC	1.28	0.39
MPP-25	Solids Unloading Cabinets V-107 and V-108	PM	0.18	0.12
MPP-26	Solids Transport Vacuum Pump P-106	РМ	0.33	0.22
MPP-27	Solids Unloading Cabinets V-204 and V-206	PM	0.36	0.10
MPP-28	Tank T-205	VOC	0.16	0.03
MPP-29	Acid Storage Tank	H2SO4	0.007	0.001
MPP-30	Tank T-1101	VOC	<0.001	<0.001
MPP-31	Tank T-203	H2SO4	<0.001	<0.001
MPP-38	Caustic Scrubber A-1201	VOC	7.56	5.26
MPP-FUG	Fugitives (4)	VOC	0.81	2.17

- Emission point identification either specific equipment designation or emission point number from plot plan.

 Specific point source name. For fugitive sources use area name or fugitive source name. (1)
- (2)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(3)	PM - particulate matter VOC - volatile organic compounds as defined in General Rule 101.1 NOx - total oxides of nitrogen H2SO4 - sulfuric acid
(4)	Fugitive emissions are an estimate only and should not be considered as a maximum
(.)	. agains simple and an earn seam and simple and an earn and the seam and a contract and a contra

allowable emission rate.

* Emission rates are based on and the facilities are limited by the following maximum operating

schedule:		

|--|

Dated	1