811B

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission Point No. (1)	Source Name (2)	Name (3)	Air C lb/hr	Contaminant TPY	<u>Emiss</u>	ion Rates *
1	Tank			Hexane	0.25	1.00
2A	Tank			Hexane	0.25	1.00
2B	Tank			Hexane	0.75	3.00
3	Tank			Octene	0.43	1.70
4	Tank			Octene	0.43	1.70
7	Product Ble	ender		Hexane	15.00	34.68
8	Dewater Sy	/stem		Hexane	1.10	4.50
9	Catalyst Ta	ınk		Hexane	0.50	2.00
10	Water Purg	e		Hexane	0.50	2.00
11	Scrap Pelle	et Bin		Hexane	10.70	43.00
12	Flare			Ethylene Hexane Butene Acetone Octene MEK CO NOx	30.00 32.00 6.00 0.42 5.00 0.11 31.80 6.24	2.00 1.84 1.80 0.48 30.70
14	Fugitives (4	1)		VOC (5) Hexane	11.50 5.87	50.40

Emission	Source	Air Contaminant	<u>Emission</u>	Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY	
				Octene	5.87
				Ethylene	5.63

Emission Source Point No. (1) Name	Air Contaminant e (2) Name (3)	Emission lb/hr	Rates * TPY		
15	Side Flare		Hexane CO NOx	0.30 0.12 0.02	1.30 0.50 0.10
16	Bag Filter		PM10 Desiccant	0.30	1.30
17	Bag Filter		PM10 Polyethylene	1.40	6.10
18	Stripper Fugitives		VOC (4)	<0.01	<0.01
210	Gala Cyclone		PM Polyethylene Hexane	0.26 0.50	0.19 1.16
220	Gala Cyclone		PM Polyethylene Hexane	0.26 0.50	0.19 1.16

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM particulate matter
 - PM10 particulate matter less than 10 microns
 - VOC volatile organic compounds as defined in General Rule 101.1
 - NOx total oxides of nitrogen
 - CO carbon monoxide
 - MEK methyl ethyl ketone
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Total VOC's include hexane, octene, and ethylene. Total hourly VOC fugitive emissions are not estimated to exceed 11.50 lb/hr. Speciated maximum hourly emission rates will not occur simultaneously.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Emission	Source	Air Contaminant	Emission	Rates *		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY		
Hrs/c	dayDays/w	veekWeeks/year_	or Hrs/	year <u>8,760</u>		
					Dated	