

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 3069A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

<u>Emission Rates *</u>	<u>Source</u>	<u>Air Contaminant</u>	<u>Emission</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	
<u>TPY**</u>				
B-1	400-Hp Boiler	VOC	0.11	0.40
		NO <sub>x</sub>	4.03	7.94
		CO	1.98	6.05
		SO <sub>2</sub>	5.09	5.04
		PM <sub>10</sub>	0.36	0.66
B-2	400-Hp Boiler	VOC	0.11	0.40
		NO <sub>x</sub>	4.03	7.94
		CO	1.98	6.05
		SO <sub>2</sub>	5.09	5.04
		PM <sub>10</sub>	0.36	0.66
BOT-9	Batch Out Tank	VOC	0.01	0.01
D-1	Centrifugal Dryer D-1	VOC	0.62	2.72
D-2	Centrifugal Dryer D-2	VOC	0.62	2.72
D-3	Centrifugal Dryer D-3	VOC	0.62	2.72
D-4	Centrifugal Dryer D-4	VOC	0.62	2.72
VCU	Vapor Combustion Unit			
TO-1	Thermal Oxidizer			
CD-2	Alternative Control Device-2	VOC	6.76	
		28.62		
	combined VCU/TO-1/CD	NO <sub>x</sub>	2.25	9.86
		CO	8.24	36.11
MUTVENT-1	Blower Vent from Poly Silo	PM <sub>10</sub>	0.26	
		0.06		
	to MUT			
MUTVENT-2	Blower Vent from Poly Silo	PM <sub>10</sub>	0.26	0.06
	to MUT			

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

<u>Emission Rates *</u>	<u>Source</u>	<u>Air Contaminant</u>	<u>Emission</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	
<u>TPY**</u>				
P-1	Torit Filter	PM <sub>10</sub>	0.26	0.06
R-9	Reactor 9	VOC	31.54	2.62
REACTFUG-1 0.90	Reactor 1 Manway Fugitives	VOC	11.82	
REACTFUG-2 0.90	Reactor 2 Manway Fugitives	VOC	11.82	
REACTFUG-3 0.90	Reactor 3 Manway Fugitives	VOC	11.82	
REACTFUG-4 0.90	Reactor 4 Manway Fugitives	VOC	11.82	
REACTFUG-5 0.90	Reactor 5 Manway Fugitives	VOC	11.82	
REACTFUG-6 1.15	Reactor 6 Manway Fugitives	VOC	15.06	
REACTFUG-7 1.15	Reactor 7 Manway Fugitives	VOC	15.06	
REACTFUG-8 0.90	Reactor 8 Manway Fugitives	VOC	11.82	
RPV-1	Reactor 1, 6, 7, and 8 Purge Vent	VOC	26.88	0.82
RPV-2 0.18	Reactor 2 Purge Vent	VOC	11.82	
RPV-3 0.18	Reactor 3 Purge Vent	VOC	11.82	

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

<u>Emission Rates *</u>	<u>Source</u>	<u>Air Contaminant</u>	<u>Emission</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	
<u>TPY**</u>				
RPV-4 0.18	Reactor 4 Purge Vent	VOC	11.82	
RPV-5	Reactor 5 Purge Vent	VOC	11.82	0.18
RPV-9 0.48	Reactor 9 Purge Vent	VOC	31.54	
RPV-10	Reactor 10 Purge Vent	VOC	31.54	0.48
RPV-11	Reactor 11 Purge Vent	VOC	31.54	0.48
S-1	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
S-2	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
S-3	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
S-4	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
S-5	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
S-6	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
S-7	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
S-8	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
S-9	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
S-10	Polystyrene Silo	PM <sub>10</sub>	0.04	0.06
SOCMIFUG	Fugitives (4)	VOC	0.86	3.76

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

<u>Emission Rates *</u>	<u>Source</u>	<u>Air Contaminant</u>		<u>Emission</u>
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	
<u>TPY**</u>				
T-4	Styrene Storage Tank	0.16	VOC	0.06
T-5	Styrene Storage Tank	0.16	VOC	0.06
T-6	Styrene Storage Tank	0.16	VOC	0.06
T-32	HCl Tank	HCl	2.61	0.01
Wastewater	Wastewater Fugitives	VOC	0.88	0.89

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1  
NO<sub>x</sub> - total oxides of nitrogen  
CO - carbon monoxide  
SO<sub>2</sub> - sulfur dioxide  
PM<sub>10</sub> - particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.  
HCl - hydrogen chloride
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

\_\_\_ Hrs/day \_\_\_ Days/week \_\_\_ Weeks/year or 8,760 Hrs/year

\*\* Compliance with annual emission limits is based on a rolling 12-month period.

2009

Dated January 12,