

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 80892

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY**
WBLR	Boiler 211 MMBtu/hr (approximated 3.8 MW)	NO _x	25.3	85
		CO	84.4	125
		SO ₂	585.0	189
		VOC	4.2	14.5
		PM/PM ₁₀	10.6	36
		H ₂ SO ₄	26.8	5.8
		NH ₃	1.5	4
		HCl	30.0	34
		Pb	0.02	0.04
NG-FUG	Natural Gas Piping Fugitives	VOC	0.01	0.02
LVST	Steam Turbine Lube Vent	VOC	0.04	0.02
T-ACID	Acid Storage Tank	H ₂ SO ₄	0.01	0.01
T-NAOH	Caustic Storage Tank	NaOH	0.01	0.01
T-NH ₃	Ammonia Storage and Handling	NH ₃	0.03	0.13
TRK-FUG and TRK-BAG	Truck Unloader/Receiving and Baghouse	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
TR-1	Transfer of Wood Chips to Conveyor C-1	PM	0.08	0.09
		PM ₁₀	0.01	0.01
TR-2	Transfer of Wood Chips from C-1 to C-2	PM	0.08	0.09
		PM ₁₀	0.01	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

SCN1	Screening of Wood Chips	PM	0.07	0.07
		PM ₁₀	0.02	0.03
HOG1	Hogging of Wood Chips	PM	0.03	0.03
		PM ₁₀	0.02	0.02
TR3	Wood from Hogger and Screen to Conveyor C-3	PM	0.01	0.01
		PM ₁₀	0.01	0.01
TR4	Wood from Conveyor C-3 to C-4	PM	0.01	0.01
		PM ₁₀	0.01	0.01
TR5	Wood from Conveyor C-4 and C-9 to Conveyor C-5	PM	0.01	0.02
		PM ₁₀	0.01	0.01
STORE1	Chip Storage/ Reclaim	PM	0.04	0.14
		PM ₁₀	0.02	0.07
TR6	Wood from Storage to Fuel Reclaim Conveyor C-6	PM	0.01	0.01
		PM ₁₀	0.01	0.01
TR7	Wood from Storage to Boiler Feed Conveyor C-7	PM	0.01	0.01
		PM ₁₀	0.01	0.01
TR8	Wood to Fuel Distribution Conveyor C-8	PM	0.01	0.01
		PM ₁₀	0.01	0.01
TR9	Wood to Fuel Overfeed Conveyor C-9	PM	0.01	0.01
		PM ₁₀	0.01	0.01

(1) Emission point identification - either specific equipment designation or emission point number from a plot plan.

(2) Specific point source names. For fugitive sources, use an area name or fugitive source name.

(3) NO_x - total oxides of nitrogen
 SO₂ - sulfur dioxide
 CO - carbon monoxide

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- PM - particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}.
- PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no PM greater than 10 microns is emitted.
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter.
- H₂SO₄ - sulfuric acid mist
- NaOH - sodium hydroxide
- NH₃ - ammonia
- HCl - hydrogen chloride
- Pb - lead
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:
- 24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year
- ** Compliance with annual emission limits is based on a rolling 12-month period.

Dated August 2, 2010