

Emission Sources - Maximum Allowable Emission Rates

Permit Number 17888

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (5)	
			lbs/hour	TPY (4)
B1	North Boiler	PM	0.03	0.14
		PM ₁₀	0.03	0.14
		PM _{2.5}	0.03	0.14
		SO ₂	<0.01	0.01
		NO _x	0.41	1.80
		CO	0.35	1.52
		VOC	0.02	0.10
B2	South Boiler	PM	0.03	0.14
		PM ₁₀	0.03	0.14
		PM _{2.5}	0.03	0.14
		SO ₂	<0.01	0.01
		NO _x	0.41	1.80
		CO	0.35	1.52
		VOC	0.02	0.10
BH1V	Disperser Tanks 4001, 4002, 6001, 6002, 12501, and 12502; Weigh Booth No. 1; Premixer System PMS-1	PM	0.03	0.14
		PM ₁₀	0.03	0.14
		PM _{2.5}	0.03	0.14
		VOC	1.41	4.28
BH2V	Disperser Tanks 20001, 20002, and 20003; Weigh Booth No. 2	PM	0.05	0.24
		PM ₁₀	0.05	0.24
		PM _{2.5}	0.05	0.24
		VOC	1.41	4.28

Emission Sources - Maximum Allowable Emission Rates

BLDFUG	Packaging Indoor Piping Fugitive, Printing Fugitives, and Letdown Tanks	VOC	2.29	7.15
LIQFUG	Bulk Liquid Storage Tanks TK-RHO, TK-FOAM, and TK-DIGLY	VOC	0.08	<0.01
TF	Tank Truck Pipeline Fugitives	VOC	0.42	1.86
TFPLUS	Pipeline Bridge No. 1 and No.2 Fugitives	VOC	0.67	2.95
S-1	Bulk Solids Storage Silo #1 Baghouse	PM	0.02	0.08
		PM ₁₀	0.02	0.08
		PM _{2.5}	0.02	0.08
S-2	Bulk Solids Storage Silo #2 Baghouse	PM	0.02	0.08
		PM ₁₀	0.02	0.08
		PM _{2.5}	0.02	0.08
S-3	Bulk Solids Storage Silo #3 Baghouse	PM	0.02	0.08
		PM ₁₀	0.02	0.08
		PM _{2.5}	0.02	0.08
UB-1	Use Bin #1 Baghouse	PM	0.03	0.12
		PM ₁₀	0.03	0.12
		PM _{2.5}	0.03	0.12
UB-2	Use Bin #2 Baghouse	PM	0.03	0.12
		PM ₁₀	0.03	0.12
		PM _{2.5}	0.03	0.12
All Emission Points at the Site	All Sources at the Site	Single HAP		<10.00
		Total HAPs		<25.00

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

Emission Sources - Maximum Allowable Emission Rates

CO - carbon monoxide

HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C

(4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

(5) The allowable emission rates include planned maintenance, startup, and shutdown activities.

Date: January 24, 2017