Emission Sources - Maximum Allowable Emission Rates

Permit Numbers 4980 and PSDTX28M1

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates* (4)	
(1)			lbs/hour (8)**	TPY***
S03	Unit 4 Main Boiler	NO _x	3983	2488
		SO ₂ (6)	6828	29907
		CO (5)	7636	33447
		voc	434	190
		PM (6)	569	2492
		PM ₁₀ (6)	569	2492
		PM _{2.5}	569	2492
		PM (7)	3763.2	
		Pb	2	1
		Pb (7)	4.13	
		Hg	0.83	0.69
		HF	163	714
		H ₂ SO ₄ (6)	208	623
		Ammonia	52	91
S01	Unit 4 Start-Up Boiler East	NO _x	38.4	16.8
		со	80.0	3.5
		PM (6)	5.3	2.3
		PM ₁₀ (6)	5.3	2.3
		PM _{2.5}	5.3	2.3

Project Number: 216624

Emission Sources - Maximum Allowable Emission Rates

	_			
		SO ₂ (6)	90.9	39.8
		VOC	3.2	0.14
		Pb	0.01	0.01
S01	Unit 4 Start-Up Boiler West	NO _x	38.4	16.8
	Boner West	СО	80.0	3.5
		PM (6)	5.3	2.3
		PM ₁₀ (6)	5.3	2.3
		PM _{2.5}	5.3	2.3
		SO ₂ (6)	90.9	39.8
		VOC	3.2	0.14
		Pb	0.01	0.01
S4SS	Unit 4 Sorbent Silo	PM	0.069	0.3
		PM ₁₀	0.047	0.21
		PM _{2.5}	0.011	0.05
SD4AMMPF	Fugitive Leaks	Ammonia	0.07	0.3
MSS-FUG	MSS Fugitives	voc	34.82	0.36
		PM	4.18	2.91
		NOx	0.01	0.01
		Ammonia/Urea	14.02	0.14
		СО	0.01	0.01
		SO ₂	0.01	0.01
		СО	0.01	0.01

Emission point identification - either specific equipment designation or emission point number from plot (1) plan.

Project Number: 216624

Specific point source name. For fugitive sources, use area name or fugitive source name. (2)

volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1 VOC total oxides of nitrogen NO_x

 SO_2 - sulfur dioxide

Emission Sources - Maximum Allowable Emission Rates

	PM	-	total particulate matter, suspended in the atmosphere, including PM_{10} and $PM_{2.5}$, as represented				
	PM ₁₀	-	total particulate matter equal to or less than 10 microns in diameter, including PM _{2.5} , as represented				
	$PM_{2.5}$	-	total particulate matter equal to or less than 2.5 microns in diameter, as represented				
	CO	-	carbon monoxide				
	Pb	-	lead				
	Hg	-	mercury				
	HF	-	hydrogen fluoride				
	H ₂ SO ₄		sulfuric acid mist				
(4)		ound per hour and ton per year emission limits specified in the MAERT for this facility includes ons from the facility during both normal operations and planned MSS activities, unless otherwise					
(5)		ns a	uthorized by Standard Permit Number 54805.				
(6)			nits applicable to State and PSD Permit.				
(7)		urly	ly emission limit only. The tpy emission limit represented in the MAERT for this facility includes emissions from the facility during both normal operations and planned MSS activities.				
(8)	For each pollutant whose emissions during planned MSS activities are measured using a CEMS, the						
` ,			mits apply only during each clock hour that includes one or more minutes of MSS activities.				
	During all other clock hours, the normal lb/hr limits apply.						
*	Emissio	mission rates are based on and the facilities are limited by the following maximum operating schedule:					
	Hrs/	day	Days/weekWeeks/year or <u>8,760</u> Hrs/year				
**	limits is	iance with NO_x , PM/PM_{10} , SO_2 , VOC , lead, HF, mercury, ammonia, and H_2SO_4 hourly emission s determined on a block 3-hour average basis. Compliance with the CO hourly emission limit is lined on a rolling 30-day average basis.					
***	Compliar	nce	with annual emission limits is based on a rolling 12-month period.				
			Date:				

Project Number: 216624