Emission Sources - Maximum Allowable Emission Rates

Permit Numbers 22690 and PSDTX751M1

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
22-36-1	22 Furnace 1	CO	37.48	29.74
		NO_X	15.60	16.99
		PM	0.97	3.17
		PM_{10}	0.97	3.17
		$PM_{2.5}$	0.97	3.17
		SO_2	4.33	7.48
		VOC	0.70	2.29
22-36-2	22 Furnace 2	CO	37.48	29.74
		NO_X	15.60	16.99
		PM	0.97	3.17
		PM_{10}	0.97	3.17
		$PM_{2.5}$	0.97	3.17
		SO_2	4.33	7.48
		VOC	0.70	2.29
22-36-3	22 Furnace 3	CO	37.48	29.74
		NO_X	15.60	16.99
		PM	0.97	3.17
		PM_{10}	0.97	3.17
		$PM_{2.5}$	0.97	3.17
		SO_2	4.33	7.48
		VOC	0.70	2.29
22-36-4	22 Furnace 4	CO	37.48	29.74

Emission Sources - Maximum Allowable Emission Rates

		NO_X	15.60	16.99
		PM	0.97	3.17
		PM_{10}	0.97	3.17
		$PM_{2.5}$	0.97	3.17
		SO_2	4.33	7.48
		VOC	0.70	2.29
22-36-5	22 Furnace 5	CO	37.48	29.74
		NO_X	15.60	16.99
		PM	0.97	3.17
		PM_{10}	0.97	3.17
		$PM_{2.5}$	0.97	3.17
		SO_2	4.33	7.48
		VOC	0.70	2.29
22-36-6	22 Furnace 6	CO	37.48	29.74
		NO_X	15.60	16.99
		PM	0.97	3.17
		PM_{10}	0.97	3.17
		$PM_{2.5}$	0.97	3.17
		SO_2	4.33	7.48
		VOC	0.70	2.29
22-36-7	22 Furnace 7	CO	37.48	29.74
		NO_X	15.60	16.99
		PM	0.97	3.17
		PM_{10}	0.97	3.17
		$PM_{2.5}$	0.97	3.17
		SO_2	4.33	7.48
		VOC	0.70	2.29
22-36-8	22 Furnace 8	CO	37.48	29.74

Emission Sources - Maximum Allowable Emission Rates

		NO_X	15.60	16.99
		PM	0.97	3.17
		PM_{10}	0.97	3.17
		$PM_{2.5}$	0.97	3.17
		SO_2	4.33	7.48
		VOC	0.70	2.29
24-36-1	24 Furnace 1	CO	72.08	76.65
		NO_X	30.00	87.60
		PM	1.86	8.16
		PM_{10}	1.86	8.16
		$PM_{2.5}$	1.86	8.16
		SO_2	7.82	18.11
		VOC	1.35	5.90
24-36-2	24 Furnace 2	CO	72.08	76.65
		NO_X	30.00	87.60
		PM	1.86	8.16
		PM_{10}	1.86	8.16
		$PM_{2.5}$	1.86	8.16
		SO_2	7.82	18.11
		VOC	1.35	5.90
24-36-3	24 Furnace 3	CO	72.08	76.65
		NO_X	30.00	87.60
		PM	1.86	8.16
		PM_{10}	1.86	8.16
		$PM_{2.5}$	1.86	8.16
		SO_2	7.82	18.11
		VOC	1.35	5.90
24-36-4	24 Furnace 4	CO	72.08	76.65

Emission Sources - Maximum Allowable Emission Rates

		NO_X	30.00	87.60
		PM	1.86	8.16
		PM_{10}	1.86	8.16
		$PM_{2.5}$	1.86	8.16
		SO_2	7.82	18.11
		VOC	1.35	5.90
24-36-5	24 Furnace 5	CO	72.08	76.65
		NO_X	30.00	87.60
		PM	1.86	8.16
		PM_{10}	1.86	8.16
		$PM_{2.5}$	1.86	8.16
		SO_2	7.82	18.11
		VOC	1.35	5.90
24-36-6	24 Furnace 6	CO	72.08	76.65
		NO_X	30.00	87.60
		PM	1.86	8.16
		PM_{10}	1.86	8.16
		$PM_{2.5}$	1.86	8.16
		SO_2	7.82	18.11
		VOC	1.35	5.90
24-36-7	24 Steam Superheater 7	CO	63.72	67.76
		NO_X	26.52	96.80
		PM	1.65	7.21
		PM_{10}	1.65	7.21
		$PM_{2.5}$	1.65	7.21
		SO_2	6.92	16.01
		VOC	1.19	5.22
24-36-8	24 DAC Hydrotreater Heater 8	CO	0.98	1.08

Emission Sources - Maximum Allowable Emission Rates

		NO_X	0.57	2.23
		PM	0.02	0.10
		PM_{10}	0.02	0.10
		$PM_{2.5}$	0.02	0.10
		SO_2	0.09	0.19
		VOC	0.02	0.07
24-36-9	24 Furnace 9	CO	97.17	103.32
		NO_X	40.44	118.08
		PM	2.51	11.00
		PM_{10}	2.51	11.00
		$PM_{2.5}$	2.51	11.00
		SO_2	10.55	24.41
		VOC	1.82	7.96
33-36-1	33 Furnace 1	CO (7)	93.71	97.81
		NO_X (7)	39.00	83.83
		PM	2.42	10.41
		PM_{10}	2.42	10.41
		$PM_{2.5}$	2.42	10.41
		SO_2 (7)	15.85	10.80
		VOC	1.75	7.53
33-36-2	33 Furnace 2	CO (7)	93.71	97.81
		NO_X (7)	39.00	83.83
		PM	2.42	10.41
		PM_{10}	2.42	10.41
		$PM_{2.5}$	2.42	10.41
		SO_2 (7)	15.85	10.80
		VOC	1.75	7.53
33-36-3	33 Furnace 3	CO (7)	93.71	97.81

Emission Sources - Maximum Allowable Emission Rates

		NO_X (7)	39.00	83.83
		PM	2.42	10.41
		PM_{10}	2.42	10.41
		$PM_{2.5}$	2.42	10.41
		SO_2 (7)	15.85	10.80
		VOC	1.75	7.53
33-36-4	33 Furnace 4	CO (7)	93.71	97.81
		NO_X (7)	39.00	83.83
		PM	2.42	10.41
		PM_{10}	2.42	10.41
		$PM_{2.5}$	2.42	10.41
		SO_2 (7)	15.85	10.80
		VOC	1.75	7.53
33-36-5	33 Furnace 5	CO (7)	93.71	97.81
		NO_X (7)	39.00	83.83
		PM	2.42	10.41
		PM_{10}	2.42	10.41
		$PM_{2.5}$	2.42	10.41
		SO_2 (7)	15.85	10.80
		VOC	1.75	7.53
33-36-6	33 Furnace 6	CO (7)	93.71	97.81
		NO_X (7)	39.00	83.83
		PM	2.42	10.41
		PM_{10}	2.42	10.41
		$PM_{2.5}$	2.42	10.41
		SO_2 (7)	15.85	10.80
		VOC	1.75	7.53
33-36-7	33 Furnace 7	CO (7)	93.71	83.09

Emission Sources - Maximum Allowable Emission Rates

		NO_X (7)	39.00	71.22
		PM	2.42	8.84
		PM_{10}	2.42	8.84
		$PM_{2.5}$	2.42	8.84
		SO_2 (7)	15.85	9.17
		VOC	1.75	6.40
33-36-8	33 Furnace 8	CO (7)	93.71	82.78
		NO_X (7)	39.00	70.96
		PM	2.42	8.81
		PM_{10}	2.42	8.81
		$PM_{2.5}$	2.42	8.81
		SO_2 (7)	15.85	9.14
		VOC	1.75	6.38
33-36-9	33 Furnace 9	CO (7)	93.71	82.78
		NO_X (7)	39.00	70.96
		PM	2.42	8.81
		PM_{10}	2.42	8.81
		$PM_{2.5}$	2.42	8.81
		SO_2 (7)	15.85	9.14
		VOC	1.75	6.38
56-61-4	Unit 10D/18 Process Flare	CO	19.99	16.40
		H_2S	0.01	0.04
		NO_X	3.92	3.21
		SO_2	0.94	4.13
		VOC	20.31	2.60
56-61-8	Unit 10ABC, 12 Low-Pressure Flare	CO	41.99	24.04
		H_2S	0.02	0.09
		NO_X	5.91	3.77

Emission Sources - Maximum Allowable Emission Rates

		SO_2	2.26	10.67
		VOC	20.29	17.86
56-61-9	Unit 10ABC, 12 High-Pressure Flare	CO	0.08	0.35
		H_2S	0.0002	0.0008
		NO_X	0.02	0.07
		SO_2	0.02	0.07
		VOC	0.01	0.03
56-61-10	Unit 21, 22 Low-Pressure Flare	CO	12.88	20.88
		H_2S	0.002	0.01
		NO_X	2.53	4.10
		SO_2	7.41	0.84
		VOC	10.59	8.70
56-61-12	Unit 22 High-Pressure Flare	CO	0.32	1.39
		H_2S	0.001	0.003
		NO_X	0.06	0.27
		SO_2	0.07	0.29
		VOC	0.03	0.13
56-61-14	Unit 24 High-Pressure Flare	CO	0.58	2.53
		H_2S	0.001	0.004
		NO_X	0.07	0.30
		SO_2	0.08	0.34
		VOC	0.03	0.15
56-61-20	Unit 24 Low-Pressure Flare	CO	67.18	74.09
		H_2S	0.04	0.16
		NO_X	32.62	32.59
		SO_2	10.59	14.87
		VOC	25.71	22.38
56-61-22	Unit 33 Process Flare	CO (7)	32.17	61.42

Emission Sources - Maximum Allowable Emission Rates

		H_2S	0.01	0.03
		NO_X (7)	6.31	12.05
		SO_2 (7)	7.84	3.76
		VOC	20.67	7.26
54-22-5	Unit 12 Cooling Tower	PM	1.62	7.11
		PM_{10}	1.62	7.11
		$PM_{2.5}$	1.62	7.11
		VOC	1.70	2.13
54-22-6	Unit 10ABC Cooling Tower	PM	1.24	5.42
		PM_{10}	1.24	5.42
		$PM_{2.5}$	1.24	5.42
		VOC	1.30	1.62
54-22-7	Unit 10ABC Cooling Tower	PM	1.56	6.85
		PM_{10}	1.56	6.85
		$PM_{2.5}$	1.56	6.85
		VOC	1.64	2.05
54-22-9	Unit 10D/18 Cooling Tower	PM	1.40	6.15
		PM_{10}	1.40	6.15
		$PM_{2.5}$	1.40	6.15
		VOC	1.47	1.84
54-22-12	Unit 21/22 Cooling Tower	PM	2.32	10.18
		PM_{10}	2.32	10.18
		$PM_{2.5}$	2.32	10.18
		VOC	2.44	3.05
54-22-13	Unit 24 Cooling Tower	PM	3.17	13.90
		PM_{10}	3.17	13.90
		$PM_{2.5}$	3.17	13.90
		VOC	3.33	4.16

Emission Sources - Maximum Allowable Emission Rates

54-22-17	Unit 33 Cooling Tower	PM	5.82	25.51
		PM_{10}	5.82	25.51
		$PM_{2.5}$	5.82	25.51
		VOC	6.11	7.64
10.1-0-0	Unit 10AC Process Fugitives (5)	VOC	4.96	21.71
		Benzene (8)	0.01	0.03
10.2-0-0	Unit 10D Process Fugitives (5)	VOC	2.48	10.85
		Benzene (8)	0.003	0.01
10.3-0-0	Unit 10B Process Fugitives (5)	VOC	1.12	4.92
		Benzene (8)	0.001	0.005
12-0-0	Unit 12 Process Fugitives (5)	VOC	1.88	8.25
		Benzene (8)	0.11	0.48
18-0-0	Unit 18 Process Fugitives (5)	VOC	1.59	6.98
21-0-0	Unit 21 Process Fugitives (5)	VOC	0.84	3.66
		Benzene (8)	0.005	0.02
22-0-0	Unit 22 Process Fugitives (5)	VOC	10.81	47.33
		Benzene (8)	0.13	0.57
24-0-0	Unit 24 Process Fugitives (5)	VOC	19.60	85.83
		Benzene (8)	0.21	0.90
24.1-0-0	Unit 24.1 Process Fugitives (5)	VOC	2.88	12.62
		Benzene (8)	0.96	4.20
33-0-0	Unit 33 Process Fugitives (5)(6)	VOC	18.27	80.04
		Benzene (8)	0.33	1.43
24-95-314	Methanol Storage Tank	VOC	3.31	0.08
33-95-10	Methanol Storage Tank	VOC	3.31	0.08
33-95-14	Storage Tank	VOC	0.03	0.0001
10-95-328	D-328 Seal Oil Reservoir	VOC	0.01	0.05
10-95-357	D-357 Lube/Seal Oil Reservoir	VOC	0.01	0.05

Emission Sources - Maximum Allowable Emission Rates

18-95-54	D-54 Lube/Seal Oil Reservoir	VOC	0.01	0.05
21-95-120	D-120 Lube/Seal Oil Reservoir	VOC	0.01	0.05
22-95-100	D-100 Lube Oil Reservoir	VOC	0.01	0.05
22-95-101	D-101 Lube Oil Reservoir	VOC	0.01	0.05
22-95-120	D-120 Lube/Seal Oil Reservoir	VOC	0.01	0.05
22-95-130	D-130 Seal Oil Reservoir	VOC	0.01	0.05
24-95-304	D-304 Seal Oil Reservoir	VOC	0.01	0.05
24-95-305	D-305 Seal Oil Reservoir	VOC	0.01	0.05
24-95-306	D-306 Seal Oil Reservoir	VOC	0.01	0.05
24-95-307	Expander Lube Oil Reservoir	VOC	0.01	0.05
33-95-15	C-101 (Cracked Gas)	VOC	0.01	0.05
33-95-17	C-102 (Ethylene)	VOC	0.01	0.05
33-95-19	C-103 (Propylene)	VOC	0.01	0.05
33-95-390	C-101 (Cracked Gas)	VOC	0.01	0.05
33-95-392	C-102 (Ethylene)	VOC	0.01	0.05
33-95-394	C-103 (Propylene)	VOC	0.01	0.05
10-95-3572	C-357 (Propylene)-2nd Vent	VOC	0.01	0.05
10-95-357A	C-357 (Propylene)-degas chamber	VOC	0.01	0.05
24-95-319	C-100 (Cracked Gas)	VOC	0.01	0.05
24-95-320	C-101 (Ethylene)	VOC	0.01	0.05
24-95-321	C-102 (Propylene)	VOC	0.01	0.05
10.1-SUMP1	10.1 Oily Water Sewer Sump	VOC	0.03	0.003
12-SUMP1	12 Oily Water Sewer Sump	VOC	0.02	0.003
21/22-SUMP1	21/22 Oily Water Sewer Sump	VOC	0.01	0.001
24-SUMP2	24 Ethylene Sodium Hydroxide Sump	VOC	0.002	0.01
24-SUMP3	24 Oily Water Sewer Sump	VOC	0.01	0.01
33-SUMP1	33 Sodium Hydroxide Sump	VOC	0.01	0.03
33-SUMP2	33 Water Sludge Pit	VOC	0.002	0.01

Emission Sources - Maximum Allowable Emission Rates

33-SUMP3	33 Oily Water Sewer Sump	VOC	0.01	0.01
33-SUMP4	33 Blowdown Drum Sump	VOC	0.00003	0.0002
10ABC-AV	Unit 10ABC Analyzer Vents	VOC	0.0004	0.0018
10D-AV	Unit 10D Analyzer Vents	VOC	0.0001	0.0003
12-AV	Unit 12 Analyzer Vents	VOC	0.0001	0.0003
18-AV	Unit 18 Analyzer Vents	VOC	0.00003	0.0001
21-AV	Unit 21 Analyzer Vents	VOC	0.00004	0.0002
22-AV	Unit 22 Analyzer Vents	VOC	0.0001	0.0005
24-AV	Unit 24 Analyzer Vents	VOC	0.0005	0.0021
33-AV	Unit 33 Analyzer Vents	VOC	0.16	0.70
22-95-27	Propylene Compressor Turbine	CO	12.05	52.77
		NO_X	36.83	161.30
		PM	0.84	3.70
		PM_{10}	0.84	3.70
		$PM_{2.5}$	0.84	3.70
		SO_2	0.44	1.91
		VOC	1.41	6.17
33-36-10	33 Cracking Furnace 10	CO	93.90	37.60
		NH_3	1.50	4.78
		NO_X	19.50	17.10
		PM	2.42	8.49
		PM_{10}	2.42	8.49
		$PM_{2.5}$	2.42	8.49
		SO_2	8.65	8.04
		VOC	1.75	6.14
33.1-0-0	U33 F-10 Fugitives (5)	NH_3	0.21	0.91
		VOC	0.12	0.51
		Benzene (8)	0.01	0.02

Emission Sources - Maximum Allowable Emission Rates

Caps			
Emission Point Nos. (1)	**Air Contaminant Name (3)**	**Emission Rates**	
		lbs/hour	**TPY (4)**
EPNs: 22-36-1, 22-36-2, 22-36-3, 22-36-4, 22-36-5, 22-36-6, 22-36-7, 22-36-8, 24-36-1, 24-36-2, 24-36-3, 24-36-4, 24-36-5, 24-36-6, 24-36-7, 24-36-8, 24-36-9, 33-36-1, 33-36-2, 33-36-3, 33-36-4, 33-36-5, 33-36-6, 33-36-7, 33-36-8, 33-36-9, 56-61-10, 56-61-12, 56-61-14, 56-61-20, 56-61-22	CO	478.74	2058.44
EPNs: 56-61-4, 56-61-8, 56-61-9	CO	63.13	40.89
	NO_X	12.39	8.00
EPNs: 56-61-4, 56-61-8, 56-61-9, 56-61-10, 56-61-12, 56-61-14, 56-61-20, 56-61-22	H_2S	0.06	0.26
EPNs: 22-36-1, 22-36-2, 22-36-3, 22-36-4, 22-36-5, 22-36-6, 22-36-7, 22-36-8, 24-36-1, 24-36-2, 24-36-3, 24-36-4, 24-36-5, 24-36-6, 24-36-7, 24-36-8, 24-36-9, 33-36-1, 33-36-2, 33-36-3, 33-36-4, 33-36-5, 33-36-6, 33-36-7, 33-36-8, 33-36-9, 56-61-10, 56-61-12, 56-61-14, 56-61-20, 56-61-22, 22-95-27	NO_X	436.25	1896.24
EPNs: 54-22-5, 54-22-6, 54-22-7, 54-22-9, 54-22-12, 54-22-13, 54-22-17	PM	27.16	118.97
EPNs: 22-36-1, 22-36-2, 22-36-3, 22-36-4, 22-36-5, 22-36-6, 22-36-7, 22-36-8, 24-36-1, 24-36-2, 24-36-3, 24-36-4, 24-36-5, 24-36-6, 24-36-7, 24-36-8, 24-36-9, 33-36-1, 33-36-2, 33-36-3, 33-36-4, 33-36-5, 33-36-6, 33-36-7, 33-36-8, 33-36-9	PM_{10}	41.44	181.52
EPNs: 22-36-1, 22-36-2, 22-36-3, 22-36-4, 22-36-5, 22-36-6, 22-36-7, 22-36-8, 24-36-1, 24-36-2, 24-36-3, 24-36-4, 24-36-5, 24-36-6, 24-36-7, 24-36-8, 24-36-9, 33-36-1, 33-36-2, 33-36-3, 33-36-4, 33-36-5, 33-36-6, 33-36-7, 33-36-8, 33-36-9	SO_2	223.95	374.53
EPNs: 56-61-4, 56-61-8, 56-61-9, 56-61-10, 56-61-12, 56-61-14, 56-61-20, 56-61-22	SO_2	18.05	24.72

Emission Sources - Maximum Allowable Emission Rates

EPNs: 22-36-1, 22-36-2, 22-36-3, 22-36-4, 22-36-5, 22-36-6, 22-36-7, 22-36-8, 24-36-1, 24-36-2, 24-36-3, 24-36-4, 24-36-5, 24-36-6, 24-36-7, 24-36-8, 24-36-9, 33-36-1, 33-36-2, 33-36-3, 33-36-4, 33-36-5, 33-36-6, 33-36-7, 33-36-8, 33-36-9, 56-61-4, 56-61-8, 56-61-9, 56-61-10, 56-61-12, 56-61-14, 56-61-20, 56-61-22, 54-22-5, 54-22-6, 54-22-7, 54-22-9, 54-22-12, 54-22-13, 54-22-17, 10.1-0-0, 10.2-0-0, 10.3-0-0, 12-0-0, 18-0-0, 21-0-0, 22-0-0, 24-0-0, 24.1-0-0, 33-0-0, 24-95-314, 33-95-10, 33-95-14, 10-95-328, 10-95-357, 18-95-54, 21-95-120, 22-95-120, 22-95-130, 22-95-101, 22-95-100, 24-95-304, 24-95-305, 24-95-306, 24-95-307, 33-95-15, 33-95-17, 33-95-19, 33-95-390, 33-95-392, 33-95-394, 10-95-3572, 10-95-357A, 24-95-319, 24-95-320, 24-95-321, 10.1-SUMP1, 12-SUMP1, 21/22-SUMP1, 24-SUMP2, 24-SUMP3, 33-SUMP1, 33-SUMP2, 33-SUMP3, 33-SUMP4, 10ABC-AV, 10D-AV, 12-AV, 18-AV, 21-AV, 22-AV, 24-AV, 33-AV	VOC	127.95	494.24
EPNs: 10.1-0-0, 10.2-0-0, 10.3-0-0, 12-0-0, 21-0-0, 22-0-0, 24-0-0, 24.1-0-0, 33-0-0	Benzene (8)	1.74	7.60

Planned Maintenance, Startup, and Shutdown (MSS) Caps				
Emission Point Nos. (1)	**Source Name (2)**	**Air Contaminant Name (3)**	**Emission Rates**	
			lbs/hour	**TPY (4)**
Decoking Equipment MSS 22-95-3, 22-95-3A, 22-95-3B, and 22-95-3C 24-95-300 33-95-376 and 33-95-376A	U22 Decoke U24 Decoke U33 Decoke	CO CO CO		
	Emission Cap for the EPNs Listed Above	**CO**	**792.82**	**89.86**
Flare System MSS 56-61-4 56-61-8 56-61-9 56-61-10 56-61-12 56-61-14 56-61-20 56-61-22	Unit 10D/18 Process Flare 4 Unit 10, 12 Low-Pressure Flare 8 Unit 10, 12 High-Pressure Flare 9 Unit 21, 22 Low-Pressure Flare 10 Unit 22 High-Pressure Flare 12 Unit 24 High-Pressure Flare 14 Unit 24 Low-Pressure Flare 20 Unit 33 Process Flare 22	CO CO CO CO CO CO CO CO		
	Emission Cap for the EPNs Listed Above	**CO**	**7505.60**	**137.12**
Flare System				

Emission Sources - Maximum Allowable Emission Rates

MSS				
56-61-4	Unit 10D/18 Process Flare 4	NO_X		
56-61-8	Unit 10, 12 Low-Pressure Flare 8	NO_X		
56-61-9	Unit 10, 12 High-Pressure Flare 9	NO_X		
56-61-10	Unit 21, 22 Low-Pressure Flare 10	NO_X		
56-61-12	Unit 22 High-Pressure Flare 12	NO_X		
56-61-14	Unit 24 High-Pressure Flare 14	NO_X		
56-61-20	Unit 24 Low-Pressure Flare 20	NO_X		
56-61-22	Unit 33 Process Flare 22	NO_X		
	Emission Cap for the EPNs Listed Above	**NO_X**	**1513.37**	**28.82**
MSS				
22-95-3, 22-95-3A, 22-95-3B, and 22-95-3C	U22 Decoke	PM		
24-95-300	U24 Decoke	PM		
33-95-376 and 33-95-376A	U33 Decoke	PM		
CPC-ABLAST	Abrasive Blasting	PM		
CPC-PAINT	Painting	PM		
Catalyst	Catalyst Handling	PM		
	Emission Cap for the EPNs Listed Above	**PM**	**621.98**	**67.66**
MSS				
56-61-4	Unit 10D/18 Process Flare 4	VOC		
56-61-8	Unit 10, 12 Low-Pressure Flare 8	VOC		
56-61-9	Unit 10, 12 High-Pressure Flare 9	VOC		
56-61-10	Unit 21, 22 Low-Pressure Flare 10	VOC		
56-61-12	Unit 22 High-Pressure Flare 12	VOC		
56-61-14	Unit 24 High-Pressure Flare 14	VOC		
56-61-20	Unit 24 Low-Pressure Flare 20	VOC		
56-61-22	Unit 33 Process Flare 22	VOC		
CPC-Paint	Painting	VOC		
MSSATM	Atmospheric Venting/Purging (See Attachment B for a list of activities)	VOC		
	Emission Cap for the EPNs Above	**VOC**	**5247.80**	**124.41**
MSS				
56-61-4	Unit 10D/18 Process Flare 4	Benzene		
56-61-8	Unit 10, 12 Low-Pressure Flare 8	Benzene		
56-61-9	Unit 10, 12 High-Pressure Flare 9	Benzene		
56-61-10	Unit 21, 22 Low-Pressure Flare 10	Benzene		
56-61-12	Unit 22 High-Pressure Flare 12	Benzene		
56-61-14	Unit 24 High-Pressure Flare 14	Benzene		
56-61-20	Unit 24 Low-Pressure Flare 20	Benzene		
56-61-22	Unit 33 Process Flare 22	Benzene		
MSSATM	Atmospheric Venting/Purging (See	Benzene Benzene		

Emission Sources - Maximum Allowable Emission Rates

	Attachment B for a list of activities)			
	Emission Cap for the EPNs Listed Above	**Benzene**	**176.72**	**2.88**

Emission Sources - Maximum Allowable Emission Rates

(1) Emission point identification – either specific equipment designation or emission point number from plot plan.
(2) Specific point source name. For fugitive sources, use area name or fugitive source name.
(3) CO - carbon monoxide
NH_3 - ammonia
NO_X - total oxides of nitrogen
PM - total particulate matter, suspended in the atmosphere, including PM_{10} and $PM_{2.5}$, as represented
PM_{10} - total particulate matter equal to or less than 10 microns in diameter, including $PM_{2.5}$, as represented
$PM_{2.5}$ - particulate matter equal to or less than 2.5 microns in diameter
SO_2 - sulfur dioxide
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
(4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
(6) Excluding fugitives associated with Furnace 10.
(7) This pollutant is also covered by Permit No. PSDTX751M1.
(8) Benzene emissions are included in the VOC emissions limit.

Date: January 15, 2014