

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 6793A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
E18H2000	Thermal Oxidizer	VOC	0.67	2.90
		NO <sub>x</sub>	18.10	67.50
		SO <sub>2</sub>	0.40	0.60
		PM	3.30	14.50
		CO	2.00	8.70
		HCl	1.00	4.40
		Cl <sub>2</sub>	0.71	3.11
E18SN2004	Flare (5)	VOC	0.39	0.07
		NO <sub>x</sub>	1.54	0.28
		SO <sub>2</sub>	0.01	<0.01
		CO	13.19	2.37
		HCl	0.89	0.15
F18P28	Fugitives (4)	VOC	0.42	1.86

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in General Rule 101.1

NO<sub>x</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide

PM - particulate matter, suspended in the atmosphere, including PM<sub>10</sub>.

CO - carbon monoxide

HCl - hydrogen chloride

Cl<sub>2</sub> - chlorine

(4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

(5) Flare limited to fifteen days of operation per calendar year.

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			<u>lb/hr</u>	<u>TPY</u>

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

\_\_\_\_\_Hrs/day \_\_\_\_\_Days/week \_\_\_\_\_Weeks/year or 8,760 Hrs/year

Dated \_\_\_\_\_