

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number: 42623

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
BH-1	Cullet Crushing Baghouse	PM/PM ₁₀	0.08	0.31
BH-3	Raw Material Unloading Conveyor Baghouse	PM/PM ₁₀	0.11	0.42
RMS	Raw Material Silo Vent - Cullet Silos (3 units) Baghouse, Soda Ash Silos (3 units) Baghouse, Limestone Silos (2 units) Baghouse, Aplite Silo Baghouse, Spare Silo Baghouse, Melite Silo Baghouse, Saltcake Silo Baghouse, and Aborted Batch Silo Baghouse	PM/PM ₁₀	0.71	2.80
BH-13	Sand Unloading Hopper Baghouse	PM/PM ₁₀	0.11	0.42
BH-14	Sand Silos (2 units) Baghouse	PM/PM ₁₀	0.06	0.21
MB	Mixer Building - Gathering Belt Conveyor Baghouse, Weighed Batch Elevator and Check Scale Baghouse, Cullet Weighed Batch Conveyor Baghouse, Batch Mixer, Carbocite Bag Dump, Iron Pyrite Bag Dump	PM	2.03	4.54
		PM ₁₀	0.93	2.28
BH-19	Mixed Batch Elevator Baghouse	PM/PM ₁₀	0.06	0.23
BH-21	LHS Daybin Baghouse	PM/PM ₁₀	0.07	0.29
BH-22	RHS Daybin Baghouse	PM/PM ₁₀	0.06	0.24
BH-23	Raw Material Bucket Elevator Baghouse	PM/PM ₁₀	0.06	0.24
BH-24	Sand Unloading Bucket Elevator Baghouse	PM/PM ₁₀		0.05

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
	0.17			
Furnace	Glass Melting Furnace	PM/PM ₁₀ (5)	31.25	136.88
		VOC	6.26	27.40
		NO _x	46.30	202.60
		SO ₂	53.74	235.40
		CO	6.26	27.40
FB	Furnace Building Ventilation - Belt	PM	2.12	9.28
	Burners (3 units), Hot End Coating	PM ₁₀	0.65	2.85
	Hoods, Distribution Chamber,	VOC	0.40	1.73
	Forehearths (3 units), Feeders (6 units),	NO _x	2.43	10.65
	Glass Forming Machines (3 units),	SO ₂	0.35	1.52
	Abrasive Blast Furnace Building	CO	2.11	9.22
BO-1	Mold and Burn-Off Ovens (3 units)	PM/PM ₁₀	0.02	0.07
		VOC	0.01	0.05
		NO _x	0.20	0.88
		SO ₂	<0.01	0.01
		CO	0.17	0.74
CULLET	Cullet Loading to Unloading Hopper (4)	PM	0.10	0.43
		PM ₁₀	0.05	0.20
MOLD	Mold Shop Baghouse - Bead Blaster	PM/PM ₁₀	0.51	2.25
PW-4	Proceco Parts Washer with Heaters	PM/PM ₁₀	<0.01	0.02
		VOC	<0.01	0.01
		NO _x	0.05	0.24
		SO ₂	<0.01	<0.01
		CO	0.05	0.20
VAC	Mini Vec Loader and Propane Motor	PM/PM ₁₀	0.06	0.25
		VOC	<0.01	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
		NO _x	0.01	0.04
		SO ₂	<0.01	<0.01
		CO	<0.01	0.01
PILE-A	Working Cullet Pile (4)	PM	--	0.04
		PM ₁₀	--	0.02
PILE-B	Long Term Cullet Storage Pile (4)	PM	--	0.03
		PM ₁₀	--	0.02
PB	Packaging Building Ventilation - Packing Room Space Heaters, LEHR Unit 1, LEHR Unit 2, LEHR Unit 3, Parts Washers (2 units), Video Jet Ink, Video Jet Solvent	PM/PM ₁₀	0.12	0.54
		VOC	1.54	6.73
		NO _x	1.62	7.10
		SO ₂	0.01	0.04
		CO	1.36	5.96
FAN-1	Truck/Railcar Unloading Station (4)	PM	0.01	0.04
		PM ₁₀	<0.01	0.01
FAN-2	Sand Truck Unloading Station (4)	PM	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
LLRMS	Lower Level Raw Material Silo - Sand Belt Conveyor Baghouse, Major Scale, Minor Scale, Cullet Scale, Sand Scale	PM	6.73	4.84
		PM ₁₀	2.73	2.12
BOOTH-1	Graphite Booth	PM/PM ₁₀	0.03	0.13
CONV1	Cullet Loading Conveyor (4)	PM	0.07	0.32
		PM ₁₀	0.03	0.13
B-1	Water Heaters (3 units)	PM/PM ₁₀	0.01	0.04
		VOC	0.01	0.03
		NO _x	0.08	0.33

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY**
		SO ₂	<0.01	<0.01
		CO	0.11	0.46
VPUMP	Vacuum Pumps (2 units)	PM/PM ₁₀	0.05	0.21
DSLGEN	Standby Emergency Diesel Generator	PM/PM ₁₀	0.63	0.16
		VOC	0.57	0.14
		NO _x	21.51	5.38
		SO ₂	0.36	0.09
		CO	4.93	1.23
DSLPMF	Emergency Fire Water Diesel Pump	PM/PM ₁₀	0.48	0.12
		VOC	0.50	0.13
		NO _x	6.82	1.71
		SO ₂	0.45	0.25
		CO	1.47	0.37
COOLTW-1	Furnace Cooling Tower	PM/PM ₁₀	<0.01	0.02
COOLTW-2	Cooling Tower	PM/PM ₁₀	0.02	0.09
COOLTW-3	Compressor Cooling Tower	PM/PM ₁₀	0.01	0.07

(1) Emission point identification - either specific equipment designation or emission point number from a plot plan.

(2) Specific point source names. For fugitive sources, use an area name or fugitive source name.

(3) PM - particulate matter, suspended in the atmosphere, including PM₁₀.

PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed,

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates *</u>	
			lb/hr	TPY**

it shall be assumed that no particulate matter greater than 10 microns is emitted.

VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1

NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

(4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

____Hrs/day __Days/week __Weeks/year or 8,760 Hrs/year

** Compliance with annual emission limits is based on a rolling 12-month period.