EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Nos. 44174, PSD-TX-968, and N028

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
STACK1	CTG-HRSG Stack (Siemens/Westinghouse 501 F	NO _X *** D) CO *** VOC PM ₁₀ *** SO ₂ NH ₃ (NH ₄) ₂ SO ₄	48.65 140.82 23.44 21.25 18.87 25.18 3.11	103.26 351.67 37.99 83.34 5.35 104.91 0.88
STACK2	CTG-HRSG Stack (Siemens/Westinghouse 501 F	NO _x *** D) CO *** VOC PM ₁₀ *** SO ₂ NH ₃ (NH ₄) ₂ SO ₄	48.65 140.82 23.44 21.25 18.87 25.18 3.11	103.26 351.67 37.99 83.34 5.35 104.91 0.88
TOMV1	Turbine Oil Mist Vent (4)	VOC	0.01	0.02
TOMV2	Turbine Oil Mist Vent (4)	VOC	0.01	0.02
TOMV3	Turbine Oil Mist Vent (4)	VOC	0.01	0.02
CT-1	Cooling Tower	PM ₁₀	1.13	4.93
TANKS 1, 2, and 3	Water Tanks		_	
TANK4	Aqueous Ammonia Tank	NH_3	<0.01	<0.01
TANK5	Aqueous Ammonia Tank	NH ₃	<0.01	<0.01

AIR CONTAMINANTS DATA

Emission	Source Air		Contaminant	Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
TANK6	Aqueous Ammonia Tank		NH ₃	<0.01	<0.01
WTB1	Sodium Hypochlorite Tank7		NaOCI	<0.01	<0.01
TANK8	Sulfuric Acid Tank		H ₂ SO ₄	<0.01	<0.01
TANK9	Diesel Fuel Storage		VOC	0.02	<0.01
DFWP1	Diesel Fire Water Pump	VI 10	NO _x CO SO ₂ 0.15 VOC	3.79 1.01 0.54 <0.01 0.59	0.10 0.03 0.01 0.02
FUG1	Ammonia System (5)		NH ₃	<0.01	<0.02
FUG2	Natural Gas Pipeline Fugitives (5	5)	VOC	0.03	0.12

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) NO_x total oxides of nitrogen
 - CO carbon monoxide
 - VOC volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1
 - PM₁₀ particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
 - SO₂ sulfur dioxide NH₃ - ammonia
 - $(NH_4)_2SO_4$ ammonium sulfate
 - H₂SO₄ sulfuric acid
 - NaOCI sodium hypochlorite
- (4) Turbine oil mist vent emissions are estimates only based on mist vent eliminator vendor data.
- (5) Fugitive emissions are based on component count and application of appropriate fugitive emission factors.
- * Emission rates are based on a maximum combustion turbine generator (CTG) operating schedule of 8,760 hours per year per CTG, and heat recovery duct burners operating a maximum of 3,000 hours per each Stack (EPNs STACK1 and STACK2).

Permit Nos. 44174, PSD-TX-968, and N028 Page 3

AIR CONTAMINANTS DATA

Emission Source		Air Contaminant <u>Emission</u>		Rates ^		
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**		
** Compliance	with annual emission limits	s is based on a rolling 12-month per	iod.			
*** Emissions regulated under PSD-TX-968 permit authorization.						
			Dated			