

Emission Sources - Maximum Allowable Emission Rates

Permit Number 103765

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
B6100	Boiler No. 1	NO _x	5.25	22.65
		NO _x (8)	35.00	2.80
		VOC	0.32	1.36
		SO ₂	1.74	7.52
		CO	26.28	28.34
		CO (8)	131.38	10.51
		PM	2.47	10.67
		PM ₁₀	2.47	10.67
		PM _{2.5}	2.47	10.67
		Ammonia	1.60	6.88
B6200	Boiler No. 2	NO _x	5.25	22.65
		NO _x (8)	35.00	2.80
		VOC	0.32	1.36
		SO ₂	1.74	7.52
		CO	26.28	28.34
		CO (8)	131.38	10.51
		PM	2.47	10.67
		PM ₁₀	2.47	10.67
		PM _{2.5}	2.47	10.67
		Ammonia	1.60	6.88

Emission Sources - Maximum Allowable Emission Rates

B6300	Boiler No. 3	NO _x	10.50	44.88
		NO _x (8)	70.00	5.60
		VOC	0.63	2.70
		SO ₂	3.49	14.90
		CO	52.55	56.15
		CO (8)	262.76	21.02
		PM	4.95	21.15
		PM ₁₀	4.95	21.15
		PM _{2.5}	4.95	21.15
		Ammonia	3.19	13.64
F-BH-19	Boiler House 19 Fugitives (5)	VOC	0.33	1.43
		Ammonia	0.02	0.08

Emission Sources - Maximum Allowable Emission Rates

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
NO_x - total oxides of nitrogen
SO₂ - sulfur dioxide
PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
CO - carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (8) These allowables apply during planned maintenance, startup and shutdown (MSS) activities. The annual and hourly NO_x and CO emission limits listed in the MAERT are mutually exclusive limits that will occur during separate operating hours.

Date: April 15, 2020