

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 6537

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
FB-102A MSS**	Fiberboard Dryer 2 Stack A	PM	3.81	0.50
		PM ₁₀	1.90	0.25
		VOC	5.72	0.75
		NO _x	3.54	0.46
		CO	0.54	0.07
		SO ₂	0.02	<0.01
FB-102B MSS**	Fiberboard Dryer 2 Stack B	PM	6.53	0.86
		PM ₁₀	3.26	0.43
		VOC	1.46	0.19
		NO _x	3.54	0.46
		CO	0.54	0.07
		SO ₂	0.02	<0.01
FB-102C MSS**	Fiberboard Dryer 2 Stack C	PM	5.71	0.75
		PM ₁₀	2.72	0.36
		VOC	0.58	0.08
		NO _x	3.54	0.46
		CO	0.54	0.07
		SO ₂	0.02	<0.01
FB-17A MSS**	Hardboard Preheater Vent A	PM	0.08	0.01
		PM ₁₀	0.02	0.01
		VOC	2.00	0.26
FB-17B MSS**	Hardboard Preheater Vent B	PM	0.08	0.01
		PM ₁₀	0.08	0.01
		VOC	5.80	0.76

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
FB-17BB MSS**	Hardboard Pre-Heater Vent	PM	0.08	0.01
		PM ₁₀	0.08	0.01
		VOC	5.80	0.76
FB-RTO	Regenerative Thermal Oxidizer (5)	PM	16.83	27.36
		PM ₁₀	8.68	15.15
		VOC	0.87	3.79
		NO _x	10.00	41.90
		CO	2.63	11.03
		SO ₂	0.08	0.33
FB-18	Press Vent	PM	0.15	0.62
		PM ₁₀	0.09	0.37
		VOC	11.90	55.35
FB-19A	Hardboard Cooling Vent	PM	0.15	0.62
		PM ₁₀	0.09	0.37
		VOC	3.80	16.00
FB-19B	Hardboard Cooling Vent	PM	0.15	0.62
		PM ₁₀	0.09	0.37
		VOC	1.26	5.26
FB-19C	Hardboard Cooling Vent	PM	0.15	0.62
		PM ₁₀	0.09	0.37
		VOC	0.51	2.13
FB-19D	Hardboard Cooling Vent	PM	0.15	0.62
		PM ₁₀	0.09	0.37
		VOC	0.37	1.55
FB-17A	Pre-Heater Vent	PM	0.08	0.35
		PM ₁₀	0.08	0.35
		VOC	3.69	15.85

EMISSIONS FROM SOURCE PROCESS MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
FB-17AA	Pre-Heater Vent	PM	0.08	0.35
		PM ₁₀	0.08	0.35
		VOC	3.69	15.85
FB-17B	Pre-Heater Vent	PM	0.08	0.35
		PM ₁₀	0.08	0.35
		VOC	3.59	15.51
FB-17BB	Pre-Heater Vent	PM	0.08	0.35
		PM ₁₀	0.08	0.35
		VOC	3.59	15.51
FB-Hum	Humidifier Area (4)	VOC	1.08	4.35
FB-209	Bake Oven Exhaust	VOC	0.32	1.36
FB-209A	Bake Oven Exhaust	VOC	0.32	1.36
FB-209B	Bake Oven Exhaust	VOC	0.32	1.36
FB-209C	Bake Oven Exhaust	VOC	0.32	1.36
FB-209D	Bake Oven Exhaust	VOC	0.32	1.36
FB-150	Refiner Vent	VOC	1.34	5.65
FB-150	Refiner Vent (5)	VOC	4.79	20.99
FB-24	Reclaim Hog	PM	8.95	38.50
		PM ₁₀	5.45	23.40
FB-PL	Paint Line and Ovens	PM	0.28	0.84
		PM ₁₀	0.28	0.84
		VOC	11.93	35.17
		NO _x	3.62	9.84
		CO	0.47	1.17

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) PM - particulate matter, suspended in the atmosphere, including PM₁₀
PM₁₀ - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
NO_x - total oxides of nitrogen
CO - carbon monoxide
SO₂ - sulfur dioxide
- (4) Fugitive emissions are an estimate only.
- (5) Previously permitted under Standard Permit Number 33426 is now part of this part.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule and medium density hardboard production rates:

24 Hrs/day 7 Days/week 52 Weeks/year or 8,760 Hrs/year

31,400 square feet/hour 275,000,000 square feet/year

** Due to 3 percent downtime of the RTO.

Dated June 10, 2005