Permit Number 2341

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant=s property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission lb/hr	Rates * TPY **
P1001	HOT OIL HEATER B-301	CO NO _x PM ₁₀ SO ₂ VOC	1.74 4.28 0.16 0.01 0.11	3.58 13.17 0.32 0.03 0.23
P4001	HOT OIL HEATER B-401	CO NO_x PM_{10} SO_2 VOC	1.03 1.95 0.09 0.01 0.07	2.12 4.13 0.19 0.02 0.14
P5002	HOT OIL HEATER B-501	CO NO_x PM_{10} SO_2 VOC	2.65 3.30 0.24 0.02 0.17	4.75 6.40 0.43 0.03 0.32
P3001	HOT OIL HEATER B-601	CO NO_x PM_{10} SO_2 VOC	0.36 0.43 0.03 0.01 0.02	0.74 0.88 0.07 0.01 0.05
P3002	HOT OIL HEATER B-602	CO NO_x PM_{10} SO_2 VOC	0.36 0.65 0.03 0.01 0.02	0.74 1.37 0.07 0.01 0.05

Emission	Source	Air Contaminant	Emissio	n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	<u>TPY **</u>
P3003	HOT OIL HEATER B-603	CO NO_x PM_{10} SO_2 VOC	1.03 2.06 0.09 0.01 0.07	2.12 5.35 0.19 0.02 0.14
P3022	HOT OIL HEATER B-604	CO NO_x PM_{10} SO_2 VOC	0.21 0.30 0.02 0.01 0.01	0.42 0.63 0.04 0.01 0.03
P6003	HOT OIL HEATER B-690	CO NO_x PM_{10} SO_2 VOC	2.67 4.05 0.62 0.02 0.69	8.83 12.60 1.71 0.06 1.81
P2001	HOT OIL HEATER B-701	CO NO_x PM_{10} SO_2 VOC	1.10 3.31 0.10 0.01 0.07	4.32 11.49 0.39 0.03 0.28
P7004	HOT OIL HEATER B-778	CO NO_x PM_{10} SO_2 VOC	0.87 1.43 0.21 0.02 0.15	3.72 6.06 0.88 0.07 0.64
P7001	HOT OIL HEATER B-790	CO NO_x PM_{10} SO_2 VOC	3.08 3.67 0.28 0.01 0.24	5.66 6.73 0.51 0.03 0.43
P1003	STEAM BOILER B-503	CO NO _x	3.52 5.42	8.30 11.28

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emissio</u> lb/hr	n Rates * TPY **
TOTILING. (1)	TVAITIC (2)	PM ₁₀ SO ₂ VOC	0.88 0.02 0.28	3.12 0.04 0.74
P1004	STEAM BOILER B-505	CO NO_x PM_{10} SO_2 VOC	3.39 5.94 0.73 0.02 0.26	8.22 15.93 3.03 0.04 0.73
P1005	STEAM BOILER B-506	CO NO_{x} PM_{10} SO_{2} VOC	3.33 5.97 0.66 0.02 0.25	7.93 15.88 2.67 0.04 0.69
P2002	STEAM BOILER B-507	CO NO_x PM_{10} SO_2 VOC	3.02 5.58 0.27 0.02 0.20	6.20 11.82 0.56 0.04 0.41
P2003	STEAM BOILER B-508	CO NO_x PM_{10} SO_2 VOC	3.02 3.59 0.27 0.02 0.20	6.20 7.38 0.56 0.04 0.41
P3023	CHEMICAL HOT BOX	VOC	1.35	1.21
P1016	E-307 VAC PUMP J-320	VOC	0.06	0.27
P1017	E-308 VAC PUMP J-321	VOC	0.20	0.91
P1018 P1006	E-306 VAC PUMP J-820 E-309 STEAM JET V-309	VOC VOC	2.66 0.20	12.29 0.91
P1007	E-310 STEAM JET V-310	VOC	0.10	0.42

Emission	Source	Air Contaminant		n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
P1008	E-311 STEAM JET V-311	VOC	0.06	0.28
P3014	FLARE X-601	VOC NO _x CO SO ₂	12.08 0.03 0.26 0.01	1.85 0.13 1.12 0.01
P3015	FLARE X-602	VOC NO _x CO SO ₂	1.69 1.15 9.80 0.01	0.20 0.04 0.39 0.01
P4004	FLARE X-401	VOC NO _x CO SO ₂	11.26 0.07 0.58 0.01	4.70 0.32 2.70 0.01
P6001	FLARE X-695	VOC NO _x CO SO ₂	10.06 0.34 2.23 0.73	16.31 1.37 8.84 0.41
PX501	FLARE X-501	VOC NO _x CO SO ₂	3.18 0.56 4.78 0.01	0.20 2.44 20.95 0.01
P7002	FLARE X-794	VOC NO _x CO	4.47 1.67 11.06 0.01	1.98 1.25 10.03 0.01
P1024	COOLING TOWER W-501	SO₂ VOC	0.15	0.66
P5004	COOLING TOWER W-502	VOC	0.17	0.74
P5005	COOLING TOWER W-503	VOC	0.17	0.74
P5006	COOLING TOWER W-503A	VOC	0.08	0.37

Emission	Source	Air Contaminant	Emission	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
WW001	ENCL. SUMP SKIMMER F-5	30 VOC	0.02	0.01
WW002	WW COLLECTION SUMP	VOC	0.01	0.01
WW003	WW SURGE TANK F-1001	VOC	0.01	0.02
P1019	BAGHOUSE R-301	PM VOC	0.10 0.01	0.37 0.01
P1009	STORAGE TANK F-320 (5)	VOC	3.39	0.34
P1010	STORAGE TANK F-320A	VOC	2.59	0.08
P1020	STORAGE TANK F-322A	VOC	0.36	0.02
T1001	STORAGE TANK F-402	VOC	0.54	0.80
P1011	STORAGE TANK F-403	VOC	2.50	0.03
T1002	STORAGE TANK F-404 (5)	VOC	6.82	0.89
T1003	STORAGE TANK F-405	VOC	0.89	0.74
T1004	STORAGE TANK F-408	VOC	2.38	0.07
T1005	STORAGE TANK F-409	VOC	1.45	0.03
P1012	STORAGE TANK F-414	VOC	0.13	0.01
P1013	STORAGE TANK F-504	VOC	6.58	0.04
T1006	STORAGE TANK F-505	VOC	0.83	0.94
P5001	STORAGE TANK F-560	VOC	1.75	0.30
T5008	STORAGE TANK F-580	VOC	8.95	0.35
T5009	STORAGE TANK F-581	VOC	0.20	0.06

Emission	Source	Air Contaminant	Emission	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
T5010	STORAGE TANK F-582	VOC	0.01	0.01
T3001	STORAGE TANK F-606	VOC	5.16	0.61
T3002	STORAGE TANK F-607	VOC	2.65	0.14
T3003	STORAGE TANK F-608	VOC	0.72	0.26
P3006	STORAGE TANK F-608A	VOC	0.37	0.03
P3007	STORAGE TANK F-608B	VOC	0.26	0.03
T3004	STORAGE TANK F-609	VOC	0.13	0.10
P3008	STORAGE TANK F-609A	VOC	0.61	0.05
P3009	STORAGE TANK F-609B	VOC	0.79	0.07
P3010	STORAGE TANK F-611A	VOC	2.09	0.51
T1009	STORAGE TANK F-612	VOC	2.15	80.0
T4001	STORAGE TANK F-612A	VOC	22.21	1.00
T4002	STORAGE TANK F-612AA	VOC	19.66	1.51
T2001	STORAGE TANK F-612B	VOC	6.47	0.98
T3005 P3011	STORAGE TANK F-612C STORAGE TANK F-613	VOC VOC	0.19 0.01	0.15 0.01
T3006	STORAGE TANK F-615	VOC	2.31	0.42
T3007	STORAGE TANK F-615A	VOC	2.95	0.42
P3013	STORAGE TANK F-616B	VOC	2.27	0.06
T3008	STORAGE TANK F-617	VOC	1.64	0.06

Emission	Source	Air Contaminant	<u>Emission</u>	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
T4004	STORAGE TANK F-618	VOC	2.96	0.07
T4005	STORAGE TANK F-619	VOC	0.63	0.31
T4006	STORAGE TANK F-620	VOC	1.23	0.48
T4007	STORAGE TANK F-621	VOC	0.09	0.01
T4008	STORAGE TANK F-640	VOC	3.05	0.01
T4009	STORAGE TANK F-641	VOC	0.02	0.01
T4010	STORAGE TANK F-642	VOC	0.07	0.02
T4011	STORAGE TANK F-643	VOC	7.88	1.37
T4012	STORAGE TANK F-644	VOC	0.25	0.21
T4013	STORAGE TANK F-645	VOC	0.01	0.01
T5003	STORAGE TANK F-650	VOC	12.29	1.89
P6005	STORAGE TANK F-651	VOC	0.01	0.03
T5007	STORAGE TANK F-653	VOC	0.01	0.01
P6002 T1010	STORAGE TANK F-691 STORAGE TANK F-702	VOC VOC	2.20 0.03	0.04 0.01
T1012	STORAGE TANK F-704	VOC	1.07	0.07
T1013	STORAGE TANK F-705	VOC	0.21	0.01
T2003	STORAGE TANK F-706	VOC	0.04	0.01
T2004	STORAGE TANK F-707	VOC	1.56	0.05
T2005	STORAGE TANK F-708	VOC	0.69	0.27

Emission	Source	Air Contaminant	Emission	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	IPY
T2006	STORAGE TANK F-713	VOC	0.03	0.04
T5001	STORAGE TANK F-718	VOC	0.10	0.02
T5002	STORAGE TANK F-719	VOC	0.10	0.02
T5005	STORAGE TANK F-721	VOC	0.15	0.12
T2007	STORAGE TANK F-722	VOC	0.10	0.01
T2008	STORAGE TANK F-723	VOC	0.09	0.02
T2009	STORAGE TANK F-724	VOC	1.05	0.83
T2010	STORAGE TANK F-725 (5)	VOC	1.83	0.70
T2011	STORAGE TANK F-726	VOC	0.57	0.01
T2012	STORAGE TANK F-727	VOC	0.88	0.04
T2013	STORAGE TANK F-728	VOC	2.22	0.04
T2014	STORAGE TANK F-729	VOC	0.91	0.05
P2004	STORAGE TANK F-730	VOC	5.53	0.25
T0010	STORAGE TANK F-738	VOC	0.01	0.01
T3009	STORAGE TANK F-741	VOC	0.20	0.06
T3010	STORAGE TANK F-742	VOC	0.06	0.08
T3011	STORAGE TANK F-743	VOC	0.51	0.09
T3024	STORAGE TANK F-746	VOC	3.11	0.01
T6001	STORAGE TANK F-751	VOC	1.53	0.02
T6003	STORAGE TANK F-754	VOC	1.55	0.01

Emission	Source	Air Contaminant	<u>Emission</u>	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
T6007	STORAGE TANK F-755	VOC	0.64	0.39
T6004	STORAGE TANK F-775	VOC	8.14	0.74
T6005	STORAGE TANK F-785	VOC	0.60	0.75
T6008	STORAGE TANK F-796	VOC	0.27	0.04
P7007	STORAGE TANK F-797	VOC	0.62	0.05
P7006	STORAGE TANK F-799	VOC	7.75	0.11
P8003	STORAGE TANK F-832	VOC	3.25	0.13
P8004	STORAGE TANK F-861	VOC	0.01	0.01
LT001	TRUCK LOADING RACK A	VOC	5.33	0.99
LT002	TRUCK LOADING RACK B	VOC	1.25	0.01
LT003	TRUCK LOADING RACK C	VOC	4.11	0.06
LT004 LT005	TRUCK LOADING RACK D TRUCK LOADING RACK E	VOC VOC	0.19 5.33	0.01 0.35
LT006	TRUCK LOADING RACK F	VOC	0.26	0.01
LT007	TRUCK LOADING RACK G	VOC	5.12	0.06
LT008	TRUCK LOADING RACK H	VOC	0.39	0.09
LT009	TRUCK LOADING RACK I	VOC	0.39	0.11
LR001	RAILCAR LOADING, TRACK 1, SPOT 1	VOC	0.14	0.01
LR002	RAILCAR LOADING, TRACK 1, SPOT 2	VOC	0.01	0.01

Emission	Source	Air Contaminant		n Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
LR003	RAILCAR LOADING, TRACK 2, SPOT 6	VOC	0.50	0.01
LR004	RAILCAR LOADING, TRACK 2, SPOT 7	VOC	4.33	0.39
LR005	RAILCAR LOADING, TRACK 2, SPOT 8	VOC	0.68	0.02
LR006	RAILCAR LOADING, TRACK 3, SPOT 9	VOC	1.17	0.02
LR013	F-700	VOC	0.01	0.01
LR014	LOADING SCRUBBER	VOC	0.05	0.01
LR015	DRUMMING PLANT	VOC	4.33	0.07
P1025	PLANT 1 WW SUMP	VOC	0.01	0.01
P2005	PLANT 2 WW SUMP	VOC	0.01	0.01
P3024	PLANT 3 WW SUMP	VOC	0.01	0.01
P4005	PLANT 4 WW SUMP	VOC	0.01	0.01
P5007	PLANT 5 WW SUMP	VOC	0.01	0.01
P6004	PLANT 6 WW SUMP	VOC	0.01	0.01
P7003	PLANT 7 WW SUMP	VOC	0.01	0.01
P1026	MAIN WASTEWATER SUMF	P VOC	0.01	0.01
P1027	CARBON FINES WW SUMP	VOC	0.01	0.01
P1028	DRUMMING PLT. WW SUM	P VOC	0.01	0.01
F1001	PLANT FUGITIVES (4)	VOC	7.17	32.12

Emission	Source	Air Contaminant	Emission	Rates *
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY **
		. ,		
P1029	FIRE WATER DIESEL PUMP	CO	2.75	0.05
	emissions resulting from testing	ng NO _x	12.77	0.24
	of equipment (38 hours per ye	ar) PM ₁₀	0.91	0.02
		SO ₂	0.85	0.02
		VOC	1.03	0.02
P1030	FIRE WATER DIESEL PUMP	СО	2.75	0.05
	emissions resulting from testing	ng NO _x	12.77	0.24
	of equipment (38 hours per ye	ar) PM ₁₀	0.91	0.02
		SO ₂	0.85	0.02
		VOC	1.03	0.02
P1031	WASTEWATER DIESEL PUM	IP CO	0.19	0.07
. 2002		NO _x	2.98	1.07
		PM ₁₀	0.18	0.06
		SO ₂	0.17	0.06
		VOC	0.21	0.07
D1022	MACTEMATED DIECEL DUM	ID CO	0.07	0.00
P1032	WASTEWATER DIESEL PUN		0.07	0.02
		NO _x	4.38	1.07
		PM ₁₀	0.18	0.04
		SO ₂	0.17	0.04
		VOC	0.21	0.05

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) CO carbon monoxide
 - NO_x total oxides of nitrogen
 - PM particulate matter, suspended in the atmosphere, including PM₁₀.
- $PM_{10}\,$ particulate matter (PM) equal to or less than 10 microns in diameter. Where PM is not listed, it shall
 - be assumed that no particulate matter greater than 10 microns in emitted.
 - SO₂ sulfur dioxide
 - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code ' 101.1
- (4) Emission rate is an estimate and compliance is demonstrated by meeting the requirements of the applicable special conditions and permit application representations.

AIR CONTAMINANTS DATA

Em	ission	Source	Air Contaminant	Emission R	Rates *
<u>Poi</u>	nt No. (1)	Name (2)	Name (3)	lb/hr	TPY **
(5)	vented to Flare X	320, F-404 and F-725, EPNs -501, EPN PX501 for contro esphere will be eliminated.			
*	Emission rates ar schedule:	e based on and the facilities	are limited by the following	ı maximum	operating
	Hrs/day Day	s/week Weeks/year	_ or Hrs/year <u>8,760</u>		
**	Compliance with a	unnual emission limits is based	d on a rolling 12-month period	d.	

Dated October 13, 2009