Permit Number 94384

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant	Emissio	Emission Rates	
		Name (3)	lbs/hour	TPY (4)	
SB-8501	Steam Boiler 8501	NO _x	0.2800	1.2300	
		СО	0.9700	4.2300	
		SO ₂	0.0100	0.0300	
		PM ₁₀	0.0900	0.3800	
		PM _{2.5}	0.0900	0.3800	
		VOC	0.0600	0.2800	
SB-8502	Steam Boiler 8502	NO _x	0.2800	1.2300	
		со	0.9700	4.2300	
		SO ₂	0.0100	0.0300	
		PM ₁₀	0.0900	0.3800	
		PM _{2.5}	0.0900	0.3800	
		VOC	0.0600	0.2800	
SB-8503	Steam Boiler 8503	NO _x	0.2800	1.2300	
		СО	0.9700	4.2300	
		SO ₂	0.0100	0.0300	
		PM ₁₀	0.0900	0.3800	
		PM _{2.5}	0.0900	0.3800	
		VOC	0.0600	0.2800	

SB-8504	Steam Boiler 8504	NO _x	0.2800	1.2300
		СО	0.9700	4.2300
		SO ₂	0.0100	0.0300
		PM ₁₀	0.0900	0.3800
		PM _{2.5}	0.0900	0.3800
		VOC	0.0600	0.2800
SB-8505	Steam Boiler 8505	NO _x	0.2800	1.2300
		СО	0.9700	4.2300
		SO ₂	0.0100	0.0300
		PM ₁₀	0.0900	0.3800
		PM _{2.5}	0.0900	0.3800
		VOC	0.0600	0.2800
SB-8506	Steam Boiler 8506	NO _x	0.2800	1.2300
		СО	0.9700	4.2300
		SO ₂	0.0100	0.0300
		PM ₁₀	0.0900	0.3800
		PM _{2.5}	0.0900	0.3800
		VOC	0.0600	0.2800
SB-8507	Steam Boiler 8507	NO _x	0.2800	1.2300
		СО	0.9700	4.2300
		SO ₂	0.0100	0.0300
		PM ₁₀	0.0900	0.3800
		PM _{2.5}	0.0900	0.3800
		VOC	0.0600	0.2800
SB-8508	Steam Boiler 8508	NO _x	0.2800	1.2300

		СО	0.9700	4.2300
		SO ₂	0.0100	0.0300
		PM ₁₀	0.0900	0.3800
		PM _{2.5}	0.0900	0.3800
		voc	0.0600	0.2800
SB-8509	Steam Boiler 8509	NO _x	0.2800	1.2300
		СО	0.9700	4.2300
		SO ₂	0.0100	0.0300
		PM ₁₀	0.0900	0.3800
		PM _{2.5}	0.0900	0.3800
		VOC	0.0600	0.2800
SB-8510	Steam Boiler 8510	NOx	0.2800	1.2300
		СО	0.9700	4.2300
		SO ₂	0.0100	0.0300
		PM ₁₀	0.0900	0.3800
		PM _{2.5}	0.0900	0.3800
		VOC	0.0600	0.2800
SB-8511	Steam Boiler 8511	NO _x	0.2800	1.2300
		СО	0.9700	4.2300
		SO ₂	0.0100	0.0300
		PM ₁₀	0.0900	0.3800
		PM _{2.5}	0.0900	0.3800
		VOC	0.0600	0.2800
SB-8512	Steam Boiler 8512	NO _x	0.2800	1.2300
		СО	0.9700	4.2300

		SO ₂	0.0100	0.0300
		PM ₁₀	0.0900	0.3800
		PM _{2.5}	0.0900	0.3800
		VOC	0.0600	0.2800
SB-8501 through SB- 8512	Steam Boilers 8501through 8512 Combined Annual Cap (6)	NO _x		7.8000
0012	Combined Annual Cap (0)	СО		26.7600
		SO ₂		0.1900
		PM ₁₀		2.4200
		PM _{2.5}		2.4200
		voc		1.7500
VCU-1	Vapor Combustor Unit 1 Barge Dock No. 1	NO _x	5.4000	6.6100
		со	25.2700	30.94
		SO ₂	0.0500	0.0600
		PM ₁₀	0.6300	0.7700
		PM _{2.5}	0.6300	0.7700
		VOC	0.3000	0.1600
		H ₂ S	0.0003	0.0002
VCU-2	Vapor Combustor Unit 2	NO _x	5.4000	6.6100
	Barge Dock No. 1	со	25.2700	30.94
		SO ₂	0.0500	0.0600
		PM ₁₀	0.6300	0.7700
		PM _{2.5}	0.6300	0.7700
		VOC	0.3000	0.1600

		H ₂ S	0.0003	0.0002
VCU-1 and VCU-2	Vapor Combustor Units 1 and 2	NO _x		6.6100
	Barge Dock No. 1 Combined Annual Cap (6)	СО		30.94
		SO ₂		0.0600
		PM ₁₀		0.7700
		PM _{2.5}		0.7700
		VOC		0.1600
		H ₂ S		0.0002
FWP1	Firewater Pump Engine 1	NO _x	3.4500	0.0900
		СО	3.5100	0.0900
		SO ₂	1.0800	0.0300
		PM ₁₀	0.1733	0.0050
		PM _{2.5}	0.1733	0.0050
		voc	1.3000	0.0300
FWP2	Firewater Pump Engine 2	NO _x	3.4500	0.0900
		СО	3.5100	0.0900
		SO ₂	1.0800	0.0300
		PM ₁₀	0.1733	0.0050
		PM _{2.5}	0.1733	0.0050
		VOC	1.3000	0.0300
FWP3	Firewater Pump Engine 3	NO _x	3.4500	0.0900
		СО	3.5100	0.0900
		SO ₂	1.0800	0.0300

		H ₂ S	0.0050	0.0001
T30-3	Black Oil Storage Tank 30-3	VOC	2.4400	0.0600
	and 30-2 (IFR) Combined Annual Cap (6)	H ₂ S		0.0005
T30-1 and T30-2	Black Oil Storage Tanks 30-1	VOC		0.4900
	(IFR)	H ₂ S	0.0080	0.0002
T30-2	Black Oil Storage Tank 30-2	VOC	4.5700	0.2400
	(IFR)	H ₂ S	0.0080	0.0002
T30-1	Black Oil Storage Tank 30-1	VOC	4.5700	0.2400
		H ₂ S	0.0120	0.0001
T009-1	Black Oil Storage Tank 009-1	VOC	12.4100	0.1110
		VOC	18.7700	0.4900
		PM _{2.5}	0.8851	0.0230
		PM ₁₀	0.8851	0.0230
		SO ₂	1.0800	0.0300
		СО	14.7500	0.3800
GENENG1	Emergency Generator Engine	NO _x	28.2200	0.7300
		VOC	1.3000	0.0300
		PM _{2.5}	0.1733	0.0050
		PM ₁₀	0.1733	0.0050
		SO ₂	1.0800	0.0300
		СО	3.5100	0.0900
FWP4	Firewater Pump Engine 4	NO _x	3.4500	0.0900
		VOC	1.3000	0.0300
		PM _{2.5}	0.1733	0.0050
		PM ₁₀	0.1733	0.0050

T30-4	Black Oil Storage Tank 30-4	VOC	2.4400	0.0600
		H ₂ S	0.0050	0.0001
T30-3 and T30-4	Black Oil Storage Tanks 30-3	VOC		0.0600
	and 30-4 Combined Annual Cap (6)	H ₂ S		0.0002
T50-1	Black Oil Storage Tank 50-1	VOC	6.3000	0.3400
	(IFR)	H₂S	0.0090	0.0003
T50-2	Black Oil Storage Tank 50-2	VOC	6.3000	0.3400
	(IFR)	H₂S	0.0090	0.0003
Г50-3	Black Oil Storage Tank 50-3	VOC	6.3000	0.3400
	(IFR)	H₂S	0.0090	0.0003
Г50-4	Black Oil Storage Tank 50-4 (IFR)	VOC	6.3000	0.3400
		H₂S	0.0090	0.0003
T50-5	Black Oil Storage Tank 50-5 (IFR)	VOC	6.3000	0.3400
		H₂S	0.0090	0.0003
Г50-6	Black Oil Storage Tank 50-6 (IFR)	VOC	6.3000	0.3400
		H₂S	0.0090	0.0003
Г50-7	Black Oil Storage Tank 50-7 (IFR)	VOC	6.3000	0.3400
		H₂S	0.0090	0.0003
Г50-8	Black Oil Storage Tank 50-8	VOC	6.3000	0.3400
	(IFR)	H₂S	0.0090	0.0003
T50-1 through T50-8	Black Oil Storage Tanks 50-1	VOC		2.7300
	through 50-8 (IFR) Combined Annual Cap (6)	H ₂ S		0.0030
T50-9	Black Oil Storage Tank 50-9	VOC	6.3470	0.2573
	(IFR)	H ₂ S	0.0060	0.0003

T50-10	Black Oil Storage Tank 50-10	VOC	6.3470	0.2573
	(IFR)	H ₂ S	0.0060	0.0003
		1120	0.0000	0.0000
T50-9 and T50-10	Black Oil Storage Tanks 50-9 and 50-10 (IFR)	VOC		0.5146
	Combined Annual Cap (6)	H ₂ S		0.0005
T100-1	Black Oil Storage Tank 100-1 (IFR)	VOC	4.0400	0.2000
	(ii i v)	H ₂ S	0.0080	0.0002
T100-2	Black Oil Storage Tank 100-2 (IFR)	VOC	4.0400	0.2000
	(IFK)	H ₂ S	0.0080	0.0002
T100-3	Black Oil Storage Tank 100-3 (IFR)	VOC	4.0400	0.2000
		H ₂ S	0.0080	0.0002
T100-4	Black Oil Storage Tank 100-4 (IFR)	VOC	4.0400	0.2000
		H ₂ S	0.0080	0.0002
T100-5	Black Oil Storage Tank 100-5 (IFR)	VOC	4.0400	0.2000
		H ₂ S	0.0080	0.0002
T100-6	Black Oil Storage Tank 100-6 (IFR)	VOC	4.0400	0.2000
		H ₂ S	0.0080	0.0002
T100-1 through T100-6	Black Oil Storage Tanks 100-1 through 100-6 (IFR)	VOC		1.2100
	Combined Annual Cap (6)	H ₂ S		0.0012
T100-7	Black Oil Storage Tank 100-7	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-8	Black Oil Storage Tank 100-8	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-13	Black Oil Storage Tank 100-13	VOC	4.8800	1.2300

T100-14	Black Oil Storage Tank 100-14	VOC	4.8800 0.0100	0.0020
		H ₂ S		
T100-15	Black Oil Storage Tank 100-15	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-16	Black Oil Storage Tank 100-16	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-17	Black Oil Storage Tank 100-17	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-18	Black Oil Storage Tank 100-18	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-19	Black Oil Storage Tank 100-19	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-20	Black Oil Storage Tank 100-20	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-21	Black Oil Storage Tank 100-21	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-22	Black Oil Storage Tank 100-22	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-23	Black Oil Storage Tank 100-23	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-24	Black Oil Storage Tank 100-24	VOC	4.8800	1.2300
		H ₂ S	0.0100	0.0020
T100-7 through T100-24	Black Oil Storage Tanks 100-7 through 100-24	VOC		1.404

		H ₂ S		0.0028
T100-10	Black Oil Storage Tank T100-10	VOC	9.4500	0.3895
	(IFR)	H ₂ S	0.0090	0.0004
T100-11	Black Oil Storage Tank 100-11	VOC	9.4500	0.3895
	(IFR)	H ₂ S	0.0090	0.0004
T100-10 and T100-11	Black Oil Storage Tanks 100-10 and 100-11 (IFR)	VOC		0.7789
	Combined Annual Cap (6)	H ₂ S		0.0008
T150-1	Diesel Storage Tank 150-1	VOC	6.3000	0.4900
	(IFR)	H ₂ S	0.0100	0.0001
T150-2	Diesel Storage Tank 150-2 (IFR)	VOC	6.3000	0.4900
		H ₂ S	0.0100	0.0001
T150-3	Diesel Storage Tank 150-3 (IFR)	VOC	6.3000	0.4900
		H ₂ S	0.0100	0.0001
T150-4	Diesel Storage Tank 150-4 (IFR)	VOC	6.3000	0.4900
		H ₂ S	0.0100	0.0001
T150-5	Diesel Storage Tank 150-5	VOC	6.3000	0.4900
	(IFR)	H ₂ S	0.0100	0.0001
T150-6	Diesel Storage Tank 150-6 (IFR)	VOC	6.3000	0.4900
	(IFK)	H ₂ S	0.0100	0.0001
T150-1 through T150-6	Diesel Storage Tanks 150-1 through 150-6 (IFR)	VOC		2.9200
	Combined Annual Cap (6)	H ₂ S		0.0001
T200-1	Black Oil Storage Tank 200-1 (IFR)	VOC	3.9000	0.3400
	(II-IX)	H ₂ S	0.0070	0.0003
T200-2	Black Oil Storage Tank 200-2	VOC	3.9000	0.3400

	(IFR)	H ₂ S	0.0070	0.0003
T200-3	Black Oil Storage Tank 200-3	VOC	3.9000	0.3400
	(IFR)	H ₂ S	0.0070	0.0003
T200-4	Black Oil Storage Tank 200-4 (IFR)	VOC	3.9000	0.3400
	(IFIX)	H ₂ S	0.0070	0.0003
T200-5	Black Oil Storage Tank 200-5 (IFR)	VOC	3.9000	0.3400
	(II TV)	H ₂ S	0.0070	0.0003
T200-6	Black Oil Storage Tank 200-6 (IFR)	VOC	3.9000	0.3400
	(IFIX)	H ₂ S	0.0070	0.0003
T200-7	Black Oil Storage Tank 200-7 (IFR)	VOC	3.9000	0.3400
		H ₂ S	0.0070	0.0003
T200-8	Black Oil Storage Tank 200-8 (IFR)	VOC	3.9000	0.3400
		H ₂ S	0.0070	0.0003
T200-1 through T200-8	Black Oil Storage Tanks 200-1 through 200-8 (IFR) Combined Annual Cap (6)	VOC		2.6900
		H ₂ S		0.0027
T200-9	Black Oil Storage Tank 200-9	VOC	4.8800	0.6800
		H ₂ S	0.0100	0.0010
T200-10	Black Oil Storage Tank 200-10	VOC	4.8800	0.6800
		H ₂ S	0.0100	0.0010
T200-11	Black Oil Storage Tank 200-11	VOC	4.8800	0.6800
		H ₂ S	0.0100	0.0010
T200-12	Black Oil Storage Tank 200-12	VOC	4.8800	0.6800
		H ₂ S	0.0100	0.0010
T200-9 through T200-12	Black Oil Storage Tanks 200-9 through 200-12	VOC	-	0.8000
	Combined Annual Caps (6)	H ₂ S	-	0.0020

		1,400	4 0000	0.04.45
T320-1	Black Oil Storage Tank 320-1	VOC	4.8800	0.8145
		H ₂ S	0.0100	0.0020
T320-2	Black Oil Storage Tank 320-2	VOC	4.8800	0.8145
		H ₂ S	0.0100	0.0020
T320-3	Black Oil Storage Tank 320-3	VOC	4.8800	0.8145
		H ₂ S	0.0100	0.0020
T320-1 through T-320-3	Black Oil Storage Tanks 320-1 through 320-3	VOC		0.9410
	Combined Annual Cap (6)	H ₂ S		0.0020
BRGDK-1	Barge Dock No. 1	VOC	2.1300	2.2700
		H ₂ S	0.0040	0.0040
BRGDK-2/3	Barge Dock No. 2/3	VOC	2.1300	2.2700
		H ₂ S	0.0040	0.0040
SHPDK-1	Ship Dock No. 1	VOC	16.9300	4.6900
		H ₂ S	0.0170	0.0070
BRGDK-1, BRGDK-2/3, SHPDK-1	Marine Docks Combined Annual Cap (6)	VOC		5.9400
	Combined / Amada Cap (0)	H ₂ S		0.0070
FUG-A1	Equipment Fugitives Area 1 (5)	voc	0.1000	0.4200
		H ₂ S	0.0010	0.0010
		VOC	0.0100	0.0300
FUG-A2	Equipment Fugitives Area 2 (5)	H ₂ S	0.0010	0.0010
FUG-A3	Equipment Fugitives Area 3 (5)	VOC	0.0800	0.3500
		H ₂ S	0.0010	0.0010
FUG-A6	Equipment Fugitives Area 6 (5)	VOC	0.0500	0.2000
		H ₂ S	0.0010	0.0010

FUG-BRDG1	Equipment Fugitives BRGDK1	VOC	0.0100	0.0400
	(5)	H ₂ S	0.0010	0.0010
FUG-BRDG2/3	Equipment Fugitives BRGDK2/3	VOC	0.0200	0.0700
	(5)	H ₂ S	0.0010	0.0010
FUG-SHP1	Equipment Fugitives SHPDK1 (5)	VOC	0.0200	0.1000
	(3)	H ₂ S	0.0010	0.0010
FUG-RC1	Equipment Fugitives Railcar Unloading Rack (5)	VOC	0.0200	0.1000
	Officialing Nack (5)	H ₂ S	0.0010	0.0010
OWS-1	Oil/Water Separator	voc	0.2800	0.0020
T-8004A	WW Accumulated Oil Tank 8004A	VOC	0.0600	0.0100
T-8004B	WW Accumulated Oil Tank 8004B	voc	0.0600	0.0100
W20-1	Pretreated Wastewater Tank W20-1	voc	0.07	0.0050
W20-2	Pretreated Wastewater Tank W20-2	voc	0.07	0.0050
W20-1 and W20-2	Pretreated Wastewater Tanks W20-1 and W20-2 Combined Annual Cap (6)	VOC		0.0050
PLANNED MAINTEN	ANCE, STARTUP, AND SHUTDOWN	EMISSIONS	-	'
T30-1	IFR Landing Loss	VOC	2.3425	0.0016
		H ₂ S	0.0024	0.0001
T30-2	IFR Landing Loss	VOC	2.3425	0.0016
		H ₂ S	0.0024	0.0001
T50-1	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001

T50-2	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001
Г50-3	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001
Г50-4	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001
Г50-5	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001
Г50-6	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001
Γ50-7	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001
Γ50-8	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001
Г50-9	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001
Γ50-10	IFR Landing Loss	VOC	2.3425	0.0022
		H ₂ S	0.0024	0.0001
Γ100-1	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
Γ100-2	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
Г100-3	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001

T100-4	IFR Landing Loss	VOC H ₂ S	0.9745	0.0020
			0.0010	0.0001
T100-5	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
T100-6	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
T100-10	IFR Landing Loss	VOC	2.3425	0.0045
		H ₂ S	0.0024	0.0001
T100-11	IFR Landing Loss	VOC	2.3425	0.0045
		H ₂ S	0.0024	0.0001
T150-1	IFR Landing Loss	VOC	1.5740	0.0024
		H ₂ S	0.0020	0.0001
T150-2	IFR Landing Loss	VOC	1.5740	0.0024
		H ₂ S	0.0020	0.0001
T150-3	IFR Landing Loss	VOC	1.5740	0.0024
		H ₂ S	0.0020	0.0001
T150-4	IFR Landing Loss	VOC	1.5740	0.0024
		H ₂ S	0.0020	0.0001
T150-5	IFR Landing Loss	VOC	1.5740	0.0024
		H ₂ S	0.0020	0.0001
T150-6	IFR Landing Loss	VOC	1.5740	0.0024
		H ₂ S	0.0020	0.0001
T200-1	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
T200-2	IFR Landing Loss	VOC	0.9745	0.0020

		H ₂ S	0.0010	0.0001
T200-3	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
T200-4	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
T200-5	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
Т200-6	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
Г200-7	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
Г200-8	IFR Landing Loss	VOC	0.9745	0.0020
		H ₂ S	0.0010	0.0001
T30-1	IFR Tank Degassing	VOC	1.5491	0.0010
		H ₂ S	0.0016	0.0001
T30-2	IFR Tank Degassing	VOC	1.5491	0.0010
		H ₂ S	0.0016	0.0001
T50-1	IFR Tank Degassing	VOC	2.1359	0.0013
		H ₂ S	0.0021	0.0001
T50-2	IFR Tank Degassing	VOC	2.1359	0.0013
		H ₂ S	0.0021	0.0001
T50-3	IFR Tank Degassing	VOC	2.1359	0.0013
		H ₂ S	0.0021	0.0001
Т50-4	IFR Tank Degassing	VOC	2.1359	0.0013
		H ₂ S	0.0021	0.0001

T50-5	IFR Tank Degassing	VOC	2.1359	0.0013
		H ₂ S	0.0021	0.0001
T50-6	IFR Tank Degassing	VOC	2.1359	0.0013
		H ₂ S	0.0021	0.0001
T50-7	IFR Tank Degassing	VOC	2.1359	0.0013
		H ₂ S	0.0021	0.0001
T50-8	IFR Tank Degassing	VOC	2.1359	0.0013
		H ₂ S	0.0021	0.0001
T50-9	IFR Tank Degassing	VOC	3.7306	0.0021
		H ₂ S	0.0037	0.0001
T50-10	IFR Tank Degassing	VOC	3.7306	0.0021
		H ₂ S	0.0037	0.0001
T100-1	IFR Tank Degassing	VOC	2.4228	0.0015
		H ₂ S	0.0024	0.0001
T100-2	IFR Tank Degassing	VOC	2.4228	0.0015
		H ₂ S	0.0024	0.0001
T100-3	IFR Tank Degassing	VOC	2.4228	0.0015
		H ₂ S	0.0024	0.0001
T100-4	IFR Tank Degassing	VOC	2.4228	0.0015
		H ₂ S	0.0024	0.0001
T100-5	IFR Tank Degassing	VOC	2.4228	0.0015
		H ₂ S	0.0024	0.0001
T100-6	IFR Tank Degassing	VOC	2.4228	0.0015
		H ₂ S	0.0024	0.0001

T100-10	IFR Tank Degassing	VOC	5.3994	0.0043
		H ₂ S	0.0054	0.0001
T100-11	IFR Tank Degassing	VOC	5.3994	0.0043
		H ₂ S	0.0054	0.0001
T150-1	IFR Tank Degassing	VOC	5.2997	0.0033
		H ₂ S	0.0053	0.0001
T150-2	IFR Tank Degassing	VOC	5.2997	0.0033
		H ₂ S	0.0053	0.0001
T150-3	IFR Tank Degassing	VOC	5.2997	0.0033
		H ₂ S	0.0053	0.0001
T150-4	IFR Tank Degassing	VOC	5.2997	0.0033
		H ₂ S	0.0053	0.0001
T150-5	IFR Tank Degassing	VOC	5.2997	0.0033
		H ₂ S	0.0053	0.0001
T150-6	IFR Tank Degassing	VOC	5.2997	0.0033
		H ₂ S	0.0053	0.0001
T200-1	IFR Tank Degassing	VOC	4.8106	0.0030
		H ₂ S	0.0048	0.0001
T200-2	IFR Tank Degassing	VOC	4.8106	0.0030
		H ₂ S	0.0048	0.0001
T200-3	IFR Tank Degassing	VOC	4.8106	0.0030
		H ₂ S	0.0048	0.0001
T200-4	IFR Tank Degassing	VOC	4.8106	0.0030
		H ₂ S	0.0048	0.0001

T200-5	IFR Tank Degassing	VOC	4.8106	0.0030
		H ₂ S	0.0048	0.0001
T200-6	IFR Tank Degassing	VOC	4.8106	0.0030
		H ₂ S	0.0048	0.0001
T200-7	IFR Tank Degassing	VOC	4.8106	0.0030
		H ₂ S	0.0048	0.0001
T200-8	IFR Tank Degassing	VOC	4.8106	0.0030
		H ₂ S	0.0048	0.0001
T-30-1 thru T200-8	IFR Landing and Degassing Tanks 30-1 thru 200-8	VOC		0.1547
	Combined Annual Cap (6)	H ₂ S		0.0068
T30-1	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H ₂ S	0.0002	0.0001
T30-2	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H ₂ S	0.0002	0.0001
T30-1 and T30-2	Black Oil Tank Sparging Tanks 30-1 and 30-2 Combined Annual Cap (6) (7)	VOC		0.0270
		H ₂ S		0.0001
T30-3	Black Oil Tank Sparging	VOC	0.1683	0.0122
		H ₂ S	0.0003	0.0001
T30-4	Black Oil Tank Sparging	VOC	0.1683	0.0122
		H ₂ S	0.0003	0.0001
T30-3 and T30-4	Black Oil Tank Sparging Tanks 30-3 and 30-4	VOC		0.0122
	Combined Annual Cap (6)	H ₂ S		0.0001
T50-1	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H ₂ S	0.0002	0.0002

T50-2	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H ₂ S	0.0002	0.0002
T50-3	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H₂S	0.0002	0.0002
T50-4	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H₂S	0.0002	0.0002
T50-5	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H ₂ S	0.0002	0.0002
T50-6	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H₂S	0.0002	0.0002
T50-7	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H₂S	0.0002	0.0002
T50-8	Black Oil Tank Sparging (7)	VOC	0.1821	0.0133
		H ₂ S	0.0002	0.0002
T50-1 through T50-8	Black Oil Tank Sparging Tanks 50-1 through 50-8 Combined Annual Cap (6) (7)	VOC		0.1070
		H ₂ S		0.0001
T50-9	Black Oil Tank Sparging (7)	VOC	0.1700	0.0122
		H ₂ S	0.0003	0.0001
T50-10	Black Oil Tank Sparging (7)	VOC	0.1700	0.0122
		H ₂ S	0.0003	0.0001
T50-9 and T50-10	Black Oil Tank Sparging	VOC		0.0244
	Tanks 50-9 and 50-10 Combined Annual Cap (6) (7)	H ₂ S		0.0001
T100-1	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
T100-2	Black Oil Tank Sparging	VOC	0.1732	0.0063

		H ₂ S	0.0002	0.0001
T100-3	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
T100-4	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
Г100-5	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
Т100-6	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
T100-1 through T100-6	Black Oil Tank Sparging Tanks 100-1 through 100-6	VOC		0.03800
	Combined Annual Cap (6)	H ₂ S		0.0001
Γ100-7	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-8	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-13	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-14	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
Г100-15	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
Г100-16	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
Г100-17	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001

T100-18	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-19	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-20	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-21	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-22	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-23	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-24	Black Oil Tank Sparging	VOC	0.1700	0.0059
		H ₂ S	0.0003	0.0001
T100-7 through T-100-24	Black Oil Tank Sparging Tanks 100-1 through 100-24 Combined Annual Cap (6)	VOC		0.0944
		H ₂ S		0.0002
T100-10	Black Oil Tank Sparging (7)	VOC	0.1700	0.0122
		H ₂ S	0.0003	0.0001
T100-11	Black Oil Tank Sparging (7)	VOC	0.1700	0.0122
		H ₂ S	0.0003	0.0001
T100-10 and T100-11	Black Oil Tank Sparging Tanks 100-10 and 100-11	VOC		0.0244
	Combined Annual Cap (6) (7)	H ₂ S		0.0002
T200-1	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001

T200-2	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
Т200-3	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
Γ200-4	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
Γ200-5	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
Γ200-6	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
Γ200-7	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
Γ200-8	Black Oil Tank Sparging	VOC	0.1732	0.0063
		H ₂ S	0.0002	0.0001
Γ200-1 through T200-8	Black Oil Tank Sparging Tanks 200-1 through 200-8 Combined Annual Cap (6)	VOC		0.0510
		H ₂ S		0.0001
Γ200-9	Black Oil Tank Sparging	VOC	0.1700	0.0061
		H ₂ S	0.0003	0.0001
Γ200-10	Black Oil Tank Sparging	VOC	0.1700	0.0061
		H ₂ S	0.0003	0.0001
Γ200-11	Black Oil Tank Sparging	VOC	0.1700	0.0061
		H ₂ S	0.0003	0.0001
T200-12	Black Oil Tank Sparging	VOC	0.1700	0.0061
		H ₂ S	0.0003	0.0001

T200-9 through	Black Oil Tank Sparging	VOC		0.0244
T200-12	Tanks 200-9 through 200-12 Combined Annual Cap (6)	H ₂ S		0.0001
T320-1	Black Oil Tank Sparging	VOC	0.1700	0.0040
		H ₂ S	0.0003	0.0001
T320-2	Black Oil Tank Sparging	VOC	0.1700	0.0040
		H ₂ S	0.0003	0.0001
T320-3	Black Oil Tank Sparging	VOC	0.1700	0.0040
		H ₂ S	0.0003	0.0001
T320-1 through T320-3	Black Oil Tank Sparging Tanks 320-1 through 320-3 Combined Annual Cap (6)	VOC		0.0183
		H ₂ S		0.0001

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
 - IFR internal floating roof
 - VCU vapor combustor unit
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
 - H₂S hydrogen sulfide
 - NO_x total oxides of nitrogen
 - CO carbon monoxide
 - SO₂ sulfur dioxide
 - PM total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
 - PM_{10} total particulate matter equal to or less than 10 microns in diameter, including $PM_{2.5}$, as represented
 - PM_{2.5} particulate matter equal to or less than 2.5 microns in diameter
- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) The combined annual emissions of all associated EPNs shall not exceed the Combined Annual Cap.
- (7) Sparging emissions are limited to heavy black oil storage operations.

Date: February 6, 2013