EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 9214

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY**
MBS-13	Dryer Heater	CO NO _x PM SO ₂ VOC	0.03 0.15 0.02 <0.01 0.01	0.14 0.66 0.08 <0.01 0.04
MBS-14	Cyclone	РМ	0.23	1.02
MBS Silo	Silo	РМ	0.05	0.22
SA-1	Soda Ash Baghouse	РМ	1.13	1.03
ST-1	Caustic Scrubber	PM SO ₂	0.03 2.46	0.14 10.80
ST-2	Sulfite Reactors R-301A/601A/E	SO ₂	0.94	4.10
ST-3	Sulfur Tank 203B	H ₂ S PM SO ₂ VOC	0.08 0.03 0.08 0.06	0.06 0.02 0.06 0.04
ST-4	Digester D-303A,B	РМ	0.70	0.50
ST-5	Digester D-302-A	РМ	0.70	0.50
ST-9	Digester Tank TK-609	РМ	0.01	0.01
ST-10	Storage Tank TK-610	PM	0.01	0.01
ST-8	Process Fugitives (4)	SO ₂	1.48	6.57

ST-11	Boiler	SO ₂ VOC NO _x CO	PM 0.01 0.21 1.16 0.46	0.06 0.04 0.92 5.08 2.02	0.28
ST-12	Boiler BL-1	NO _x CO SO ₂	VOC 0.58 0.26 0.01	0.10 2.03 0.90 0.01	0.36
ST-13	Boiler BL-2	NO _x CO SO ₂	VOC 0.58 0.26 0.01	0.10 2.03 0.90 0.01	0.36

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) CO carbon monoxide

NO_x - nitrogen oxides

PM - particulate matter, suspended in the atmosphere, including PM₁₀.

 PM_{10} - particulate matter equal to less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.

SO₂ - sulfur dioxide

VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1.

H₂S - hydrogen sulfide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

24	Hrs/dav	7	Davs/week	52	Weeks/vear

^{**} Compliance with annual emission limits is based on a rolling 12-month period.