EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 8052

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

		AIR CONTAMINANTS DATA		
Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
107	Ammonia PSV	Emergency Relief Only		
138	Multipurpose Spray Dryer and Baghouse FC/FD-11-038	SO_2	0.01	0.04
		CO	0.39	1.71
		VOC	0.06	0.28
		NO_x	1.54	6.75
		Methanol	1.714	7.51
		Formaldehyde	0.58	2.54
		PM_{10}	2.03	8.90
151	Ammonia Scrubber	NH_3	3.52	15.42
		VOC	0.34	0.70
		CO	0.15	0.07
172	Hydrogen Cyanide Scrubber	HCN	0.026	0.09
		VOC	<0.01	<0.01
185	Flash Dryer	PM_{10}	0.02	0.09
		SO_2	<0.01	<0.01
		CO	0.04	0.17
		VOC	0.002	0.01
		NO_x	0.05	0.20
203	H_2SO_4 Storage Tank	H_2SO_4	<0.01	<0.01
225	HCN Surge Tank	Emergency Relief Only		

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
232	Flash Dryer	PM_{10}	0.01	0.04
		SO_2	<0.01	<0.01
		CO	0.03	0.11
		VOC	0.002	<0.01
		NO_x	0.03	0.13
237	Hydrogen Cyanide Tank Scrubber	HCN	0.0009	0.0002
239	Formaldehyde P/V Vent	Emergency Relief Only		
242	Aqua Ammonia Storage Tank	Emergency Relief Only		
245	Formaldehyde Storage Tank Scrubber	CH_2O	0.042	0.008
		VOC (5)	0.47	0.13
		CO	0.006	0.002
262	Amine Scrubber	VOC	0.02	0.02
407	DAXAD Storage Tank 1	Methanol	0.06	0.015
		CH_2O	0.08	0.019
408	Loading Rack No. 4	methanol	0.012	0.002
		CH_2O	0.015	0.002
430	Spray Dryer	PM_{10}	2.40	10.51
		SO_2	0.01	0.03
		CO	4.10	16.00
		NO_x	2.35	10.29
		CH_2O	0.98	4.29
		VOC (5)	21.77	92.42
442	DAXAD Storage Tank 4	Methanol	0.06	0.014
		CH_2O	0.08	0.019

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
443	DAXAD Storage Tank 3	Methanol	0.06	0.014
		CH_2O	0.08	0.019
444	DAXAD Storage Tank 2	Methanol	0.06	0.014
		CH_2O	0.08	0.019
516	Furan Utility Tank	Methanol	0.28	0.013
		CH_2O	0.74	0.035
531	DAXAD Storage Tank 5	Methanol	0.06	0.014
		CH_2O	0.08	0.019
546	Fluid Bed Dryer	VOC (5)	8.22	35.00
		NO_x	0.91	4.00
		SO_2	0.01	0.011
		PM_{10}	0.53	2.32
		CO	0.68	3.00
		CH_2O	0.10	0.44
566	Naphthalene Storage Tank A	VOC	2.85	0.97
568	Filter Aid Tank	Emergency Relief Only		
569	Cake Wash Tank	Emergency Relief Only		
571	Product Receiver Tank	Emergency Relief Only		
572	Prefilter Tank	Emergency Relief Only		
573	Filter Press	Methanol	<0.01	0.001
		CH_2O	<0.01	<0.001

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
598	DAXAD Thermal Oxidizer	CH_2O	0.133	0.251
		Methanol	0.995	3.99
		PM_{10}	0.06	0.26
		SO_2	0.003	0.013
		CO	0.17	0.58
		Combustion VOC	0.03	0.13
		NO_x	0.50	2.19
723	East Cooling Tower	VOC	0.01	0.01
772	Cooling Tower	VOC	0.01	0.01
817	Fuel Oil Tank	VOC	0.0002	0.001
819	Firewater Pump	PM_{10}	0.26	0.0033
		SO_2	0.24	0.0030
		CO	0.80	0.0100
		VOC	0.29	0.0038
		NO_x	3.70	0.0460
859	Boiler (3 total)	PM_{10}	0.32	1.41
		SO_2	0.03	0.11
		CO	3.57	15.64
		VOC	0.23	1.02
		NO_x	4.25	18.62
895	Naphthalene Storage Tank B	Naphthalene	2.85	1.06
1129	Glycine Saponifier A	Water Vapor Only		
1132	Glycine Saponifier B	Water Vapor Only		
1134	Glycine Saponifier C	Water Vapor Only		
1290	DSIDA Tank	VOC	<0.01	<0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
1560	Purge Liquor Tank	VOC	0.01	0.01
2884	DAXAD Storage Tank 13	Methanol	0.07	0.061
		CH_2O	0.02	0.018
2914	Naphthalene Storage Tank C	Naphthalene	2.81	0.33
4032	Lime Silo Baghouse	PM_{10}	0.08	<0.01
4033	Lime Slaker Scrubber	PM_{10}	0.06	0.01
4034	LCA DAXAD Prefilter Tank	Emergency Relief Only		
4035	LCA DAXAD Unfiltered	Emergency Relief Only		
4037	LCA DAXAD Filter Press	CH_2O	<0.01	<0.001
		Methanol	<0.01	0.003
4038	LCA DAXAD Cake Wash H_2O Tank	Emergency Relief Only		
4039	LCA DAXAD Product Receiver Tank	Emergency Relief Only		
4040	Third Product Receiver Tank H_2O Tank	Emergency Relief Only		
4290	DAXAD Product Receiver Tank	Emergency Relief Only		
4297	Loading Rack No. 2	CH_2O	0.015	0.002
		Methanol	0.012	0.002
4338	Third Filter Press	CH_2O	<0.01	<0.001
		Methanol	0.01	0.002

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
4513	Prefilter Tank	Emergency Relief Only		
5019	Bersworth Reactor I	NH_3	0.93	0.17
		VOC	0.42	0.08
5319	Bersworth Reactor II	NH_3	0.93	0.17
		VOC	0.42	0.08
5357	DSIDA Centrifuge	HCN	0.028	0.02
5361	DSIDA Steam Jet	HCN	0.028	0.02
6031	DAXAD Storage Tank 6	CH_2O	0.05	0.035
		Methanol	0.07	0.057
6032	DAXAD Storage Tank 7	CH_2O	0.09	0.077
		Methanol	0.071	0.062
6033	Chelate Storage Tank	VOC	<0.01	<0.01
6034	DAXAD Storage Tank 9	CH_2O	0.05	0.040
		Methanol	0.07	0.064
6035	Chelate Storage Tank	VOC	<0.01	<0.01
6036	NTA-150 Storage Tank	VOC	<0.01	<0.01
6064	Loading Rack No. 5	Methanol	0.012	0.002
		CH_2O 0.015	0.002	
6065	Loading Rack No. 1	water vapor only		
6121	Loading Rack No. 9	Methanol	0.010	0.001
		CH_2O 0.012	0.001	
6122	Loading Rack No. 8	Methanol	0.010	0.001

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates * lb/hr	TPY
		CH_2O	0.012	0.001
6123	Loading Rack No. 7	Methanol	0.010	0.001
		CH_2O	0.012	0.001
7432	CH_2O PV	Emergency Relief Only		
7717	DAXAD Storage Tank 12	Methanol	0.07	0.014
		CH_2O	0.04	0.009
8000	DSIDA Storage Tank	VOC	<0.01	<0.01
8003	Chelate Acid Centrifuge Discharge Hopper	PM_{10}	0.03	0.03
155171	DAXAD Storage Tank	CH_2O	0.05	0.011
		Methanol	0.07	0.018
155181	DAXAD Storage Tank	CH_2O	0.05	0.017
		Methanol	0.07	0.03
1700901	Cartridge Dust Collector	PM_{10}	<0.01	<0.001
1700905	Glycine Conditioning Train Baghouse	PM_{10}	0.03	0.14
Fugitives	Fugitives (4)	VOC	0.26	1.14
		NH_3	0.06	0.26

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.
(2) Specific point source name. For fugitive sources use area name or fugitive source name.

(3) PM - particulate matter, suspended in the atmosphere, including PM_{10}.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

PM_{10} - particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
VOC - volatile organic compounds as defined in 30 Texas Administrative Code Section 101.1
NO_x - total oxides of nitrogen
SO_2 - sulfur dioxide
SO_3 - sulfur trioxide
CO - carbon monoxide
HCN - hydrogen cyanide
CH_2O - formaldehyde
NH_3 - ammonia
H_2SO_4 - sulfuric acid
TOC - total organic carbon

(4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
(5) Volatile organic compounds exclusive of formaldehyde.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day___Days/week___Weeks/year___or Hrs/year 8,760

Dated _____