EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 9349A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2) Name (3)	Air Contaminant lb/hr TPY	Emission Rates *	
EP-1	Coke Delivery Truck Traffic (4)	TSP PM10	- -	2.26 1.02
EP-2	Truck Unloading (4)	TSP PM10	0.26 0.12	0.28 0.13
EP-3	Railcar Unloader No. 1 Baghouse	PM10	<0.01	<0.01
EP-4	Railcar Unloader No. 2 Baghouse	PM10	0.11	0.05
EP-5a	Conveyor (4)	TSP PM10	1.01 0.19	0.20 0.04
EP-5b	Conveyor (4)	TSP PM10	0.85 0.40	0.41 0.19
EP-5c	Conveyor (4)	TSP PM10	1.84 0.35	0.41 0.09
EP-6	Stacker (4)	TSP PM10	0.08 0.04	0.14 0.07
EP-7	Stockpile Maintenance Vehicular Traffic (4)	TSP PM10	-	0.12 0.05
EP-8	Coke/Coal Pile Wind Erosion (4)	TSP PM10	- -	16.27 7.97
EP-9	Coke/Coal Pile Reclaim (4)	TSP PM10	2.40 0.88	0.22 0.10
EP-10	Ship/Barge Loader Baghouse	PM10	0.03	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source Air Contaminant	Emission Rates *		
Point No. (1)	Name (2) Name (3)	lb/hr TPY		
EP-11	Barge Loading/	TSP	0.04	<0.01
	Unloading (4)	PM10	0.02	<0.01
EP-15	Coke Pile Wind	TSP	-	9.24
	Erosion (4)	PM10	-	4.53
EP-16	Barge Unloading Baghouse	PM10	<0.01	<0.01
EP-17a	Stacker (4)	TSP	0.04	0.02
		PM10	0.02	0.01
EP-17b	Stacker (4)	TSP PM10	0.08 0.04	0.06 0.03
EP-18a	Conveyor (4)	TSP PM10	0.12 0.06	0.02 0.01
EP-18b	Conveyor (4)	TSP PM10	0.12 0.06	0.08 0.04
ED 40:	0(4)			
EP-18c	Conveyor (4)	TSP PM10	0.24 0.11	0.08 0.04
ED 10	Calca Dila Danlaira (4)			
EP-19	Coke Pile Reclaim (4)	TSP PM10	1.42 0.70	0.24 0.12
ED 20	Ctoolinilo Maintenana		-	
EP-20	Stockpile Maintenance Vehicular Traffic (4)	TSP PM10	-	0.56 0.28
	vernediai Traine (+)	I IVITO		0.20

⁽¹⁾ Emission point identification - either specific equipment designation or emission point number from plot plan.

⁽²⁾ Specific point source name. For fugitive sources use area name or fugitive source name.

⁽³⁾ TSP - total suspended particulate matter including PM10. PM10 - particulate matter less than 10 microns in diameter.

⁽⁴⁾ Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

^{*} Emission rates are based on and the facilities are limited by the

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	Rates *				
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY				
schedule:								
Hrs/day	Days/wee	kWeeks/year or	8,760 Hrs	s/year				
•	-	-		-				
Based on a	a maximum c	combined annual rat	e of 4,450	,000 tons	of materials	handled.		
							Dated:	