Emission Sources - Maximum Allowable Emission Rates

Permit Number 156320, PSDTX1558, N272

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)		Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
HR15.101	Charge Heater + No. 1 Interheater Stack	NO _x	8.01	17.54
	interneater Stack	со	39.47	86.44
		voc	2.88	12.61
		SO ₂	12.46	14.19
		PM	3.98	17.42
		PM ₁₀	3.98	17.42
		PM _{2.5}	3.98	17.42
		NH ₃	2.40	10.51
HR15.101	Charge Heater + No. 1 Interheater Stack MSS	NO _x	21.36	
HR15.102	No. 2 Interheater + No. 3 Interheater Stack	NO _x	6.60	14.45
		со	32.52	71.22
		voc	2.37	10.39
		SO ₂	10.27	11.69
		PM	3.28	14.36
		PM ₁₀	3.28	14.36
		PM _{2.5}	3.28	14.36
		NH ₃	1.98	8.66
HR15.102	No. 2 Interheater + No. 3 Interheater Stack MSS	NO _x	17.60	
HR15.601	Hot Oil Heater	NO _x	2.36	2.94
		со	11.60	14.50
		voc	0.85	2.12
		SO ₂	3.66	2.38
		РМ	1.17	2.92

Project Number: 339491

1	1			
		PM ₁₀	1.17	2.92
		PM _{2.5}	1.17	2.92
		NH ₃	0.71	1.76
HR15.601	Hot Oil Heater MSS	NOx	6.28	
HT16.102	Circulating Wash Oil Cooler WSAC	PM	0.40	1.75
	COOLET WOAC	PM ₁₀	0.17	0.76
		PM _{2.5}	<0.01	<0.01
HT16.118	Cooling Tower	PM	0.06	0.24
		PM ₁₀	0.02	0.11
		PM _{2.5}	<0.01	<0.01
HT16104211	WSAC HT16.104/211	РМ	1.35	5.92
		PM ₁₀	0.59	2.59
		PM _{2.5}	<0.01	0.01
FUG-PDH2	Process Area Fugitives (5)	VOC	3.51	15.38
FUG-NGAS	Natural Gas Fugitives (5)	VOC	0.01	0.06
FUG-SCR	Aqueous Ammonia Fugitives (5)	NH ₃	0.01	0.03
SV19.863	Spent Caustic Tank 1	VOC	0.85	0.07
SV19.864	Spent Caustic Tank 2	VOC	0.85	0.09
SV19.911	Waste Water Tank	voc	0.85	0.03
LO-1	Spent Caustic Truck Loading	voc	0.23	0.08
LO-2	Waste Water Truck Loading	VOC	0.23	0.08
LO-3	Spent Solvent/C5+ Pressure Truck Loading	VOC	0.01	<0.01
SE29.751	CCR Scrubber Vent	SO ₂	0.50	2.21
		РМ	0.15	0.68
		PM ₁₀	0.15	0.68
		PM _{2.5}	0.15	0.68
		нсі	0.25	1.09
		Cl ₂	0.22	0.98

Project Number: 339491

REACTOR1-4	Reactor 1/2/3/4 Catalyst Transfers	PM	0.30	0.07
	Transiers	PM ₁₀	0.14	0.03
		PM _{2.5}	0.02	<0.01
SHP	SHP Reactor Catalyst Transfer	PM	0.44	0.02
	Transier	PM ₁₀	0.21	0.01
		PM _{2.5}	0.03	<0.01
CATFINE	Catalyst Drum Filling	РМ	<0.01	<0.01
		PM ₁₀	<0.01	<0.01
		PM _{2.5}	<0.01	<0.01
SK25.801	Flare (Pilot + Normal)	NO _x	104.69	22.81
		СО	189.03	52.99
		voc	34.29	24.97
		SO ₂	8.85	1.33
SK25.801	Flare (MSS)	NO _x	810.57	6.93
		со	1,618.21	12.84
	•	voc	2,913.77	16.45
		SO ₂	34.95	0.07
MSS-PDH2	MSS Equipment Clearing	voc	198.44	0.83
MSS-P2VAC	MSS Vacuum Trucks	VOC	0.51	0.03

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1 - total oxides of nitrogen NO_x

- sulfur dioxide SO_2

- total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented PM

- total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as PM_{10}

represented

 $PM_{2.5}$ - particulate matter equal to or less than 2.5 microns in diameter

- carbon monoxide CO

- ammonia NH_3

- hydrogen chloride HCI Cl_2 - chlorine gas

(4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Project Number: 339491

Emission Sources - Maximum Allowable Emission Rates Permit Number GHGPSDTX193

This table lists the maximum allowable emission rates of greenhouse gas (GHG) emissions, as defined in Title 30 Texas Administrative Code § 101.1, for all sources of GHG air contaminants on the applicant's property that are authorized by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities authorized by this permit.

Air Contaminants Data

Emission Daint No. (1)	All Contaminants Data	Air Contaminant	Emission Rates	
Emission Point No. (1)	Source Name (2)	Name (3)	TPY (4)	
HR15.101	Charge Heater + No. 1 Interheater	CO ₂ (5)	273,523	
	Stack	CH ₄ (5)	5.15	
		N ₂ O (5)	0.52	
		CO ₂ e	273,806	
HR15.102	No. 2 Interheater + No. 3	CO ₂ (5)	225,375	
	Interheater Stack	CH ₄ (5)	4.25	
		N ₂ O (5)	0.42	
		CO ₂ e	225,608	
HR15.601	Hot Oil Heater	CO ₂ (5)	45,895	
•		CH ₄ (5)	0.86	
		N ₂ O (5)	0.09	
		CO ₂ e	45,942	
SE29.751	CCR Scrubber Vent	CO ₂ (5)	6,652	
		CO ₂ e	6,652	
FUG-PDH2	Process Area Fugitives (5)	CH ₄ (5)	0.19	
		CO ₂ e	4.71	
FUG-NGAS	Natural Gas Fugitives (5)	CO ₂ (5)	0.08	
		CH ₄ (5)	1.59	
		CO ₂ e	40	
SK25.801	Flare (Pilot + Normal)	CO ₂ (5)	42,573	
		CH ₄ (5)	38.46	
		N ₂ O (5)	0.07	
		CO ₂ e	43,555	
SK25.801	Flare (MSS)	CO ₂ (5)	6,082	
		CH ₄ (5)	6.16	
		N ₂ O (5)	0.01	

	CO ₂ e	6,239
--	-------------------	-------

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.

 $\begin{array}{cccc} \text{(3)} & \text{CO}_2 & - & \text{carbon dioxide} \\ & \text{N}_2\text{O} & - & \text{nitrous oxide} \\ & \text{CH}_4 & - & \text{methane} \\ \end{array}$

HFCs - hydrofluorocarbons PFCs - perfluorocarbons SF₆ - sulfur hexafluoride

CO₂e - carbon dioxide equivalents based on the following Global Warming Potentials (1/2015):

 CO_2 (1), N_2O (298), CH_4 (25), SF_6 (22,800), HFC (various), PFC (various)

(4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period. These rates include emissions from maintenance, startup, and shutdown.

(5) Emission rate is given for informational purposes only and does not constitute enforceable limit.

Date:		
-------	--	--