ATTACHMENT A.1

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Permit Number 2193

This table lists the maximum allowable emission rates (short term) and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission	Source				Emission Rates
Point No. (1)	Name (2)	Name (3)	lb/hr		
3-9	ST 3-9	VOC	80.09		
3-10	ST 3-10	VOC	0.01		
5-21	ST 5-21	VOC	1.57		
7	ST 7	VOC	200.21		
10-9	ST 10-9	VOC	120.13		
10-10	ST 10-10	VOC	120.13		
10-11	ST 10-11	VOC	120.13		
10-12	ST 10-12	VOC	120.13		
10-13	ST 10-13	VOC	120.13		
10-14	ST 10-14	VOC	120.13		
10-15	ST 10-15	VOC	120.13		
10-16	ST 10-16	VOC	120.13		
10-17	ST 10-17	VOC	120.13		
10-18	ST 10-18	VOC	120.13		

$\begin{array}{c} {\sf EMISSION} \ \ {\sf SOURCES} \ - \ {\sf MAXIMUM} \ \ {\sf ALLOWABLE} \ \ {\sf EMISSION} \ \ {\sf RATES} \\ {\sf SHORT-TERM} \end{array}$

Emission Point No. (1)	Source Name (2)	Air Contaminant	Emission Rates lb/hr
10-19 10-20	ST 10-19 ST 10-20	VOC VOC	120.13 120.13
12-1	ST 12-1	VOC	140.15
12-3	ST 12-3	VOC	140.15
12-4	ST 12-4	VOC	140.15
12-5	ST 12-5	VOC	140.15
12-6	ST 12-6	VOC	140.15
12-7	ST 12-7	VOC	140.15
12-8	ST 12-8	VOC	140.15
12-9	ST 12-9	VOC	140.15
12-10	ST 12-10	VOC	140.15
12-11	ST 12-11	VOC	140.15
12-12	ST 12-12	VOC	140.15
12-13	ST 12-13	VOC	140.15
12-14	ST 12-14	VOC	140.15
12-15	ST 12-15	VOC	140.15
12-16	ST 12-16	VOC	140.15
12-17	ST 12-17	VOC	140.15

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Air Contaminant _ Name (3)	Emission Rates lb/hr
12-18	ST 12-18	VOC	140.15
12-19	ST 12-19	VOC	140.15
12-20	ST 12-20	VOC	140.15
12-21	ST 12-21	VOC	140.15
12-22	ST 12-22	VOC	140.15
12-23	ST 12-23	VOC	140.15
12-24	ST 12-24	VOC	140.15
12-25	ST 12-25	VOC	140.15
12-26	ST 12-26	VOC	140.15
12-27	ST 12-27	VOC	140.15
12-28	ST 12-28	VOC	140.15
12-29	ST 12-29	VOC	140.15
12-30	ST 12-30	VOC	140.15
15-1	ST 15-1	VOC	160.17
22	ST 22	VOC	140.15
25-1	ST 25-1	VOC	140.15
25-2	ST 25-2	VOC	140.15

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Air Contaminant _ Name (3)	Emission Rates lb/hr
25-3	ST 25-3	VOC	140.15
25-4	ST 25-4	VOC	140.15
25-5	ST 25-5	VOC	140.15
25-6	ST 25-6	VOC	140.15
25-7	ST 25-7	VOC	140.15
25-8	ST 25-8	VOC	140.15
25-9	ST 25-9	VOC	140.15
25-10	ST 25-10	VOC	140.15
25-11	ST 25-11	VOC	140.15
25-12	ST 25-12	VOC	140.15
25-13	ST 25-13	VOC	140.15
25-14	ST 25-14	VOC	140.15
25-15	ST 25-15	VOC	140.15
25-16	ST 25-16	VOC	140.15
25-17	ST 25-17	VOC	140.15
25-18	ST 25-18	VOC	140.15
25-19	ST 25-19	VOC	140.15

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Air Contaminant	Emission Rates lb/hr
25-20	ST 25-20	VOC	140.15
25-21	ST 25-21	VOC	120.13
25-22	ST 25-22	VOC	120.13
25-23	ST 25-23	VOC	120.13
25-24	ST 25-24	VOC	120.13
25-25	ST 25-25	VOC	120.13
25-26	ST 25-26	VOC	120.13
25-27	ST 25-27	VOC	120.13
25-28	ST 25-28	VOC	120.13
25-29	ST 25-29	VOC	120.13
25-30	ST 25-30	VOC	120.13
31	ST 31	VOC	140.15
32	ST 32	VOC	200.21
37	ST 37	VOC	120.13
40-1	ST 40-1	VOC	120.13
80-9	ST 80-9	VOC	200.21
80-10	ST 80-10	VOC	200.21

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Air Contaminant	Emission Rates lb/hr
80-11	ST 80-11	VOC	200.21
80-12	ST 80-12	VOC	200.21
80-13	ST 80-13	VOC	200.21
80-14	ST 80-14	VOC	200.21
80-15	ST 80-15	VOC	200.21
80-16	ST 80-16	VOC	200.21
80-17	ST 80-17	VOC	200.21
80-18	ST 80-18	VOC	200.21
80-19	ST 80-19	VOC	200.21
80-20	ST 80-20	VOC	200.21
80-21	ST 80-21	VOC	380.40
80-22	ST 80-22	VOC	380.40
90-1	ST 90-1	VOC	0.97
90-2	ST 90-2	VOC	0.97
100-1	ST 100-1	VOC	23.44
100-2	ST 100-2	VOC	23.44
100-3	ST 100-3	VOC	23.44

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Air Contaminant _ Name (3) _	Emission Rates 1b/hr	
100-4	ST 100-4	VOC	23.44	
100-5	ST 100-5	VOC	2.47	
100-6	ST 100-6	VOC	2.47	
100-7	ST 100-7	VOC	2.59	
100-8	ST 100-8	VOC	2.59	
100-9	ST 100-9	VOC	2.59	
100-10	ST 100-10	VOC	2.26	
100-11	ST 100-11	VOC	2.08	
100-12	ST 100-12	VOC	2.08	
100-13	Storage Tank	VOC	2.62	
100-14	Storage Tank	VOC	2.62	
100-23	Storage Tank	VOC	0.55	
100-24	Storage Tank	VOC	0.55	
144-1	ST 144-1	VOC	23.44	
187-1	ST 187-1	VOC	23.44	
TNK-FL-1	Tank Flare No.1	VOC NO _x CO	2.56 3.53 7.04	

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Air Contaminant _ Name (3)	Emission Rates lb/hr
TOTHE NOT (1)	Name (2)	<u> </u>	10/111
Storage Tanks	Total Hourly (lb/hr) Landing Ca	p VOC	726.00 (5)
TR-1	Truck Rack No. 1 Loading Loss (9 Truck Spots) 0.50 psia uncontrolled and 0.50 psia controlled	ses VOC	170.37 (18.93 lb/hr/Spot)
TR-6	Truck Rack No. 6 Loading Losses (1 truck Spot) 0.50 psia uncontrolled and 0.50 psia controlled	VOC	18.93
TR-10	Truck Rack No. 10 Loading Losses (43 Truck Spots) 0.50 psia uncontrolled and 0.50 psia controlled	VOC	813.99 (18.93 lb/hr/Spot)
TR-11	Truck Rack No. 11 Loading Losses (15 Truck Spots) 0.50 psia uncontrolled and 0.50 psia controlled	VOC	283.95 (18.93 lb/hr/Spot)
TR-12	Truck Rack No. 12 Loading Losses (9 Truck Spots) 0.50 psia uncontrolled and 0.50 psia controlled	VOC	170.37 (18.93 lb/hr/Spot)
TR-13	Truck Rack No. 13 Loading Losses (7 Truck Spots) 0.50 psia uncontrolled and 0.50 psia controlled	VOC	132.51 (18.93 lb/hr/Spot)
C-RCR	Central Railcar Rack Loading Losses (35 Rail Spots) 0.50 psia uncontrolled	VOC	662.55 (18.93 lb/hr/Spot)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission <u>Point No. (1)</u>	Source Name (2)	Air Contaminant	Emission Rates 1b/hr
E-RCR	and 0.50 psia controlled East Railcar Rack Loading Losses (24 Rail Spots) 0.50 psia uncontrolled and 0.50 psia controlled	VOC	454.32 (18.93 lb/hr/Spot)
W-RCR	West Railcar Rack Loading Losses (34 Rail Spots) 0.50 psia uncontrolled and 0.50 psia controlled	VOC	643.62 (18.93 lb/hr/Spot)
SHPDK-1	Ship Dock No. 1 Loading Losses 0.50 psia uncontrolled	VOC d	113.60
SHPDK-2	Ship Dock No. 2 Loading Losses 0.50 psia uncontrolled	VOC d	113.60
SHPDK-3	Ship Dock No. 3 Loading Losses 0.50 psia uncontrolled	VOC d	113.60
BGDK-1	Barge Dock No. 1 Loading Losses 0.50 psia uncontrolled	VOC d	94.67
BGDK-2	Barge Dock No. 2 Loading Losses 0.50 psia uncontrolled	VOC d	94.67
BOILER-4		CO NO _x PM ₁₀ O ₂ 0.01 OC 0.06	0.22 1.47 0.01
Flare System No. 1 (FL-1a and FL-1b)	TR, RC, and Marine Flares	CO NO _x	12.96 1.51

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES SHORT-TERM

Emission Point No. (1)	Source Name (2)	Ai	r Contaminant _ Name (3)	Emission Rates lb/hr	
		VOC	SO ₂ 31.81	0.01	
Flare System No. 2 (FL-2a, FL-2b, and FL-2c)	TR, RC, and Marine Flares	VOC	CO NO _x SO ₂ 31.81	12.96 1.51 0.0	
FUG	Process Fugitives (4)		VOC	6.47	
SUMP-1	Wastewater Sumps		VOC	5.67	
TK-DEGAS	Tank Degassing	NO _x	VOC 3.43 6.85	124.31	

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) CO carbon monoxide
 - NO_x total oxides of nitrogen
 - PM₁₀ particulate matter equal to or less than 10 microns in diameter
 - SO₂ sulfur dioxide
 - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Hourly emissions cap covers simultaneous re-filling of tanks pursuant to Special Condition No. 21.

ATTACHMENT A.2

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES ANNUAL

Permit Number 2193

This table lists the maximum allowable emission rates (annual) and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for the permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission	Source	Air Contaminant	Emission Rates *
Point No. (1)	Name (2)	Name (3)	TPY **
	Steam Boiler No. 4	CO	0.97
	(14.7 MMBtu/hr fired duty)	NO_x	6.44
		PM_{10}	0.06
		SO_2	0.04
		VOC	0.26
	Flare System No. 1	CO	30.17
		NO _x	3.52
		SO ₂	0.01
		VOC	61.00
	Flava Contain Na 2	00	20.47
	Flare System No. 2	CO	30.17
		NO_x	3.52
		SO_2	0.01
		VOC	61.00
	Barge and Ship Emission	VOC	5.62

Losses Uncontrolled

	Rail and Truck Racks Emissic Losses Uncontrolled	n	VOC	45.00
Sump-1	Wastewater Sumps		VOC	2.85
TK-DEGAS	Tank Degassing	NO _x CO	VOC (5) 1.01 2.03	
TNK-FL-1	Tank Flare No. 1		VOC NOx CO	0.90 1.25 2.49
Storage Tanks	Total Annual (TPY) Cap		VOC	478.76 (5)
	Process Fugitives (4)		VOC	28.32

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) CO carbon monoxide
 - NO_x total oxides of nitrogen
 - PM₁₀ particulate matter equal to or less than 10 microns in diameter
 - SO₂ sulfur dioxide
 - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Annual emissions cap for tanks covers routine emissions, tank roof landings and de-gassing.
- * Emission rates are based on and the facilities are limited by the following maximum operating schedule:

	Hrs/day 24 Days/week 7 Weeks/year 52
**	Compliance with annual emission limits is based on a rolling 12-month period.
	Dated <u>October 31, 2007</u>