

# Emission Sources - Maximum Allowable Emission Rates

Permit Number 73201

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (5)	
			lbs/hour	TPY (4)
P1	Truck Receiving Pit	PM	0.09	0.22
		PM <sub>10</sub>	0.01	0.04
		PM <sub>2.5</sub>	0.01	0.03
C-3	Pneumatic Receiving (Cyclone Stack)	PM	1.03	0.22
		PM <sub>10</sub>	0.51	0.04
		PM <sub>2.5</sub>	0.51	0.03
	Total Receiving Operations	PM	--	0.22
		PM <sub>10</sub>	--	0.04
		PM <sub>2.5</sub>	--	0.03
1	Seed Cleaner	PM	0.38	0.31
		PM <sub>10</sub>	0.10	0.08
		PM <sub>2.5</sub>	0.02	0.01
C-1	Buffing Reels Cyclone Stack	PM	1.45	3.41
		PM <sub>10</sub>	1.45	3.41
		PM <sub>2.5</sub>	1.45	3.41
C-2	Dryer Cyclone Stack	PM	0.54	0.64
		PM <sub>10</sub>	0.54	0.64
		PM <sub>2.5</sub>	0.54	0.64
		VOC	0.03	0.06
		NO <sub>x</sub>	0.50	1.18

## Emission Sources - Maximum Allowable Emission Rates

C-2	Dryer Cyclone Stack	SO <sub>2</sub>	<0.01	0.01
		CO	0.42	0.99
C-4	Aspirator Cyclone Stack	PM	1.76	4.14
		PM <sub>10</sub>	1.76	4.14
		PM <sub>2.5</sub>	1.76	4.14
		NH <sub>3</sub>	0.10	0.24
C-5	Gravity Bins Cyclone Stack	PM	0.86	2.02
		PM <sub>10</sub>	0.86	2.02
		PM <sub>2.5</sub>	0.86	2.02
		NH <sub>3</sub>	0.10	0.24
V1	Delinting Drum Vent and Drum Preheater	PM	<0.01	<0.01
		PM <sub>10</sub>	<0.01	<0.01
		PM <sub>2.5</sub>	<0.01	<0.01
		VOC	<0.01	<0.01
		NO <sub>x</sub>	0.05	<0.01
		CO	0.04	<0.01
		SO <sub>2</sub>	<0.01	<0.01
		HCl	2.10	4.95
L-CL	Cull Tank Loadout	PM	0.22	0.12
		PM <sub>10</sub>	0.07	0.04
		PM <sub>2.5</sub>	0.01	0.01
L-F	Fuzzy Seed Overhead Bins	PM	0.22	<0.01
		PM <sub>10</sub>	0.07	<0.01

Emission Sources - Maximum Allowable Emission Rates

		PM <sub>2.5</sub>	0.01	<0.01
S1	Seed Treater	VOC	7.08	5.46
		HAP	0.02	<0.01
B1	Bagger	PM	0.01	<0.01
		PM <sub>10</sub>	<0.01	<0.01
		PM <sub>2.5</sub>	<0.01	<0.01

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO<sub>x</sub> - total oxides of nitrogen
- SO<sub>2</sub> - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented
- PM<sub>10</sub> - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented
- PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C
- NH<sub>3</sub> - Ammonia
- HCl - Hydrochloric Acid
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Dated: January 4, 2013