

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 47029

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
TCS-A1	Scrubber CL-1401	HCl	0.10	0.03
TCS-A3	Scrubber CL-1403	HCl	0.01	0.01
TCS-A4	Bag House BF-1201	PM (Si)	0.01	0.03
KBE/ABC-A	Scrubber CL-1001	AN	0.02	0.03
		EtOH	0.05	0.11
		MeOH	0.03	0.01
		PO	0.01	0.02
		ACI	0.02	0.05
		PO-HCl	0.01	0.01
		VOC (other)	0.11	0.01
ABC-A4	Scrubber CL-3202	EtOH	0.02	0.07
		MeOH	0.01	0.01
		ACI	0.07	0.25
		HCl	0.01	0.04
		H ₂ S	0.01	0.01
ABC-A6	ABC Baghouses	PM	0.01	0.01

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

BOILER-A1 or A2	Boiler A1 or Boiler A2	NO _x	0.46	2.01
		CO	0.92	4.02
		PM	0.01	0.06
		VOC	0.05	0.23
		SO ₂	0.19	0.82
INCINE-A1 or A2	Incinerator A1 or Incinerator A2	NO _x	0.90	3.93
		CO	1.34	5.87
		PM	0.26	1.14
		VOC	0.22	0.44
		SO ₂	0.04	0.18
		HCl	0.59	0.35
		Cl ₂	0.05	0.04
CF-FUG	CF Fugitives	VOC (incl. speciated VOC)	2.06	9.04
		AN	0.07	0.29
		EtOH	0.67	2.94
		PO	0.11	0.50
		ACI	0.14	0.63
		NH ₃	0.02	0.09
		HCl	0.01	0.02
		HSiCl ₃	0.01	0.02
		SiCl ₄	0.07	0.31
TCS-FUG	Trichlorosilane Fugitives (Emissions prior to HCl Sythesis Unit project) (4)	HCl	0.02	0.10
		HSiCl ₃	0.13	0.59
		SiCl ₄	0.30	1.31
		Si	0.01	0.01
		SiO ₂	0.01	0.01
TCS-FUG	Trichlorosilane Fugitives (Emissions after HCl Synthesis Unit project) (4)	HCl	0.01	0.01
		HSiCl ₃	0.13	0.59
		SiCl ₄	0.30	1.31

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		Si	0.01	0.01
		SiO ₂	0.01	0.01
KBM-FUG	KBM-803 Fugitives (4)	VOC	0.04	0.19
		H ₂ S	0.01	0.06
		Na ₂ S	0.01	0.01
ULOADFUG	Loading/Unloading Fugitives(Emissions prior to HCl and F3 Synthesis Unit projects)	VOC	0.21	0.01
		HCl	0.04	0.01
		HSiCl ₃	0.01	0.01
		SiCl ₄	0.01	0.01
ULOADFUG	Loading/Unloading Fugitives(Emissions after HCl and F3 Synthesis Unit, and KBM-803 projects)	VOC	0.35	0.01
		HCl	0.01	0.01
		HSiCl ₃	0.01	0.01
		SiCl ₄	0.07	0.01
		H ₂ S	0.01	0.01
CTOWER	Cooling Tower	PM	0.01	0.01
		VOC	0.01	0.01
HCL-1	Tower CL-1701	HCl	0.07	0.01
F3-1	Scrubber CL-2501	VOC	45.80	5.07
F3-2	Scrubber CL-4501	VOC	0.01	0.01
HCl-FUG	HCl Fugitives (4)	HCl	0.06	0.28
		Cl ₂	0.06	0.26
		Si	0.01	0.01
F3-FUG	F3 Fugitives (4)	VOC	1.01	4.39
		HCl	0.01	0.02

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3)

VOC	- volatile organic compounds as defined in Title 30 Texas Administrative Code ' 101.1
NO _x	- total oxides of nitrogen
SO ₂	- sulfur dioxide
PM	- particulate matter, suspended in the atmosphere, including PM ₁₀
PM ₁₀	- particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
CO	- carbon monoxide
HCl	- hydrogen chloride
AN	- acrylonitrile
ACI	- allylchloride
EtOH	- ethanol
PO	- propylene oxide
PO-HCl	- propylene oxide-hydrochloric acid complex
NH ₃	- ammonia
Si	- silicon
SiO ₂	- silicon dioxide
Cl ₂	- chlorine
SiCl ₄	- silicon tetrachloride
HSiCl ₃	- trichlorosilane
H ₂ S	- hydrogen sulfide
Na ₂ S	- sodium sulfide
MeOH	- methyl alcohol
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Date: _____