EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Number 53313

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
49T149ST	HAc Storage Tank Scrubber T-149		HAc	4.20	6.70
49V578ST	HAc Scavenger Tank		HAc	0.53	0.01
49V598ST	Personnel Exposure Control Device	lodine methy	VOC lodide 0.16 d acetate	1.38 0.01 0.01 0.14	0.04 0.01 0.01
49V604ST	Steam Condensate Tank		VOC	0.01	0.01
49V1049ST	HAc Storage Tank		VOC	0.56	0.31
49V1195ST	Methyl Acetate Storage Tank	methy	VOC l acetate	0.20 1.11	0.56 3.72
49MN138ST	Acetic Acid Unit Flare	SO ₂ methy I ₂ HI	VOC NO _x CO 0.15 d acetate 14.50 14.62	16.73 6.28 199.04 0.21 5.17 5.39 5.43	7.87 4.95 200.13 0.02
49MN294ST	HAc Loading Thermal Oxidize	er SO ₂	VOC NO _x CO 0.07	1.38 0.44 10.64 0.31	3.35 1.31 38.28

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
49HACLDFUG	HAc Railcar/Truck Uncollected Loading Losses	VOC	1.62	3.90
49HACFUG	HAc Unit Equipment Fugitives (4)	VOC CO methyl acetate	6.15 1.21 2.21	26.92 5.28 9.66
49ANALFUG	Analyzer Vents	VOC CO	0.01 0.01	0.01 0.01
49MT7FUG	Cooling Tower	VOC	2.94	12.88
49T171ST	Methyl Acetate Recovery Tow	er VOC methyl acetate	0.60 2.58	2.62 11.29
49V537ST	Methyl Acetate Storage Tank	VOC methyl acetate	0.19 1.25	0.70 5.04

- (1) Emission point identification either equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

 NO_x - total oxides of nitrogen

SO₂ - sulfur dioxide

CO - carbon monoxide

HAc - acetic acid

l₂ - lodine

HI - Hydrogen Iodide

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- * Emission rates are based on the following maximum operating schedule: <u>8,760</u> hours per year.
- ** Compliance with annual emission limits is based on a rolling 12-month period.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY

Dated October 26, 2005