## Emission Sources - Maximum Allowable Emission Rates

## Permit Number 9203

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

# Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
(1)			lbs/hour	TPY (4)
ST-11	Phase II (TK) Stack	VOC	0.72	3.14
		NO <sub>x</sub>	10.32	18.84
		SO <sub>2</sub>	0.02	0.12
		PM	0.77	3.40
		PM <sub>10</sub>	0.77	3.40
		PM <sub>2.5</sub>	0.77	3.40
		СО	12.68	24.20
		NH <sub>3</sub>	10.60	25.53
ST-14	Phase II (TK) Stack (Baghouse)	VOC	0.05	0.22
		NO <sub>x</sub>	0.36	1.58
		SO <sub>2</sub>	0.01	0.03
		PM	0.93	3.51
		PM <sub>10</sub>	0.93	3.51
		PM <sub>2.5</sub>	0.93	3.51
		СО	0.74	3.24
ST-18B	Grinder Blower Vent	PM	0.01	0.04
		PM <sub>10</sub>	0.01	0.04
		PM <sub>2.5</sub>	0.01	0.04

Project Number: 237069

# Emission Sources - Maximum Allowable Emission Rates

Γ		T		
ST-19	VK Stack	NO <sub>x</sub>	1.12	4.91
		СО	11.66	51.07
		VOC	0.05	0.22
		PM	0.87	3.81
		PM <sub>10</sub>	0.87	3.81
		PM <sub>2.5</sub>	0.87	3.81
		SO <sub>2</sub>	1.02	4.47
		H <sub>2</sub> SO <sub>4</sub>	1.56	6.83
ST-20	VK Dust Collection	РМ	1.11	0.90
	System	PM <sub>10</sub>	1.11	0.90
		PM <sub>2.5</sub>	1.11	0.90
ST-23	Silo S-2402	PM	0.09	0.23
		PM <sub>10</sub>	0.09	0.23
		PM <sub>2.5</sub>	0.09	0.23
C-T-1	Fugitives (5)	NH <sub>3</sub>	0.01	0.04
		VOC	0.30	1.32
C-T-2	Fugitives (5)	NH <sub>3</sub>	0.02	0.09
C-T-3	H2O2 Fugitives (5)	H <sub>2</sub> O <sub>2</sub>	0.01	0.04
TKFUG	TK Production Building Fugitives	VOC	0.04	0.19
	(5)	NH <sub>3</sub>	0.58	1.28
		PM	1.24	5.41
		PM <sub>10</sub>	1.24	5.41
		PM <sub>2.5</sub>	1.24	5.41

#### Emission Sources - Maximum Allowable Emission Rates

VKFUG	YK Production Building Fugitives	PM	0.44	1.93
(5)		PM <sub>10</sub>	0.44	1.93
		PM <sub>2.5</sub>	0.44	1.93
T-1115	H <sub>2</sub> O <sub>2</sub> Storage Tank	H <sub>2</sub> O <sub>2</sub>	0.03	0.01

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.

3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

NO<sub>x</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as

represented

 $PM_{10}$  - total particulate matter equal to or less than 10 microns in diameter, including  $PM_{2.5}$ , as

represented

PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide

 $NH_3$  - ammonia  $H_2SO_4$  - sulfuric acid  $H_2O_2$  - hydrogen peroxide

(4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

		0040	
Date:	August 25	2016	

Project Number: 237069