

Emission Sources - Maximum Allowable Emission Rates

Permit Number 100091, PSDTX1286, and N154

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

| Emission Point No. (1) | Source Name (2) | Air Contaminant Name (3) | Emission Rates | |
|---------------------------|-------------------|--------------------------|----------------|---------|
| | | | lbs/hour | TPY (4) |
| HR15001A | Hot Oil Heater | NO _x | 4.00 | 15.33 |
| | | CO | 6.25 | 27.36 |
| | | VOC | 0.28 | 1.23 |
| | | PM | 0.56 | 2.45 |
| | | SO ₂ | 0.35 | 1.52 |
| HR15001B | Hot Oil Heater | NO _x | 4.00 | 15.33 |
| | | CO | 6.25 | 27.36 |
| | | VOC | 0.28 | 1.23 |
| | | PM | 0.56 | 2.45 |
| | | SO ₂ | 0.35 | 1.52 |
| HR15002A | Regenerant Heater | NO _x | 1.00 | 3.12 |
| | | CO | 2.54 | 5.57 |
| | | VOC | 0.06 | 0.25 |
| | | PM | 0.14 | 0.62 |
| | | SO ₂ | 0.07 | 0.31 |
| HR15002B | Regenerant Heater | NO _x | 1.00 | 3.12 |
| | | CO | 2.54 | 5.57 |
| | | VOC | 0.06 | 0.25 |
| | | PM | 0.14 | 0.62 |
| | | SO ₂ | 0.07 | 0.31 |

Emission Sources - Maximum Allowable Emission Rates

| | | | | |
|------------|--------------------------|-------------------|------|------|
| FRAC F EFa | Frac A Process Fugitives | VOC (5) | 0.46 | 2.00 |
| FRAC F EFb | Frac B Process Fugitives | VOC (5) | 0.46 | 2.00 |
| HT16.028A | Refrigerant Condenser | PM | 0.33 | 1.44 |
| | | PM ₁₀ | 0.22 | 0.99 |
| | | PM _{2.5} | 0.09 | 0.38 |
| HT16.028B | Refrigerant Condenser | PM | 0.33 | 1.44 |
| | | PM ₁₀ | 0.22 | 0.99 |
| | | PM _{2.5} | 0.09 | 0.38 |
| HT16.029A | Reflux Cooler | PM | 0.08 | 0.34 |
| | | PM ₁₀ | 0.05 | 0.23 |
| | | PM _{2.5} | 0.02 | 0.09 |
| HT16.029B | Reflux Cooler | PM | 0.08 | 0.34 |
| | | PM ₁₀ | 0.05 | 0.23 |
| | | PM _{2.5} | 0.02 | 0.09 |
| SV19.003A | Lean Amine Tank | VOC | 0.01 | 0.01 |
| SV19.003B | Lean Amine Tank | VOC | 0.01 | 0.01 |
| SV19.002A | Amine Tank | VOC | 0.01 | 0.01 |
| SV19.002B | Amine Tank | VOC | 0.01 | 0.01 |
| SV19.006A | Wastewater Tank | VOC | 0.36 | 0.03 |
| SV19.006B | Wastewater Tank | VOC | 0.36 | 0.03 |

Emission Sources - Maximum Allowable Emission Rates

| | | | | |
|-----------|----------------------------|------------------|-------|-------|
| SK25.001 | Flare | NO _x | 23.70 | 15.03 |
| | | CO | 41.21 | 44.97 |
| | | VOC | 28.80 | 4.75 |
| | | SO ₂ | 2.09 | 9.18 |
| | | H ₂ S | 0.02 | 0.10 |
| EFDIB-FUG | DIB Unit Process Fugitives | VOC (5) | 0.37 | 1.61 |

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- H₂S - hydrogen sulfide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

Date: November 14, 2012