Permit Number 56114

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission F	Rates (6)
			lbs/hour	TPY (4)
HOUSE-1	Seed House No. 1 (5)	PM	1.91	0.27
		PM ₁₀	1.06	0.15
		PM _{2.5}	0.18	0.03
HOUSE-2	Seed House No. 2 (5)	PM	1.91	0.15
		PM ₁₀	1.06	0.09
		PM _{2.5}	0.18	0.01
HOUSE-3	Seed House No. 3 (5)	PM	1.91	0.23
		PM ₁₀	1.06	0.13
		PM _{2.5}	0.18	0.02
HOUSE-4	Seed House No. 4 (5)	PM	1.91	0.38
		PM ₁₀	1.06	0.21
		PM _{2.5}	0.18	0.04
HOUSE-5	Hull House (5)	PM	0.11	0.50
		PM ₁₀	0.06	0.28
		PM _{2.5}	0.01	0.05
FAN-1A	Seed House 1 Cooling Fan A Vent	PM	0.34	1.50
	Tall A Vent	PM ₁₀	0.34	1.50
		PM _{2.5}	0.05	0.20
FAN-1B	Seed House 1 Cooling Fan B Vent	PM	0.34	1.50
	Tan B vent	PM ₁₀	0.34	1.50
		PM _{2.5}	0.05	0.20
FAN-2D	Seed House 2 Cooling Fan D Vent	PM	0.58	2.55
	T GIT D VOIR	PM ₁₀	0.58	2.55
		PM _{2.5}	0.08	0.34

FAN-3A	Seed House 3 Cooling Fan A Vent	РМ	0.24	1.05
	Fair A Vent	PM ₁₀	0.24	1.05
		PM _{2.5}	0.03	0.14
FAN-3B	Seed House 3 Cooling Fan B Vent	PM	0.24	1.05
	ran b vent	PM ₁₀	0.24	1.05
		PM _{2.5}	0.03	0.14
FAN-4A	Seed House 4 Cooling Fan A Vent	PM	0.82	3.60
	ran A vent	PM ₁₀	0.82	3.60
		PM _{2.5}	0.11	0.48
FAN-4B	Seed House 4 Cooling Fan B Vent	PM	0.82	3.60
	Tan b vent	PM ₁₀	0.82	3.60
		PM _{2.5}	0.11	0.48
FAN-HC	Hull House Cooling Fan Vent	РМ	0.17	0.75
	Vent	PM ₁₀	0.17	0.75
		PM _{2.5}	0.02	0.10
TANK-1	White Seed Tank No. 1 (5)	РМ	0.76	0.56
	(3)	PM ₁₀	0.43	0.31
		PM _{2.5}	0.07	0.05
TANK-2	White Seed Tank No. 2 (5)	РМ	0.76	0.56
	(3)	PM ₁₀	0.43	0.31
		PM _{2.5}	0.07	0.05
	Total Annual White Seed Tank Operations	РМ		0.56
	(5)	PM ₁₀		0.31
		PM _{2.5}		0.05
TANK-3	Meal Tank No. 1 (5)	РМ	0.06	0.28
		PM ₁₀	0.03	0.16
		PM _{2.5}	<0.01	0.03
TANK-4	Meal Tank No. 2 (5)	PM	0.06	0.28
		PM ₁₀	0.03	0.16
		L		

		PM _{2.5}	<0.01	0.03
TANK-5	Meal Tank No. 3 (5)	PM	0.06	0.28
		PM ₁₀	0.03	0.16
		PM _{2.5}	<0.01	0.03
	Total Annual Meal Tank	PM		0.28
	Operations (5)	PM ₁₀		0.16
		PM _{2.5}		0.03
TANK-6	Black Seed Tank (5)	PM	0.12	0.52
		PM ₁₀	0.07	0.29
		PM _{2.5}	0.01	0.05
CYCN-3A	Seed Cleaner Cyclone No. 1 Stack	PM	1.54	6.76
	No. 1 Stack	PM ₁₀	1.54	6.76
		PM _{2.5}	0.41	1.80
CYCN-4A	Seed Cleaner Cyclone No. 2 Stack	РМ	1.54	6.76
	No. 2 Stack	PM ₁₀	1.54	6.76
		PM _{2.5}	0.41	1.80
CYCN-15	Seed Cleaner Cyclone No. 3 Stack	РМ	1.54	6.76
	No. 5 Stack	PM ₁₀	1.54	6.76
		PM _{2.5}	0.41	1.80
CYCN-16	Seed Cleaner Cyclone	PM	1.54	6.76
	No. 4 Stack	PM ₁₀	1.54	6.76
		PM _{2.5}	0.41	1.80
STKN-35	Pellet Cooler Stack	РМ	2.23	9.75
		PM ₁₀	2.23	9.75
		PM _{2.5}	0.59	2.60
STKN-36	Cooker Stack	PM	0.01	0.04
		PM ₁₀	0.01	0.04
		PM _{2.5}	<0.01	0.01
DT/DC	Desolventizer/ Toaster and Dryer Cooler	PM	3.46	15.16

		PM ₁₀	3.46	15.16
		PM _{2.5}	0.92	4.04
		Hexane (HAP)	4.19	18.37
LOAD-1	Hull Loadout (5)	PM	10.75	2.80
		PM ₁₀	3.63	0.94
		PM _{2.5}	0.61	0.16
LOAD-2	Meal Loadout (5)	РМ	0.43	0.40
		PM ₁₀	0.15	0.13
		PM _{2.5}	0.02	0.02
LOAD-5	Rail Meal Loadout (5)	PM	0.14	0.13
		PM ₁₀	0.01	0.01
		PM _{2.5}	<0.01	<0.01
	Total Annual Meal Loadout Operations (5)	РМ		0.40
	Loadodi Operations (3)	PM ₁₀		0.13
		PM _{2.5}		0.02
LOAD-3	White Seed, Cottonseed Meal, and	PM	0.43	2.86
	Hull Loadout 3 (5)	PM ₁₀	0.15	0.97
		PM _{2.5}	0.02	0.16
LOAD-4	White Seed, Cottonseed Meal, and	PM	0.43	2.86
	Hull Loadout 4 (5)	PM ₁₀	0.15	0.97
		PM _{2.5}	0.02	0.16
	Total Annual White	РМ		2.86
	Seed, Cottonseed Meal, and Hull Loadout	PM ₁₀		0.97
	Operations (5)	PM _{2.5}		0.16
DUMP-1	Cottonseed Unloading	PM	2.13	2.13
	Dump (5)	PM ₁₀	0.31	0.31
		PM _{2.5}	0.02	0.02

				T
DUMP-2	Rail Dump (5)	PM	0.43	0.13
		PM ₁₀	0.06	0.02
		PM _{2.5}	<0.01	<0.01
BAG-2	Meal Loadout Fabric Filter Stack	PM	1.73	3.77
	Filler Stack	PM ₁₀	1.73	3.77
		PM _{2.5}	0.23	0.50
BAG-5	Delinting Room Fabric Filter Stack	PM	3.43	15.02
	Filler Stack	PM ₁₀	3.43	15.02
		PM _{2.5}	0.46	2.00
BAG-6	Huller Room Fabric Filter Stack	PM	2.06	9.01
	Filler Stack	PM ₁₀	2.06	9.01
		PM _{2.5}	0.27	1.20
AC-TK	Clay Tank Baghouse Stack	PM	0.06	<0.01
	Stack	PM ₁₀	0.06	<0.01
		PM _{2.5}	0.01	<0.01
BOILER 1A	Boiler No. 1 Vent	PM	0.13	0.57
		PM ₁₀	0.13	0.57
		PM _{2.5}	0.13	0.57
		NO _x	1.71	7.49
		со	0.17	0.75
		SO ₂	0.01	0.04
		VOC	0.09	0.41
TOWER-1	Cooling Tower 1 Stack	PM	0.16	0.69
		PM ₁₀	0.03	0.14
		PM _{2.5}	<0.01	<0.01
FUGSTK-1	Hexane Fugitive Stack	Hexane (HAP)	18.87	82.66

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

- volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1 - total oxides of nitrogen (3) VOC NO_{x}

 SO_2 - sulfur dioxide

PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented

PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as

represented

PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter

CO - carbon monoxide

HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of

Federal Regulations Part 63, Subpart C

(4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.

(5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.

(6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: August 2, 2019
