

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 6068

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
JAU1A	Fugitives (4)	VOC	0.02	0.08
		NH <sub>3</sub>	0.03	0.11
JAU1B	Fugitives (4)	VOC	0.02	0.08
		NH <sub>3</sub>	0.03	0.11
JAU1I	Fugitives (4)	VOC	0.06	0.28
		NH <sub>3</sub>	0.04	0.16
LG5	Steam Jet Exhaust	VOC	0.30	0.97
		NH <sub>3</sub>	0.78	2.50
RA22	Flare R-A-22	VOC	1.07	3.39
		NH <sub>3</sub>	1.45	3.37
		CO	0.05	0.17
		NO <sub>x</sub>	2.03	4.79
RAIL	Railcar Loading	VOC	0.08	(5)

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
RE22	Drum Loading	VOC	<0.01	<0.01
TRUCK	Tank Car Loading	VOC	0.31	(5)
T1	Tank T-1	VOC	0.35	0.02
T2	Tank T-2	VOC	0.27	0.02
TE39	Tank T-E-39	VOC	0.26	0.01
TE47	Tank T-E-47	VOC	0.26	0.01
TE48	Tank T-E-48	VOC	0.26	0.01
TE50	Tank T-E-50	VOC	0.26	0.01
TE53	Tank T-E-53	VOC	0.26	0.06
TE55	Tank T-E-55	VOC	0.27	0.01
TE60	Tank T-E-60	VOC	0.26	0.02
TE62	Tank T-E-62	VOC	0.26	0.04
TE70	Tank T-E-70	VOC	0.26	0.02
TE71	Tank T-E-71	VOC	0.26	0.02
TE73	Tank T-E-73	VOC	0.26	0.01
TE79	Tank T-E-79	VOC	0.26	0.02
TE110	Tank T-E-110	VOC	0.26	0.12
TE111	Tank T-E-111	VOC	0.26	0.11

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

## AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u>	
			lb/hr	TPY
TE114	Tank T-E-114	VOC	0.26	0.02
TE118	Tank T-E-118	VOC	0.26	0.02
TG24	Tank T-G-24	VOC	0.24	0.01
TG25	Tank T-G-25	VOC	0.24	0.01
TG28	Tank T-G-28	VOC	0.27	0.03
TG45	Tank T-G-45	VOC	0.26	0.03
TG47	Tank T-G-47	VOC	0.26	0.05
TG48	Tank T-G-48	VOC	0.29	0.07
TG49	Tank T-G-49	VOC	0.29	0.07
TG50	Tank T-G-50	VOC	0.27	0.02
TG51	Tank T-G-51	VOC	0.27	0.02
TG52	Atmospheric Vent Scrubber <0.01		VOC	0.03
TG53	Tank T-G-53	VOC	0.29	0.08
TG56	Tank T-G-56	VOC	0.27	0.07
TG57	Tank T-G-57	VOC	0.27	0.07
TG58	Tank T-G-58	VOC	0.27	0.07
TG59	Tank T-G-59	VOC	0.27	0.07

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission * Point No. (1)	Source Name (2)	Air Contaminant Name (3)	<u>Emission Rates</u> lb/hr      TPY	
TK2	Tank Fugitive Area (4)	VOC	<0.01	0.01
TK3	Tank Fugitive Area (4)	VOC	0.01	0.03
TK4	Tank Fugitive Area (4)	VOC	0.01	0.04
TK5	Tank Fugitive Area (4)	VOC	0.01	0.04
TK6	Tank Fugitive Area (4)	VOC	<0.01	0.01
TK10	Tank Fugitive Area (4)	VOC	0.01	0.03

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC - volatile organic compounds  
as defined in General Rule 101.1
- NH<sub>3</sub> - ammonia
- CO - carbon monoxide
- NO<sub>x</sub> - total oxides of nitrogen
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) The combined annual VOC emissions from railcar and tank car loading shall not exceed 0.04 TPY.

\* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/year 8,760

Dated \_\_\_\_\_