

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 6630A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
1	Amine Reboiler Flue Gas	NO _x	0.3	0.9
		CO	0.1	0.4
2	Amine Regenerator Overhead	VOC	0.5	2.0
		H ₂ S	0.5	2.3
3	Dryer Regenerator Flue Gas	NO _x	0.3	1.1
		CO	0.2	0.5
4	CM-11.01A Compressor Engine Exhaust	NO _x	22.98	100.6
		CO	5.37	23.53
		PM ₁₀	0.46	2.00
		VOC	0.03	0.13
5	CM-11.01B Compressor Engine Exhaust	NO _x	23.42	102.6
		CO	5.39	23.59
		PM ₁₀	0.47	2.03
		VOC	0.03	0.13
6 (4)	Fugitive Emissions - Ethane Recovery Plant	VOC	14.61	64.0
14	Cisco Compressor C-3 Exhaust	NO _x	3.95	17.3
		CO	5.92	25.9
		VOC	0.01	0.02
15 (4)	Fugitive Emissions - Cisco Compressor C-3	VOC	0.65	2.85

Permit No. 6630A
Page 2

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	<u>TPY</u>

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
16	Glycol Reboiler No. 2 Flue Gas	NO _x CO VOC	0.12 0.03 0.01	0.52 0.11 0.02
19	Glycol Reboiler No. 2 Overhead	VOC Benzene Toluene Ethyl-benzene Xylene	6.25 0.20 0.47 0.04 0.21	27.38 0.85 2.05 0.19 0.90
20	Low Field Compressor No. 1 Exhaust	NO _x CO PM ₁₀ VOC	1.96 2.86 0.09 <0.01	8.6 12.5 0.41 0.01
21 (4)	Fugitive Emissions - Low VOC Field Compressor No. 1		0.68	2.99
22	Slop Tank No. 1 Vent	VOC	0.67	2.93
23	Slop Tank No. 2 Vent	VOC	0.67	2.93
24	Loading Dock - Condensate 2.86		VOC	190.70
33	Loading Dock - Alternate	VOC	69.60	0.35
34	Loading Dock - Lube Oil	VOC	69.60	0.35
35	Loading Dock - Waste Oil	VOC	58.60	0.12
36	Waste Oil Tank	VOC	0.13	0.57
37 (4)	Fugitive Emissions - Tanks 6.49		VOC	1.48

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	<u>TPY</u>
38	Loading Dock - Slop Tanks 5.81		VOC	221.40
39	KC West Compressor Engine Exhaust	NO _x CO PM ₁₀ VOC	3.6 3.6 <0.01 0.89	15.6 15.6 0.02 3.9
40 (4)	Fugitive Emissions - KC West Compressor	VOC	1.6	6.98

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) NO_x - total oxides of nitrogen
CO - carbon monoxide
PM₁₀ - particulate matter less than 10 microns in diameter
VOC - volatile organic compounds as defined in General Rule 101.1
H₂S - hydrogen sulfide
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.

* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

_____ Hrs/day _____ Days/week _____ Weeks/year or 8,760 Hrs/year

Permit No. 6630A
Page 5

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>	
<u>Point No. (1)</u>	<u>Name (2)</u>	<u>Name (3)</u>	<u>lb/hr</u>	<u>TPY</u>

Dated_____