

Emission Sources - Maximum Allowable Emission Rates

Permit Number 4650

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (6)	
			lbs/hour	TPY (4)
1	Truck Receiving Operations (5)	PM	1.28	--
		PM ₁₀	0.19	--
		PM _{2.5}	0.09	--
2	Railcar Receiving Operations (5)	PM	0.24	--
		PM ₁₀	0.06	--
		PM _{2.5}	0.01	--
	Total Annual Receiving Operations (5)	PM	--	3.04
		PM ₁₀	--	0.45
		PM _{2.5}	--	0.22
3	Hammermill 1.1 Baghouse Stack	PM	0.24	--
		PM ₁₀	0.24	--
		PM _{2.5}	0.24	--
4	Hammermill 2.1 Baghouse Vent	PM	0.24	--
		PM ₁₀	0.24	--
		PM _{2.5}	0.24	--
5	Hammermill 3.1 Baghouse Vent	PM	0.24	--
		PM ₁₀	0.24	--
		PM _{2.5}	0.24	--
6	Hammermill 4.1 Baghouse Vent	PM	0.24	--
		PM ₁₀	0.24	--
		PM _{2.5}	0.24	--
	Total Annual Hammermill Operations (Baghouses)	PM	--	2.12
		PM ₁₀	--	2.12
		PM _{2.5}	--	2.12

Emission Sources - Maximum Allowable Emission Rates

7	Extruder 1.1 Cyclone Stack	PM	0.25	--
		PM ₁₀	0.03	--
		PM _{2.5}	0.03	--
8	Extruder 2.1 Cyclone Stack	PM	0.25	--
		PM ₁₀	0.03	--
		PM _{2.5}	0.03	--
11	Extruder 3.1 Cyclone Vent	PM	0.25	--
		PM ₁₀	0.03	--
		PM _{2.5}	0.03	--
	Total Annual Extruder Operations (Cyclones)	PM	--	2.74
		PM ₁₀	--	0.38
		PM _{2.5}	--	0.38
12	Dryer/Cooler 1.1 Cyclone Stack	PM	0.32	--
		PM ₁₀	0.10	--
		PM _{2.5}	0.10	--
		VOC	0.05	--
		NO _x	0.98	--
		CO	0.82	--
		SO ₂	0.01	--
9	Dryer/Cooler 2.1 Cyclone Stack	PM	0.32	--
		PM ₁₀	0.10	--
		PM _{2.5}	0.10	--
		VOC	0.05	--
		NO _x	0.98	--
		CO	0.82	--
		SO ₂	0.01	--
13	Dryer/Cooler 3.1 Cyclone Stack	PM	0.32	--
		PM ₁₀	0.10	--
		PM _{2.5}	0.10	--

Emission Sources - Maximum Allowable Emission Rates

		VOC	0.05	--
		NO _x	0.98	--
		CO	0.82	--
		SO ₂	0.01	--
	Total Annual Dryer/Cooler Operations (Cyclones)	PM	--	3.73
		PM ₁₀	--	1.37
		PM _{2.5}	--	1.37
		VOC	--	0.72
		NO _x	--	21.87
		CO	--	10.77
		SO ₂	--	0.09
14	Truck Loadout Operations (5)	PM	0.07	--
		PM ₁₀	0.02	--
		PM _{2.5}	0.01	--
15	Bagging Loadout Operations (5)	PM	0.01	--
		PM ₁₀	<0.01	--
		PM _{2.5}	<0.01	--
	Total Annual Loadout Operations (5)	PM	--	0.55
		PM ₁₀	--	0.13
		PM _{2.5}	--	0.07
16	Boiler Stack	PM	0.09	0.38
		PM ₁₀	0.09	0.38
		PM _{2.5}	0.09	0.38
		VOC	0.06	0.28
		NO _x	1.15	5.03
		CO	0.97	4.23
		SO ₂	0.01	0.03

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

Emission Sources - Maximum Allowable Emission Rates

NO _x	- total oxides of nitrogen
SO ₂	- sulfur dioxide
PM	- total particulate matter, suspended in the atmosphere, including PM ₁₀ and PM _{2.5} , as represented
PM ₁₀	- total particulate matter equal to or less than 10 microns in diameter, including PM _{2.5} , as represented
PM _{2.5}	- particulate matter equal to or less than 2.5 microns in diameter
CO	- carbon monoxide

- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: March 30, 2017