EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 21878

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	Rates
<u>*</u> Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
PSA-FUG	Pressure Swing Adsorption Unit Fugit	CO	0.95	4.20
7	HYCO-1 Flare	Upset or Maint	enance Use	Only
12	HYCO-2 Flare	Upset or Maint	enance Use	Only
A	Fired Gas Preheater A	NO _x PM SO₂ CO VOC Ammonia Cyanide	1.92 0.48 0.46 1.15 0.09 0.007	8.4 2.1 2.0 5.1 0.4 0.03 0.003
В	Fired Gas Preheater B	NO _x PM SO₂ CO VOC Ammonia Cyanide	1.92 0.48 0.46 1.15 0.09 0.007 0.0007	8.4 2.1 2.0 5.1 0.4 0.03 0.003
D	Warm Flare	NO _x CO SO ₂	6.9 141.9 1.1	3.1 61.7 0.5
E	Cold Flare	Upset or Maint	enance Use	Only

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emission</u>	Rates
<u>*</u> Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
F	Plant Fugitives (4)	CO VOC	4.42 0.28	19.4 1.2
G	Liquid Oxygen Vaporizer	NO_{\times} (5) NO_{\times} PM SO_{2} CO VOC	2.04 1.21 0.24 0.23 0.55 0.05	5.3 1.1 1.0 2.4 0.2
Н	Wastewater Equalizat Tank	cion VOC Cyanide Ammonia CO	0.002 0.001 0.020 0.14	0.007 0.002 0.088 0.6
I	Temperature Swing Adsorption Driers	CO	0.29	1.3
J	MEA Storage Tank (3)	VOC	0.02	0.07

- (1) Emission point identification either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in General Rule 101.1
 - NO_x total oxides of nitrogen
 - SO₂ sulfur dioxide
 - PM particulate matter
 - CO carbon monoxide
 - MEA monoehanolamine
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) Firing propane (Only used during upset or routine maintenance

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

AIR CONTAMINANTS DATA

Emission *	Source	Air Contaminant	<u>Emission Rates</u>
Point No. (1)	Name (2)	Name (3)	<u>lb/hr TPY</u>
periods).			

^{*} Emission rates are based on 8.760 hrs/yr operation