

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 6478A

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these sources.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates *	
			lb/hr	TPY
Maximum Allowable Emission Rates after February 1, 1996.				
MAS	Microbial Air Scrubber (For Hangline Stain Booth)	VOC	4.5	8.5
BOOTH 0	Edgecoat Booth	VOC	0.6	0.6
		PM	<0.1	<0.1
BOOTH 1	Stain Booth (Flat Line; Two Exhaust Points)	VOC	32.9	42.8
		PM	0.2	0.2
BOOTH 3	Sealer Booth (Flat Line)	VOC	21.1	27.3
		PM	0.1	0.1
BOOTH 5	Top Coat Booth (Flat Line)	VOC	50.4	65.5
		PM	0.2	0.2
BOOTH 7	Accessory Booth (Two Exhaust Points)	VOC	1.7	2.6
		PM	<0.1	<0.1
BOOTH 10	Sealer Booth (Hang Line)	VOC	25.2	47.6
		PM	0.1	0.2
BOOTH 13	Top Coat (Hang Line)	VOC	23.5	44.4
		PM	0.1	0.2
EPN 11	Drying Oven	POC	0.5	3.8
Cyc. 1	Wood Working Cyclone	PM	7.7	16.1

Bag. 1	Wood Working Baghouse	PM	0.3	0.7
--------	-----------------------	----	-----	-----

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

- | | |
|--|-------------------------------------|
| (1) | Emission point identification. |
| (2) | Specific point source name. |
| (3) | VOC - volatile organic compounds as |
| defined in General Rule 101.1 | |
| PM - particulate matter. | |
| POC - products of combustion of natural gas. | |

* All emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/year 4,160

Dated_____