

Emission Sources - Maximum Allowable Emission Rates

Permit Number 9803

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates	
			lbs/hour	TPY (4)
TDU	Thermal Desorption Unit	VOC	0.09	0.34
		NO _x	0.78	3.09
		SO ₂	0.02	0.09
		CO	1.32	5.19
		PM	0.12	0.47
		PM ₁₀	0.12	0.47
		PM _{2.5}	0.12	0.47
TOU	Thermal Oxidizer on TDU	VOC	0.11	0.25
		NO _x	0.60	1.42
		SO ₂	0.13	0.28
		CO	0.37	0.88
		PM	0.07	0.18
		PM ₁₀	0.07	0.18
		PM _{2.5}	0.07	0.18
SCRUB	Multiple Hearth Furnaces CDS Stack	VOC	0.63	1.39
		NO _x	5.63	12.38
		SO ₂	75.00	82.50
		CO	1.88	4.13
		PM (6)	2.13	4.68
		PM ₁₀ (6)	2.13	4.68
		PM _{2.5} (6)	2.13	4.68
		As ₂ O ₃ (7)	0.06	0.12
		CoO (7)	0.06	0.13
		NiO (7)	0.03	0.07
		MoO ₃ (7)	0.24	0.52
		V ₂ O ₅ (7)	0.12	0.26
		PbO (7)	0.01	0.02
		Al ₂ O ₃ (7)	0.32	0.71

Emission Sources - Maximum Allowable Emission Rates

BH-SB1	SB-1 Baghouse	PM (6)	0.11	0.23
		PM ₁₀ (6)	0.11	0.23
		PM _{2.5} (6)	0.11	0.23
		As ₂ O ₃ (7)	< 0.01	< 0.01
		CoO (7)	< 0.01	< 0.01
		NiO (7)	< 0.01	0.01
		MoO ₃ (7)	0.01	0.03
		V ₂ O ₅ (7)	0.02	0.04
		PbO (7)	< 0.01	< 0.01
		Al ₂ O ₃ (7)	0.06	0.13
BH-FPDUST	Feed Pad Baghouse	VOC	0.45	0.98
		PM (6)	0.28	0.92
		PM ₁₀ (6)	0.28	0.92
		PM _{2.5} (6)	0.28	0.92
		As ₂ O ₃ (7)	< 0.01	< 0.01
		CoO (7)	< 0.01	0.01
		NiO (7)	0.01	0.04
		MoO ₃ (7)	0.04	0.12
		V ₂ O ₅ (7)	0.04	0.14
		PbO (7)	< 0.01	< 0.01
BV-SODA1	Soda Ash Silo Bin Vent 1	PM	0.02	0.09
		PM ₁₀	0.02	0.09
		PM _{2.5}	0.02	0.09
BV-SODA2	Soda Ash Silo Bin Vent 2	PM	0.02	0.09
		PM ₁₀	0.02	0.09
		PM _{2.5}	0.02	0.09
BV-SODA3	Soda Ash Day Bin Vent 1	PM	0.02	0.09
		PM ₁₀	0.02	0.09
		PM _{2.5}	0.02	0.09
BV-SODA4	Soda Ash Day Bin Vent 2	PM	0.02	0.09
		PM ₁₀	0.02	0.09
		PM _{2.5}	0.02	0.09

Emission Sources - Maximum Allowable Emission Rates

BV-SODA5	Soda Ash Breather Vent	PM	0.04	0.18
		PM ₁₀	0.04	0.18
		PM _{2.5}	0.04	0.18
BH-GYPDST1	Gypsum Silo 1	PM	0.14	0.60
		PM ₁₀	0.14	0.60
		PM _{2.5}	0.14	0.60
BH-GYPDST2	Gypsum Silo 2	PM	0.14	0.60
		PM ₁₀	0.14	0.60
		PM _{2.5}	0.14	0.60
BH-HYDLIME	Hydrated Lime Silo	PM	0.05	0.21
		PM ₁₀	0.05	0.21
		PM _{2.5}	0.05	0.21
RAILFILTER	RDS Rail Unloading	VOC	0.41	0.23
OILDRUM	RDS Oil Collection Container	VOC	< 0.01	< 0.01
OILTOTE	RDS Oil Collection Tote	VOC	0.05	< 0.01
OILLOAD	RDS Oil Truck Loading	VOC	0.48	0.07
F-TDUOWS	Fugitives (TDU Oil Water Separator)	VOC (5)	0.21	0.92
ROLLOFF	Roll-Off Container Storage	VOC (5)	0.09	0.13
FP-WWTANK	Feed Pad Oil/Water Collection Tank	VOC	< 0.01	0.01
TDU-WWTANK	TDU Process Water Tank	VOC	0.04	0.01
CT-TDU	Cooling Tower for TDU	PM	0.01	0.04
		PM ₁₀	< 0.01	< 0.01
		PM _{2.5}	< 0.01	0.01
CT-CALCINE	Cooling Tower for Calcine	PM	< 0.01	0.01
		PM ₁₀	< 0.01	0.01
		PM _{2.5}	< 0.01	0.01
FUG-MSSRST	Planned Maintenance Emissions	PM (5)	0.36	0.04
		PM ₁₀ (5)	0.36	0.03
		PM _{2.5} (5)	0.36	0.03

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources, use area name or fugitive source name.

(3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

Emission Sources - Maximum Allowable Emission Rates

NO _x	- total oxides of nitrogen
SO ₂	- sulfur dioxide
PM	- total particulate matter, suspended in the atmosphere, including PM ₁₀ and PM _{2.5} , as represented
PM ₁₀	- total particulate matter equal to or less than 10 microns in diameter, including PM _{2.5} , as represented
PM _{2.5}	- particulate matter equal to or less than 2.5 microns in diameter
CO	- carbon monoxide
NiO	- nickel oxide
MoO ₃	- molybdenum trioxide
V ₂ O ₅	- vanadium pentoxide
PbO	- lead oxide compounds
Al ₂ O ₃	- aluminum oxide
As ₂ O ₃	- arsenic trioxide
CoO	- cobalt oxide

- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Total PM, PM₁₀, and PM_{2.5} are inclusive of the speciated particulate NiO, MoO₃, V₂O₅, PbO, Al₂O₃, As₂O₃, CoO, Na₂SO₄, NaHSO₄, and H₂SO₄.
- (7) Emission limit includes all metal species.

Date: June 30, 2023