

# EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit Numbers 9958/PSDTX766M1

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

## AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (7)	
			lbs/hour	TPY (4)
03	Trim Saw Baghouse Stack (Blenders, Forming Line, Trim Saw)	VOC	11.66	40.48
		PM	4.45	19.48
		PM <sub>10</sub> *	4.45	19.48
		PM <sub>2.5</sub> *	4.45	19.48
		HCHO**	0.05	0.20
		MeOH**	0.48	1.87
04	T & G Sanders Baghouse Stack (Sanders and T & G Machine)	VOC	1.91	6.62
		PM	1.67	7.32
		PM <sub>10</sub> *	1.67	7.32
		PM <sub>2.5</sub> *	1.67	7.32
		HCHO**	0.03	0.11
		MeOH**	0.16	0.63
05	Dry Fuel Baghouse Stack (Hammermill, Dry Fuel Bin)	VOC	7.95	27.60
		PM	0.11	0.49
		PM <sub>10</sub> *	0.11	0.49
		PM <sub>2.5</sub> *	0.11	0.49
		HCHO**	0.01	0.04
		MeOH**	0.04	0.15

10	Wood Yard Fugitives	PM	0.14	0.67
----	---------------------	----	------	------

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		PM <sub>10</sub>	0.12	0.28
		PM <sub>2.5</sub>	0.12	0.28
17	Fines Baghouse Stack (Screening and Conveyors)	PM	0.20	0.89
		PM <sub>10</sub>	0.20	0.89
		PM <sub>2.5</sub>	0.20	0.89
19	Press RTO/RCO Stack	VOC	8.08	28.06
		NO <sub>x</sub>	9.30	40.73
		SO <sub>2</sub>	0.30	1.32
		PM	7.95	27.60
		PM <sub>10</sub>	6.62	23.00
		PM <sub>2.5</sub>	6.62	23.00
		CO	5.50	24.09
		HCHO**	1.20	4.65
		MeOH**	0.70	2.72
		CH <sub>3</sub> CHO**	0.05	0.19
		C <sub>6</sub> H <sub>5</sub> OH**(6)	0.70	0.57
20A and 20B	RTOs Bypass Stack	VOC	80.81	7.69
		PM	7.95	0.76
		PM <sub>10</sub>	6.62	0.63
		PM <sub>2.5</sub>	6.62	0.63
		HCHO**	3.03	0.35
		MeOH**	7.01	0.92
		CH <sub>3</sub> CHO**	0.50	0.06
		C <sub>6</sub> H <sub>5</sub> OH**(6)	1.46	0.17

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

21	Dryer Nos. 1, 2, and 3 RTO Stack (3 Dryers, 3 Cyclones, and 1 WESP)	VOC	24.65	85.60
		NO <sub>x</sub>	32.26	141.30
		SO <sub>2</sub>	4.90	21.47
		PM	21.74	75.49
		PM <sub>10</sub>	21.74	75.49
		PM <sub>2.5</sub>	21.74	75.49
		CO	45.82	200.68
		HCHO**	0.83	3.20
		MeOH**	0.68	2.65
		CH <sub>3</sub> CHO**	0.66	2.56
		C <sub>6</sub> H <sub>5</sub> OH**(6)	1.00	3.86
22	Emergency Generator (Diesel) Stack	VOC	1.06	0.16
		NO <sub>x</sub>	13.30	2.00
		SO <sub>2</sub>	0.95	0.13
		PM	0.95	0.14
		PM <sub>10</sub>	0.95	0.14
		PM <sub>2.5</sub>	0.88	0.14
		CO	2.87	0.43
		HCHO**	<0.01	<0.01
		CH <sub>3</sub> CHO**	<0.01	<0.01
		C <sub>6</sub> H <sub>5</sub> OH**(6)	<0/01	<0.01
23	Emergency Fire Pump (Diesel) Stack	VOC	0.42	0.06
		NO <sub>x</sub>	5.27	0.79
		SO <sub>2</sub>	0.35	0.05

### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

		PM	0.37	0.06
		PM <sub>10</sub>	0.37	0.06
		PM <sub>2.5</sub>	0.37	0.06
		CO	1.14	0.17
		HCHO**	<0.01	<0.01
		CH <sub>3</sub> CHO**	<0.01	<0.01
		C <sub>6</sub> H <sub>5</sub> OH**(6)	<0.01	<0.01
24	Edge Seal/Stenciling	VOC	0.60	3.00
All	Sitewide HAPs	HCHO**	--	8.56
		MeOH**	--	8.94
		C <sub>6</sub> H <sub>5</sub> OH**(6)	--	4.61
		CH <sub>3</sub> CHO**	--	2.82
		Total HAP	--	24.93

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3)
  - VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - NO<sub>x</sub> - total oxides of nitrogen
  - SO<sub>2</sub> - sulfur dioxide
  - PM - total particulate matter, suspended in the atmosphere, including PM<sub>10</sub> and PM<sub>2.5</sub>, as represented
  - PM<sub>10</sub> - total particulate matter equal to or less than 10 microns in diameter, including PM<sub>2.5</sub>, as represented
  - PM<sub>2.5</sub> - particulate matter equal to or less than 2.5 microns in diameter
  - CO - carbon monoxide
  - HCHO - formaldehyde
  - MeOH - methanol
  - C<sub>6</sub>H<sub>5</sub>OH - phenol
  - CH<sub>3</sub>CHO - acetaldehyde
  - HAP - hazardous air pollutant as listed in § 112(b) of the Federal Clean Air Act or Title 40 Code of Federal Regulations Part 63, Subpart C
- (4) Compliance with annual emission limits (tons per year) is based on a 12-month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations
- (6) Includes other HAPs

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(7) Planned startup and shutdown emissions are included, as well as planned maintenance activities identified as part of permit amendment issued on September 24, 2014

\* Also counted as wood dust

\*\* Also counted as total VOC

Dated: March 14, 2017