Endpoints available for GitHub App installation access tokens

In this article

Your GitHub App can make requests to the following REST endpoints with an installation access token.

actions 🔗

- GET /enterprises/{enterprise}/actions/cache/usage
- GET /enterprises/{enterprise}/actions/cache/usage-policy
- PATCH /enterprises/{enterprise}/actions/cache/usage-policy
- GET /orgs/{org}/actions/cache/usage
- GET /orgs/{org}/actions/cache/usage-by-repository
- GET /orgs/{org}/actions/oidc/customization/sub
- PUT /orgs/{org}/actions/oidc/customization/sub
- GET /orgs/{org}/actions/permissions
- PUT /orgs/{org}/actions/permissions
- GET /orgs/{org}/actions/permissions/repositories
- PUT /orgs/{org}/actions/permissions/repositories
- PUT /orgs/{org}/actions/permissions/repositories/{repository_id}
- DELETE /orgs/{org}/actions/permissions/repositories/{repository_id}
- GET /orgs/{org}/actions/permissions/selected-actions
- PUT /orgs/{org}/actions/permissions/selected-actions
- GET /orgs/{org}/actions/permissions/workflow
- PUT /orgs/{org}/actions/permissions/workflow
- GET /orgs/{org}/actions/runner-groups
- POST /orgs/{org}/actions/runner-groups
- GET /orgs/{org}/actions/runner-groups/{runner_group_id}
- PATCH /orgs/{org}/actions/runner-groups/{runner_group_id}
- DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}
- GET /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories
- PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories
- PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}
- DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}
- GET /orgs/{org}/actions/runner-groups/{runner_group_id}/runners
- PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/runners
- PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/runners/{runner_id}
- DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/runners/{runner_id}
- GET /orgs/{org}/actions/runners
- GET /orgs/{org}/actions/runners/downloads
- POST /orgs/{org}/actions/runners/generate-jitconfig
- POST /orgs/{org}/actions/runners/registration-token
- POST /orgs/{org}/actions/runners/remove-token
- GET /orgs/{org}/actions/runners/{runner_id}
- DELETE /orgs/{org}/actions/runners/{runner_id}
- GET /orgs/{org}/actions/runners/{runner_id}/labels
- POST /orgs/{org}/actions/runners/{runner_id}/labels
- PUT /orgs/{org}/actions/runners/{runner_id}/labels
- DELETE /orgs/{org}/actions/runners/{runner_id}/labels
- DELETE /orgs/{org}/actions/runners/{runner_id}/labels/{name}
- GET /orgs/{org}/actions/secrets

- GET /orgs/{org}/actions/secrets/public-key
- GET /orgs/{org}/actions/secrets/{secret_name}
- PUT /orgs/{org}/actions/secrets/{secret_name}
- DELETE /orgs/{org}/actions/secrets/{secret_name}
- GET /orgs/{org}/actions/secrets/{secret_name}/repositories
- PUT /orgs/{org}/actions/secrets/{secret_name}/repositories
- PUT /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}
- DELETE /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}
- GET /orgs/{org}/actions/variables
- POST /orgs/{org}/actions/variables
- GET /orgs/{org}/actions/variables/{name}
- PATCH /orgs/{org}/actions/variables/{name}
- DELETE /orgs/{org}/actions/variables/{name}
- GET /orgs/{org}/actions/variables/{name}/repositories
- PUT /orgs/{org}/actions/variables/{name}/repositories
- PUT /orgs/{org}/actions/variables/{name}/repositories/{repository_id}
- GET /repos/{owner}/{repo}/actions/artifacts
- GET /repos/{owner}/{repo}/actions/artifacts/{artifact_id}
- DELETE /repos/{owner}/{repo}/actions/artifacts/{artifact_id}
- GET /repos/{owner}/{repo}/actions/artifacts/{artifact_id}/{archive_format}
- GET /repos/{owner}/{repo}/actions/cache/usage
- GET /repos/{owner}/{repo}/actions/cache/usage-policy
- PATCH /repos/{owner}/{repo}/actions/cache/usage-policy
- GET /repos/{owner}/{repo}/actions/caches
- DELETE /repos/{owner}/{repo}/actions/caches
- DELETE /repos/{owner}/{repo}/actions/caches/{cache_id}
- GET /repos/{owner}/{repo}/actions/jobs/{job_id}
- GET /repos/{owner}/{repo}/actions/jobs/{job_id}/logs
- POST /repos/{owner}/{repo}/actions/jobs/{job_id}/rerun
- GET /repos/{owner}/{repo}/actions/oidc/customization/sub
- PUT /repos/{owner}/{repo}/actions/oidc/customization/sub
- GET /repos/{owner}/{repo}/actions/organization-secrets
- GET /repos/{owner}/{repo}/actions/organization-variables
- GET /repos/{owner}/{repo}/actions/permissions
- PUT /repos/{owner}/{repo}/actions/permissions
- GET /repos/{owner}/{repo}/actions/permissions/access
- PUT /repos/{owner}/{repo}/actions/permissions/access
- GET /repos/{owner}/{repo}/actions/permissions/selected-actions
- PUT /repos/{owner}/{repo}/actions/permissions/selected-actions
- GET /repos/{owner}/{repo}/actions/permissions/workflow
- PUT /repos/{owner}/{repo}/actions/permissions/workflow
- GET /repos/{owner}/{repo}/actions/runners
- GET /repos/{owner}/{repo}/actions/runners/downloads
- POST /repos/{owner}/{repo}/actions/runners/generate-jitconfig
- POST /repos/{owner}/{repo}/actions/runners/registration-token
- POST /repos/{owner}/{repo}/actions/runners/remove-token
- GET /repos/{owner}/{repo}/actions/runners/{runner_id}
- DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}
- GET /repos/{owner}/{repo}/actions/runners/{runner_id}/labels
- POST /repos/{owner}/{repo}/actions/runners/{runner_id}/labels
- PUT /repos/{owner}/{repo}/actions/runners/{runner_id}/labels

- [DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}/labels](#)
- [DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}/labels/{name}](#)
- [GET /repos/{owner}/{repo}/actions/runs](#)
- [GET /repos/{owner}/{repo}/actions/runs/{run_id}](#)
- [DELETE /repos/{owner}/{repo}/actions/runs/{run_id}](#)
- [GET /repos/{owner}/{repo}/actions/runs/{run_id}/approvals](#)
- [GET /repos/{owner}/{repo}/actions/runs/{run_id}/artifacts](#)
- [GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}](#)
- [GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}/jobs](#)
- [GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}/logs](#)
- [POST /repos/{owner}/{repo}/actions/runs/{run_id}/cancel](#)
- [POST /repos/{owner}/{repo}/actions/runs/{run_id}/deployment_protection_rule](#)
- [GET /repos/{owner}/{repo}/actions/runs/{run_id}/jobs](#)
- [GET /repos/{owner}/{repo}/actions/runs/{run_id}/logs](#)
- [DELETE /repos/{owner}/{repo}/actions/runs/{run_id}/logs](#)
- [GET /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments](#)
- [POST /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments](#)
- [POST /repos/{owner}/{repo}/actions/runs/{run_id}/rerun](#)
- [POST /repos/{owner}/{repo}/actions/runs/{run_id}/rerun-failed-jobs](#)
- [GET /repos/{owner}/{repo}/actions/secrets](#)
- [GET /repos/{owner}/{repo}/actions/secrets/public-key](#)
- [GET /repos/{owner}/{repo}/actions/secrets/{secret_name}](#)
- [PUT /repos/{owner}/{repo}/actions/secrets/{secret_name}](#)
- [DELETE /repos/{owner}/{repo}/actions/secrets/{secret_name}](#)
- [GET /repos/{owner}/{repo}/actions/variables](#)
- [POST /repos/{owner}/{repo}/actions/variables](#)
- [GET /repos/{owner}/{repo}/actions/variables/{name}](#)
- [PATCH /repos/{owner}/{repo}/actions/variables/{name}](#)
- [DELETE /repos/{owner}/{repo}/actions/variables/{name}](#)
- [GET /repos/{owner}/{repo}/actions/workflows](#)
- [GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}](#)
- [PUT /repos/{owner}/{repo}/actions/workflows/{workflow_id}/disable](#)
- [POST /repos/{owner}/{repo}/actions/workflows/{workflow_id}/dispatches](#)
- [PUT /repos/{owner}/{repo}/actions/workflows/{workflow_id}/enable](#)
- [GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}/runs](#)
- [GET /repositories/{repository_id}/environments/{environment_name}/secrets](#)
- [GET /repositories/{repository_id}/environments/{environment_name}/secrets/public-key](#)
- [GET /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}](#)
- [PUT /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}](#)
- [DELETE /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}](#)
- [GET /repositories/{repository_id}/environments/{environment_name}/variables](#)
- [POST /repositories/{repository_id}/environments/{environment_name}/variables](#)
- [GET /repositories/{repository_id}/environments/{environment_name}/variables/{name}](#)
- [PATCH](#)

`/repositories/{repository_id}/environments/{environment_name}/variables/{name}`

- DELETE
`/repositories/{repository_id}/environments/{environment_name}/variables/{name}`

activity 🔗

- `GET /events`
- `GET /feeds`
- `GET /networks/{owner}/{repo}/events`
- `GET /orgs/{org}/events`
- `GET /repos/{owner}/{repo}/events`
- `GET /repos/{owner}/{repo}/stargazers`
- `GET /repos/{owner}/{repo}/subscribers`
- `GET /users/{username}/events`
- `GET /users/{username}/events/public`
- `GET /users/{username}/received_events`
- `GET /users/{username}/received_events/public`
- `GET /users/{username}/starred`
- `GET /users/{username}/subscriptions`

announcement-banners 🔗

- `GET /orgs/{org}/announcement`
- `PATCH /orgs/{org}/announcement`
- `DELETE /orgs/{org}/announcement`

apps 🔗

- `GET /apps/{app_slug}`
- `GET /installation/repositories`

billing 🔗

- `GET /orgs/{org}/settings/billing/advanced-security`

branches 🔗

- `GET /repos/{owner}/{repo}/branches`
- `GET /repos/{owner}/{repo}/branches/{branch}`
- `GET /repos/{owner}/{repo}/branches/{branch}/protection`
- `PUT /repos/{owner}/{repo}/branches/{branch}/protection`
- `DELETE /repos/{owner}/{repo}/branches/{branch}/protection`
- `GET /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins`
- `POST /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins`
- `DELETE /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins`
- `GET`
`/repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews`
- `PATCH`
`/repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews`
- `DELETE`

- [/repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews](#)
- [GET /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures](#)
- [POST /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures](#)
- [DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures](#)
- [GET /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks](#)
- [PATCH /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks](#)
- [DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks](#)
- [GET /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts](#)
- [POST /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts](#)
- [PUT /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts](#)
- [DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts](#)
- [GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions](#)
- [DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions](#)
- [GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps](#)
- [POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps](#)
- [PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps](#)
- [DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps](#)
- [GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams](#)
- [POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams](#)
- [PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams](#)
- [DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams](#)
- [GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users](#)
- [POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users](#)
- [PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users](#)
- [DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users](#)
- [POST /repos/{owner}/{repo}/branches/{branch}/rename](#)
- [POST /repos/{owner}/{repo}/merge-upstream](#)
- [POST /repos/{owner}/{repo}/merges](#)

checks 🔗

- [POST /repos/{owner}/{repo}/check-runs](#)
- [GET /repos/{owner}/{repo}/check-runs/{check_run_id}](#)
- [PATCH /repos/{owner}/{repo}/check-runs/{check_run_id}](#)
- [GET /repos/{owner}/{repo}/check-runs/{check_run_id}/annotations](#)
- [POST /repos/{owner}/{repo}/check-runs/{check_run_id}/rerequest](#)
- [POST /repos/{owner}/{repo}/check-suites](#)
- [PATCH /repos/{owner}/{repo}/check-suites/preferences](#)
- [GET /repos/{owner}/{repo}/check-suites/{check_suite_id}](#)
- [GET /repos/{owner}/{repo}/check-suites/{check_suite_id}/check-runs](#)
- [POST /repos/{owner}/{repo}/check-suites/{check_suite_id}/rerequest](#)
- [GET /repos/{owner}/{repo}/commits/{ref}/check-runs](#)
- [GET /repos/{owner}/{repo}/commits/{ref}/check-suites](#)

code-scanning 🔗

- `GET /orgs/{org}/code-scanning/alerts`
- `GET /repos/{owner}/{repo}/code-scanning/alerts`
- `GET /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}`
- `PATCH /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}`
- `GET /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}/instances`
- `GET /repos/{owner}/{repo}/code-scanning/analyses`
- `GET /repos/{owner}/{repo}/code-scanning/analyses/{analysis_id}`
- `DELETE /repos/{owner}/{repo}/code-scanning/analyses/{analysis_id}`
- `PATCH /repos/{owner}/{repo}/code-scanning/default-setup`
- `POST /repos/{owner}/{repo}/code-scanning/sarifs`
- `GET /repos/{owner}/{repo}/code-scanning/sarifs/{sarif_id}`

codes-of-conduct 🔗

- `GET /codes_of_conduct`
- `GET /codes_of_conduct/{key}`

collaborators 🔗

- `GET /repos/{owner}/{repo}/collaborators`
- `GET /repos/{owner}/{repo}/collaborators/{username}`
- `PUT /repos/{owner}/{repo}/collaborators/{username}`
- `DELETE /repos/{owner}/{repo}/collaborators/{username}`
- `GET /repos/{owner}/{repo}/collaborators/{username}/permission`
- `GET /repos/{owner}/{repo}/invitations`
- `PATCH /repos/{owner}/{repo}/invitations/{invitation_id}`
- `DELETE /repos/{owner}/{repo}/invitations/{invitation_id}`

commits 🔗

- `GET /repos/{owner}/{repo}/comments`
- `GET /repos/{owner}/{repo}/comments/{comment_id}`
- `PATCH /repos/{owner}/{repo}/comments/{comment_id}`
- `DELETE /repos/{owner}/{repo}/comments/{comment_id}`
- `GET /repos/{owner}/{repo}/commits`
- `GET /repos/{owner}/{repo}/commits/{commit_sha}/branches-where-head`
- `GET /repos/{owner}/{repo}/commits/{commit_sha}/comments`
- `POST /repos/{owner}/{repo}/commits/{commit_sha}/comments`
- `GET /repos/{owner}/{repo}/commits/{commit_sha}/pulls`
- `GET /repos/{owner}/{repo}/commits/{ref}`
- `GET /repos/{owner}/{repo}/commits/{ref}/status`
- `GET /repos/{owner}/{repo}/commits/{ref}/statuses`
- `GET /repos/{owner}/{repo}/compare/{basehead}`
- `POST /repos/{owner}/{repo}/statuses/{sha}`

dependabot 🔗

- GET /orgs/{org}/dependabot/alerts
- GET /orgs/{org}/dependabot/secrets
- GET /orgs/{org}/dependabot/secrets/public-key
- GET /orgs/{org}/dependabot/secrets/{secret_name}
- PUT /orgs/{org}/dependabot/secrets/{secret_name}
- DELETE /orgs/{org}/dependabot/secrets/{secret_name}
- GET /orgs/{org}/dependabot/secrets/{secret_name}/repositories
- PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories
- PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}
- DELETE /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}
- GET /repos/{owner}/{repo}/dependabot/alerts
- GET /repos/{owner}/{repo}/dependabot/alerts/{alert_number}
- PATCH /repos/{owner}/{repo}/dependabot/alerts/{alert_number}
- GET /repos/{owner}/{repo}/dependabot/secrets
- GET /repos/{owner}/{repo}/dependabot/secrets/public-key
- GET /repos/{owner}/{repo}/dependabot/secrets/{secret_name}
- PUT /repos/{owner}/{repo}/dependabot/secrets/{secret_name}
- DELETE /repos/{owner}/{repo}/dependabot/secrets/{secret_name}

dependency-graph 🔗

- GET /repos/{owner}/{repo}/dependency-graph/compare/{basehead}
- GET /repos/{owner}/{repo}/dependency-graph/sbom
- POST /repos/{owner}/{repo}/dependency-graph/snapshots

deploy-keys 🔗

- GET /repos/{owner}/{repo}/keys
- POST /repos/{owner}/{repo}/keys
- GET /repos/{owner}/{repo}/keys/{key_id}
- DELETE /repos/{owner}/{repo}/keys/{key_id}

deployments 🔗

- GET /repos/{owner}/{repo}/deployments
- POST /repos/{owner}/{repo}/deployments
- GET /repos/{owner}/{repo}/deployments/{deployment_id}
- DELETE /repos/{owner}/{repo}/deployments/{deployment_id}
- GET /repos/{owner}/{repo}/deployments/{deployment_id}/statuses
- POST /repos/{owner}/{repo}/deployments/{deployment_id}/statuses
- GET /repos/{owner}/{repo}/deployments/{deployment_id}/statuses/{status_id}
- GET /repos/{owner}/{repo}/environments
- GET /repos/{owner}/{repo}/environments/{environment_name}
- PUT /repos/{owner}/{repo}/environments/{environment_name}
- DELETE /repos/{owner}/{repo}/environments/{environment_name}
- GET /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies
- POST /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies
- GET /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-

- [policies/{branch_policy_id}](#)
- [PUT /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}](#)
- [DELETE /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}](#)
- [GET /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules](#)
- [POST /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules](#)
- [GET /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules/apps](#)
- [DELETE /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules/{protection_rule_id}](#)

emojis 🔗

- [GET /emojis](#)

enterprise-admin 🔗

- [GET /enterprises/{enterprise}/audit-log](#)
- [GET /enterprises/{enterprise}/settings/billing/advanced-security](#)
- [GET /orgs/{org}/pre-receive-hooks](#)
- [GET /orgs/{org}/pre-receive-hooks/{pre_receive_hook_id}](#)
- [DELETE /orgs/{org}/pre-receive-hooks/{pre_receive_hook_id}](#)
- [GET /repos/{owner}/{repo}/pre-receive-hooks](#)
- [GET /repos/{owner}/{repo}/pre-receive-hooks/{pre_receive_hook_id}](#)
- [DELETE /repos/{owner}/{repo}/pre-receive-hooks/{pre_receive_hook_id}](#)
- [GET /scim/v2/Groups](#)
- [POST /scim/v2/Groups](#)
- [GET /scim/v2/Groups/{scim_group_id}](#)
- [PUT /scim/v2/Groups/{scim_group_id}](#)
- [PATCH /scim/v2/Groups/{scim_group_id}](#)
- [DELETE /scim/v2/Groups/{scim_group_id}](#)
- [GET /scim/v2/Users](#)
- [POST /scim/v2/Users](#)
- [GET /scim/v2/Users/{scim_user_id}](#)
- [PUT /scim/v2/Users/{scim_user_id}](#)
- [PATCH /scim/v2/Users/{scim_user_id}](#)
- [DELETE /scim/v2/Users/{scim_user_id}](#)

git 🔗

- [POST /repos/{owner}/{repo}/git/blobs](#)
- [GET /repos/{owner}/{repo}/git/blobs/{file_sha}](#)
- [POST /repos/{owner}/{repo}/git/commits](#)
- [GET /repos/{owner}/{repo}/git/commits/{commit_sha}](#)
- [GET /repos/{owner}/{repo}/git/matching-refs/{ref}](#)
- [GET /repos/{owner}/{repo}/git/ref/{ref}](#)

- POST /repos/{owner}/{repo}/git/refs
- PATCH /repos/{owner}/{repo}/git/refs/{ref}
- DELETE /repos/{owner}/{repo}/git/refs/{ref}
- POST /repos/{owner}/{repo}/git/tags
- GET /repos/{owner}/{repo}/git/tags/{tag_sha}
- POST /repos/{owner}/{repo}/git/trees
- GET /repos/{owner}/{repo}/git/trees/{tree_sha}

gitignore 🔗

- GET /gitignore/templates
- GET /gitignore/templates/{name}

issues 🔗

- GET /repos/{owner}/{repo}/assignees
- GET /repos/{owner}/{repo}/assignees/{assignee}
- GET /repos/{owner}/{repo}/issues
- POST /repos/{owner}/{repo}/issues
- GET /repos/{owner}/{repo}/issues/comments
- GET /repos/{owner}/{repo}/issues/comments/{comment_id}
- PATCH /repos/{owner}/{repo}/issues/comments/{comment_id}
- DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}
- GET /repos/{owner}/{repo}/issues/events
- GET /repos/{owner}/{repo}/issues/events/{event_id}
- GET /repos/{owner}/{repo}/issues/{issue_number}
- PATCH /repos/{owner}/{repo}/issues/{issue_number}
- POST /repos/{owner}/{repo}/issues/{issue_number}/assignees
- DELETE /repos/{owner}/{repo}/issues/{issue_number}/assignees
- GET /repos/{owner}/{repo}/issues/{issue_number}/assignees/{assignee}
- GET /repos/{owner}/{repo}/issues/{issue_number}/comments
- POST /repos/{owner}/{repo}/issues/{issue_number}/comments
- GET /repos/{owner}/{repo}/issues/{issue_number}/events
- GET /repos/{owner}/{repo}/issues/{issue_number}/labels
- POST /repos/{owner}/{repo}/issues/{issue_number}/labels
- PUT /repos/{owner}/{repo}/issues/{issue_number}/labels
- DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels
- DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels/{name}
- PUT /repos/{owner}/{repo}/issues/{issue_number}/lock
- DELETE /repos/{owner}/{repo}/issues/{issue_number}/lock
- GET /repos/{owner}/{repo}/issues/{issue_number}/timeline
- GET /repos/{owner}/{repo}/labels
- POST /repos/{owner}/{repo}/labels
- GET /repos/{owner}/{repo}/labels/{name}
- PATCH /repos/{owner}/{repo}/labels/{name}
- DELETE /repos/{owner}/{repo}/labels/{name}
- GET /repos/{owner}/{repo}/milestones
- POST /repos/{owner}/{repo}/milestones
- GET /repos/{owner}/{repo}/milestones/{milestone_number}
- PATCH /repos/{owner}/{repo}/milestones/{milestone_number}

- DELETE /repos/{owner}/{repo}/milestones/{milestone_number}
- GET /repos/{owner}/{repo}/milestones/{milestone_number}/labels

licenses 🔗

- GET /licenses
- GET /licenses/{license}
- GET /repos/{owner}/{repo}/license

markdown 🔗

- POST /markdown
- POST /markdown/raw

meta 🔗

- GET /
- GET /meta
- GET /octocat
- GET /zen

metrics 🔗

- GET /repos/{owner}/{repo}/stats/code_frequency
- GET /repos/{owner}/{repo}/stats/commit_activity
- GET /repos/{owner}/{repo}/stats/contributors
- GET /repos/{owner}/{repo}/stats/participation
- GET /repos/{owner}/{repo}/stats/punch_card

orgs 🔗

- GET /organizations
- GET /organizations/{organization_id}/custom_roles
- GET /orgs/{org}
- PATCH /orgs/{org}
- DELETE /orgs/{org}
- GET /orgs/{org}/audit-log
- GET /orgs/{org}/custom-repository-roles
- POST /orgs/{org}/custom-repository-roles
- GET /orgs/{org}/custom-repository-roles/{role_id}
- PATCH /orgs/{org}/custom-repository-roles/{role_id}
- DELETE /orgs/{org}/custom-repository-roles/{role_id}
- GET /orgs/{org}/hooks
- POST /orgs/{org}/hooks
- GET /orgs/{org}/hooks/{hook_id}
- PATCH /orgs/{org}/hooks/{hook_id}
- DELETE /orgs/{org}/hooks/{hook_id}
- GET /orgs/{org}/hooks/{hook_id}/config
- PATCH /orgs/{org}/hooks/{hook_id}/config

- GET /orgs/{org}/hooks/{hook_id}/deliveries
- GET /orgs/{org}/hooks/{hook_id}/deliveries/{delivery_id}
- POST /orgs/{org}/hooks/{hook_id}/deliveries/{delivery_id}/attempts
- POST /orgs/{org}/hooks/{hook_id}/pings
- GET /orgs/{org}/installations
- GET /orgs/{org}/members
- GET /orgs/{org}/members/{username}
- DELETE /orgs/{org}/members/{username}
- GET /orgs/{org}/memberships/{username}
- PUT /orgs/{org}/memberships/{username}
- DELETE /orgs/{org}/memberships/{username}
- GET /orgs/{org}/outside_collaborators
- PUT /orgs/{org}/outside_collaborators/{username}
- DELETE /orgs/{org}/outside_collaborators/{username}
- GET /orgs/{org}/personal-access-token-requests
- POST /orgs/{org}/personal-access-token-requests
- POST /orgs/{org}/personal-access-token-requests/{pat_request_id}
- GET /orgs/{org}/personal-access-token-requests/{pat_request_id}/repositories
- GET /orgs/{org}/personal-access-tokens
- POST /orgs/{org}/personal-access-tokens
- POST /orgs/{org}/personal-access-tokens/{pat_id}
- GET /orgs/{org}/personal-access-tokens/{pat_id}/repositories
- GET /orgs/{org}/public_members
- GET /orgs/{org}/public_members/{username}
- GET /orgs/{org}/security-managers
- PUT /orgs/{org}/security-managers/teams/{team_slug}
- DELETE /orgs/{org}/security-managers/teams/{team_slug}
- POST /orgs/{org}/{security_product}/{enablement}
- GET /users/{username}/orgs

packages 🔗

- GET /orgs/{org}/docker/conflicts
- GET /orgs/{org}/packages
- GET /orgs/{org}/packages/{package_type}/{package_name}
- DELETE /orgs/{org}/packages/{package_type}/{package_name}
- POST /orgs/{org}/packages/{package_type}/{package_name}/restore
- GET /orgs/{org}/packages/{package_type}/{package_name}/versions
- GET /orgs/{org}/packages/{package_type}/{package_name}/versions/{package_version_id}
- DELETE /orgs/{org}/packages/{package_type}/{package_name}/versions/{package_version_id}
- POST /orgs/{org}/packages/{package_type}/{package_name}/versions/{package_version_id}/restore
- GET /user/packages
- GET /user/packages/{package_type}/{package_name}
- DELETE /user/packages/{package_type}/{package_name}
- POST /user/packages/{package_type}/{package_name}/restore
- GET /user/packages/{package_type}/{package_name}/versions
- GET /user/packages/{package_type}/{package_name}/versions/{package_version_id}

- DELETE /user/packages/{package_type}/{package_name}/versions/{package_version_id}
- POST /user/packages/{package_type}/{package_name}/versions/{package_version_id}/restore
- GET /users/{username}/docker/conflicts
- GET /users/{username}/packages
- GET /users/{username}/packages/{package_type}/{package_name}
- DELETE /users/{username}/packages/{package_type}/{package_name}
- POST /users/{username}/packages/{package_type}/{package_name}/restore
- GET /users/{username}/packages/{package_type}/{package_name}/versions
- GET /users/{username}/packages/{package_type}/{package_name}/versions/{package_version_id}
- DELETE /users/{username}/packages/{package_type}/{package_name}/versions/{package_version_id}
- POST /users/{username}/packages/{package_type}/{package_name}/versions/{package_version_id}/restore

pages 🔗

- GET /repos/{owner}/{repo}/pages
- POST /repos/{owner}/{repo}/pages
- PUT /repos/{owner}/{repo}/pages
- DELETE /repos/{owner}/{repo}/pages
- GET /repos/{owner}/{repo}/pages/builds
- POST /repos/{owner}/{repo}/pages/builds
- GET /repos/{owner}/{repo}/pages/builds/latest
- GET /repos/{owner}/{repo}/pages/builds/{build_id}
- POST /repos/{owner}/{repo}/pages/deployment

projects 🔗

- GET /orgs/{org}/projects
- POST /orgs/{org}/projects
- GET /projects/columns/cards/{card_id}
- PATCH /projects/columns/cards/{card_id}
- DELETE /projects/columns/cards/{card_id}
- POST /projects/columns/cards/{card_id}/moves
- GET /projects/columns/{column_id}
- PATCH /projects/columns/{column_id}
- DELETE /projects/columns/{column_id}
- GET /projects/columns/{column_id}/cards
- POST /projects/columns/{column_id}/cards
- POST /projects/columns/{column_id}/moves
- GET /projects/{project_id}
- PATCH /projects/{project_id}
- DELETE /projects/{project_id}
- GET /projects/{project_id}/collaborators
- PUT /projects/{project_id}/collaborators/{username}

- `DELETE /projects/{project_id}/collaborators/{username}`
- `GET /projects/{project_id}/collaborators/{username}/permission`
- `GET /projects/{project_id}/columns`
- `POST /projects/{project_id}/columns`
- `GET /repos/{owner}/{repo}/projects`
- `POST /repos/{owner}/{repo}/projects`

pulls 🔗

- `GET /repos/{owner}/{repo}/pulls`
- `POST /repos/{owner}/{repo}/pulls`
- `GET /repos/{owner}/{repo}/pulls/comments`
- `GET /repos/{owner}/{repo}/pulls/comments/{comment_id}`
- `PATCH /repos/{owner}/{repo}/pulls/comments/{comment_id}`
- `DELETE /repos/{owner}/{repo}/pulls/comments/{comment_id}`
- `GET /repos/{owner}/{repo}/pulls/{pull_number}`
- `PATCH /repos/{owner}/{repo}/pulls/{pull_number}`
- `GET /repos/{owner}/{repo}/pulls/{pull_number}/comments`
- `POST /repos/{owner}/{repo}/pulls/{pull_number}/comments`
- `POST /repos/{owner}/{repo}/pulls/{pull_number}/comments/{comment_id}/replies`
- `GET /repos/{owner}/{repo}/pulls/{pull_number}/commits`
- `GET /repos/{owner}/{repo}/pulls/{pull_number}/files`
- `GET /repos/{owner}/{repo}/pulls/{pull_number}/merge`
- `PUT /repos/{owner}/{repo}/pulls/{pull_number}/merge`
- `GET /repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers`
- `POST /repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers`
- `DELETE /repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers`
- `GET /repos/{owner}/{repo}/pulls/{pull_number}/reviews`
- `POST /repos/{owner}/{repo}/pulls/{pull_number}/reviews`
- `GET /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}`
- `PUT /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}`
- `DELETE /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}`
- `GET /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/comments`
- `PUT /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/dismissals`
- `POST /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/events`
- `PUT /repos/{owner}/{repo}/pulls/{pull_number}/update-branch`

reactions 🔗

- `DELETE /orgs/{org}/teams/{team_slug}/discussions/{discussion_number}/comments/{comment_number}/reactions/{reaction_id}`
- `DELETE /orgs/{org}/teams/{team_slug}/discussions/{discussion_number}/reactions/{reaction_id}`
- `GET /repos/{owner}/{repo}/comments/{comment_id}/reactions`
- `POST /repos/{owner}/{repo}/comments/{comment_id}/reactions`
- `DELETE /repos/{owner}/{repo}/comments/{comment_id}/reactions/{reaction_id}`
- `GET /repos/{owner}/{repo}/issues/comments/{comment_id}/reactions`
- `POST /repos/{owner}/{repo}/issues/comments/{comment_id}/reactions`
- `DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}/reactions/{reaction_id}`

- GET /repos/{owner}/{repo}/issues/{issue_number}/reactions
- POST /repos/{owner}/{repo}/issues/{issue_number}/reactions
- DELETE /repos/{owner}/{repo}/issues/{issue_number}/reactions/{reaction_id}
- GET /repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions
- POST /repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions
- DELETE /repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions/{reaction_id}
- GET /repos/{owner}/{repo}/releases/{release_id}/reactions
- POST /repos/{owner}/{repo}/releases/{release_id}/reactions
- DELETE /repos/{owner}/{repo}/releases/{release_id}/reactions/{reaction_id}

releases 🔗

- GET /repos/{owner}/{repo}/releases
- POST /repos/{owner}/{repo}/releases
- GET /repos/{owner}/{repo}/releases/assets/{asset_id}
- PATCH /repos/{owner}/{repo}/releases/assets/{asset_id}
- DELETE /repos/{owner}/{repo}/releases/assets/{asset_id}
- POST /repos/{owner}/{repo}/releases/generate-notes
- GET /repos/{owner}/{repo}/releases/latest
- GET /repos/{owner}/{repo}/releases/tags/{tag}
- GET /repos/{owner}/{repo}/releases/{release_id}
- PATCH /repos/{owner}/{repo}/releases/{release_id}
- DELETE /repos/{owner}/{repo}/releases/{release_id}
- GET /repos/{owner}/{repo}/releases/{release_id}/assets

repos 🔗

- GET /orgs/{org}/repos
- POST /orgs/{org}/repos
- GET /repos/{owner}/{repo}
- PATCH /repos/{owner}/{repo}
- DELETE /repos/{owner}/{repo}
- GET /repos/{owner}/{repo}/autolinks
- POST /repos/{owner}/{repo}/autolinks
- GET /repos/{owner}/{repo}/autolinks/{autolink_id}
- DELETE /repos/{owner}/{repo}/autolinks/{autolink_id}
- GET /repos/{owner}/{repo}/automated-security-fixes
- GET /repos/{owner}/{repo}/codeowners/errors
- GET /repos/{owner}/{repo}/contents/{path}
- PUT /repos/{owner}/{repo}/contents/{path}
- DELETE /repos/{owner}/{repo}/contents/{path}
- GET /repos/{owner}/{repo}/contributors
- POST /repos/{owner}/{repo}/dispatches
- GET /repos/{owner}/{repo}/forks
- POST /repos/{owner}/{repo}/forks
- GET /repos/{owner}/{repo}/hooks
- POST /repos/{owner}/{repo}/hooks
- GET /repos/{owner}/{repo}/hooks/{hook_id}
- PATCH /repos/{owner}/{repo}/hooks/{hook_id}
- DELETE /repos/{owner}/{repo}/hooks/{hook_id}

- `GET /repos/{owner}/{repo}/hooks/{hook_id}/config`
- `PATCH /repos/{owner}/{repo}/hooks/{hook_id}/config`
- `GET /repos/{owner}/{repo}/hooks/{hook_id}/deliveries`
- `GET /repos/{owner}/{repo}/hooks/{hook_id}/deliveries/{delivery_id}`
- `POST /repos/{owner}/{repo}/hooks/{hook_id}/deliveries/{delivery_id}/attempts`
- `POST /repos/{owner}/{repo}/hooks/{hook_id}/pings`
- `POST /repos/{owner}/{repo}/hooks/{hook_id}/tests`
- `GET /repos/{owner}/{repo}/languages`
- `GET /repos/{owner}/{repo}/replicas/caches`
- `GET /repos/{owner}/{repo}/tags`
- `GET /repos/{owner}/{repo}/tags/protection`
- `POST /repos/{owner}/{repo}/tags/protection`
- `DELETE /repos/{owner}/{repo}/tags/protection/{tag_protection_id}`
- `GET /repos/{owner}/{repo}/teams`
- `GET /repos/{owner}/{repo}/topics`
- `PUT /repos/{owner}/{repo}/topics`
- `GET /repos/{owner}/{repo}/vulnerability-alerts`
- `PUT /repos/{owner}/{repo}/vulnerability-alerts`
- `DELETE /repos/{owner}/{repo}/vulnerability-alerts`
- `GET /repositories`
- `GET /users/{username}/repos`

search 🔗

- `GET /search/code`
- `GET /search/commits`
- `GET /search/issues`
- `GET /search/labels`
- `GET /search/repositories`
- `GET /search/topics`
- `GET /search/users`

secret-scanning 🔗

- `GET /orgs/{org}/secret-scanning/alerts`
- `GET /repos/{owner}/{repo}/secret-scanning/alerts`
- `GET /repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}`
- `PATCH /repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}`
- `GET /repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}/locations`

teams 🔗

- `GET /orgs/{org}/external-group/{group_id}`
- `GET /orgs/{org}/external-groups`
- `GET /orgs/{org}/teams`
- `POST /orgs/{org}/teams`
- `GET /orgs/{org}/teams/{team_slug}/external-groups`
- `PATCH /orgs/{org}/teams/{team_slug}/external-groups`
- `DELETE /orgs/{org}/teams/{team_slug}/external-groups`
- `GET /teams/{team_id}/members/{username}`

- PUT /teams/{team_id}/members/{username}
- DELETE /teams/{team_id}/members/{username}

users 🔗

- GET /users
- GET /users/{username}
- GET /users/{username}/followers
- GET /users/{username}/following
- GET /users/{username}/following/{target_user}
- GET /users/{username}/gpg_keys
- GET /users/{username}/keys
- GET /users/{username}/social_accounts
- GET /users/{username}/ssh_signing_keys