GitHub Docs





• • •

The REST API is now versioned. For more information, see "About API versioning."

# **Team discussion comments**

Use the REST API to get, create, edit, and delete discussion comments on a team discussion post.

The team discussions and team discussion comments endpoints will be deprecated in GitHub Enterprise Server 3.12 in favor of GitHub Discussions. For more information about GitHub Discussions, see "GitHub Discussions documentation."

## About team discussion comments &

Any member of the team's <u>organization</u> can create and read comments on a public discussion. For more details, see "<u>About team discussions</u>."

These endpoints are only available to authenticated members of the team's <u>organization</u>. OAuth access tokens require the read:org <u>scope</u>. GitHub generates the team's slug from the team name.

# **List discussion comments** *P*

Works with <u>GitHub Apps</u>

List all comments on a team discussion. OAuth access tokens require the read:discussion scope.

**Note:** You can also specify a team by org\_id and team\_id using the route GET /organizations/{org id}/team/{team id}/discussions/{discussion number}/comments.

#### Parameters for "List discussion comments"

#### Headers

accept string

Setting to application/vnd.github+json is recommended.

## Path parameters

org string Required

The organization name. The name is not case sensitive.

team\_slug string Required

The slug of the team name.

discussion number integer Required

The number that identifies the discussion

THE HALLIDER CHAR INCHAINES CHE AISCASSIOTH

### **Query parameters**

direction string

The direction to sort the results by.

Default: desc

Can be one of: asc , desc

per\_page integer

The number of results per page (max 100).

Default: 30

page integer

Page number of the results to fetch.

Default: 1

## HTTP response status codes for "List discussion comments"

Status code Description

200 OK

## Code samples for "List discussion comments"

CURL JavaScript GitHub CLI

curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/orgs/ORG/teams/TEAM\_SLUG/discussions/DISCUSSION\_NUMBER/comments

## Response

Example response Response schema

Status: 200

[ { "author": { "login": "octocat", "id": 1, "node\_id": "MDQ6VXNlcjE=", "avatar\_url":

"https://github.com/images/error/octocat\_happy.gif", "gravatar\_id": "", "url": "https://HOSTNAME/users/octocat", "html\_url":

"https://github.com/octocat", "followers\_url": "https://HOSTNAME/users/octocat/followers", "following\_url":

"https://HOSTNAME/users/octocat/following{/other\_user}", "gists\_url": "https://HOSTNAME/users/octocat/gists{/gist\_id}",

"starred\_url": "https://HOSTNAME/users/octocat/starred{/owner}{/repo}", "subscriptions\_url":

"https://HOSTNAME/users/octocat/subscriptions", "organizations\_url": "https://HOSTNAME/users/octocat/orgs", "repos\_url":

"https://HOSTNAME/users/octocat/subscriptions", "organizations\_url": "https://HOSTNAME/users/octocat/orgs", "repos\_url":

# Create a discussion comment &

Works with <u>GitHub Apps</u>

This endpoint triggers <u>notifications</u>. Creating content too quickly using this endpoint may result in secondary rate limiting. See "<u>Secondary rate limits</u>" and "<u>Dealing with secondary rate limits</u>" for details.

**Note:** You can also specify a team by org\_id and team\_id using the route POST /organizations/{org\_id}/team\_id}/discussions/{discussion\_number}/comments.

#### Parameters for "Create a discussion comment"

#### **Headers**

accept string

Setting to application/vnd.github+json is recommended.

### Path parameters

org string Required

The organization name. The name is not case sensitive.

team\_slug string Required

The slug of the team name.

discussion\_number integer Required

The number that identifies the discussion.

#### **Body parameters**

body string Required

The discussion comment's body text.

## HTTP response status codes for "Create a discussion comment"

Status code Description

201 Created

## Code samples for "Create a discussion comment"

/orgs/{org}/teams/{team\_slug}/discussions/{discussion\_number}/comments

cURL JavaScript GitHub CLI

curl -L \ -X POST \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/orgs/ORG/teams/TEAM\_SLUG/discussions/DISCUSSION\_NUMBER/comments \ -d '{"body":"Do you like apples?"}'

ф

### Response

POST

Example response Response schema

Status: 201

[ "author", [ "logis", "actorst" "id", 1 "sada id", "MDAG\/VNlaiE\_" "avatar url",

```
"https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://HOSTNAME/users/octocat", "html_url":
"https://github.com/octocat", "followers_url": "https://HOSTNAME/users/octocat/followers", "following_url":
"https://HOSTNAME/users/octocat/following{/other_user}", "gists_url": "https://HOSTNAME/users/octocat/gists{/gist_id}",
"starred_url": "https://HOSTNAME/users/octocat/starred{/owner}{/repo}", "subscriptions_url":
"https://HOSTNAME/users/octocat/subscriptions", "organizations_url": "https://HOSTNAME/users/octocat/orgs", "repos_url":
```

## Get a discussion comment &

Works with <u>GitHub Apps</u>

Get a specific comment on a team discussion. OAuth access tokens require the read:discussion scope.

**Note:** You can also specify a team by org\_id and team\_id using the route GET /organizations/{org\_id}/team\_id}/discussions/{discussion\_number}/comments/{comment\_number}.

#### Parameters for "Get a discussion comment"

#### **Headers**

accept string

Setting to application/vnd.github+json is recommended.

#### Path parameters

org string Required

The organization name. The name is not case sensitive.

team\_slug string Required

The slug of the team name.

discussion\_number integer Required

The number that identifies the discussion.

comment number integer Required

The number that identifies the comment.

### HTTP response status codes for "Get a discussion comment"

Status code Description

200 OK

#### Code samples for "Get a discussion comment"

GET /orgs/{org}/teams/{team\_slug}/discussions/{discussion\_number}/comments/{comment\_number}

cURL JavaScript GitHub CLI

curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28"

Q

#### Response

```
Example response Response schema

Status: 200

{ "author": { "login": "octocat", "id": 1, "node_id": "MDQ6VXNlcjE=", "avatar_url":

"https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://HOSTNAME/users/octocat", "html_url":

"https://github.com/octocat", "followers_url": "https://HOSTNAME/users/octocat/following_url":

"https://HOSTNAME/users/octocat/following{/other_user}", "gists_url": "https://HOSTNAME/users/octocat/gists{/gist_id}",

"starred_url": "https://HOSTNAME/users/octocat/starred{/owner}{/repo}", "subscriptions_url":

"https://HOSTNAME/users/octocat/subscriptions", "organizations_url": "https://HOSTNAME/users/octocat/orgs", "repos_url":
```

# Update a discussion comment &

Works with <u>GitHub Apps</u>

Edits the body text of a discussion comment. OAuth access tokens require the write:discussion scope.

**Note:** You can also specify a team by org\_id and team\_id using the route PATCH /organizations/{org\_id}/team\_id}/discussions/{discussion\_number}/comments/{comment number}.

## Parameters for "Update a discussion comment"

### **Headers**

accept string

Setting to application/vnd.github+json is recommended.

## Path parameters

org string Required

The organization name. The name is not case sensitive.

team\_slug string Required

The slug of the team name.

discussion\_number integer Required

The number that identifies the discussion.

comment\_number integer Required

The number that identifies the comment.

## **Body parameters**

body string Required

The discussion comment's body text

The discussion commence sour cent

## HTTP response status codes for "Update a discussion comment"

Status code	Description
200	ОК

#### Code samples for "Update a discussion comment"



## Response

```
Example response Response schema

Status: 200

{ "author": { "login": "octocat", "id": 1, "node_id": "MDQ6VXNlcjE=", "avatar_url":
"https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://HOSTNAME/users/octocat", "html_url":
"https://github.com/octocat", "followers_url": "https://HOSTNAME/users/octocat/followers", "following_url":
"https://HOSTNAME/users/octocat/following{/other_user}", "gists_url": "https://HOSTNAME/users/octocat/gists{/gist_id}",
"starred_url": "https://HOSTNAME/users/octocat/subscriptions", "organizations_url": "https://HOSTNAME/users/octocat/orgs", "repos_url":
"https://HOSTNAME/users/octocat/subscriptions", "organizations_url": "https://HOSTNAME/users/octocat/orgs", "repos_url":
```

# Delete a discussion comment &

Works with <u>GitHub Apps</u>

Deletes a comment on a team discussion. OAuth access tokens require the write:discussion scope.

**Note:** You can also specify a team by org\_id and team\_id using the route DELETE /organizations/{org\_id}/team\_id}/discussions/{discussion\_number}/comments/{comment\_number}.

#### Parameters for "Delete a discussion comment"

### Headers

accept string
Setting to application/vnd.github+json is recommended.

## Path parameters

org string Required

The organization name. The name is not case sensitive

the organization name: the name is not case sensitive.

team\_slug string Required

The slug of the team name.

discussion number integer Required

The number that identifies the discussion.

comment number integer Required

The number that identifies the comment.

## HTTP response status codes for "Delete a discussion comment"

Status code Description

No Content

## Code samples for "Delete a discussion comment"

DELETE /orgs/{org}/teams/{team\_slug}/discussions/{discussion\_number}/comments/{comment\_number}

cURL JavaScript GitHub CLI

curl -L \ -X DELETE \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/orgs/ORG/teams/TEAM\_SLUG/discussions/DISCUSSION\_NUMBER/comments/COMMENT\_NUMBER

ſŪ

#### Response

Status: 204

# **List discussion comments (Legacy)** *₽*

Works with <u>GitHub Apps</u>

**Deprecation Notice:** This endpoint route is deprecated and will be removed from the Teams API. We recommend migrating your existing code to use the new <u>List discussion comments</u> endpoint.

List all comments on a team discussion. OAuth access tokens require the read:discussion scope.

#### Parameters for "List discussion comments (Legacy)"

#### Headers

accept string

Setting to application/vnd.github+json is recommended.

#### Path parameters

team\_id integer Required

The unique identifier of the team.

discussion\_number integer Required

The number that identifies the discussion.

#### **Query parameters**

direction string

The direction to sort the results by.

Default: desc

Can be one of: asc , desc

per\_page integer

The number of results per page (max 100).

Default: 30

page integer

Page number of the results to fetch.

Default: 1

## HTTP response status codes for "List discussion comments (Legacy)"

Status code Description

200 OK

## Code samples for "List discussion comments (Legacy)"

GET /teams/{team\_id}/discussions/{discussion\_number}/comments

cURL JavaScript GitHub CLI

curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28"

Q

\ http(s)://HOSTNAME/api/v3/teams/TEAM\_ID/discussions/DISCUSSION\_NUMBER/comments

#### Response

Example response Response schema

Status: 200

[ { "author": { "login": "octocat", "id": 1, "node\_id": "MDQ6VXNlcjE=", "avatar\_url":

"https://github.com/images/error/octocat\_happy.gif", "gravatar\_id": "", "url": "https://HOSTNAME/users/octocat", "html\_url":

"https://github.com/octocat", "followers\_url": "https://HOSTNAME/users/octocat/followers", "following\_url":

"https://HOSTNAME/users/octocat/following{/other\_user}", "gists\_url": "https://HOSTNAME/users/octocat/gists{/gist\_id}",

"starred\_url": "https://HOSTNAME/users/octocat/starred{/owner}{/repo}", "subscriptions\_url":

"https://HOSTNAME/users/octocat/subscriptions", "organizations\_url": "https://HOSTNAME/users/octocat/orgs", "repos\_url":

# Create a discussion comment (Legacy) @

Works with <u>GitHub Apps</u>

Deprecation Notice: This endpoint route is deprecated and will be removed from the Teams API. We recommend migrating your existing code to use the new Create a discussion comment endpoint.

Creates a new comment on a team discussion. OAuth access tokens require the write:discussion scope.

This endpoint triggers notifications. Creating content too quickly using this endpoint may result in secondary rate limiting. See "Secondary rate limits" and "Dealing with secondary rate limits" for details.

## Parameters for "Create a discussion comment (Legacy)"

#### **Headers**

accept string

Setting to application/vnd.github+json is recommended.

#### Path parameters

team\_id integer Required

The unique identifier of the team.

discussion\_number integer Required

The number that identifies the discussion.

## **Body parameters**

body string Required

The discussion comment's body text.

## HTTP response status codes for "Create a discussion comment (Legacy)"

Status code Description

201 Created

## Code samples for "Create a discussion comment (Legacy)"

/teams/{team\_id}/discussions/{discussion\_number}/comments

cURL JavaScript GitHub CLI

curl -L \ -X POST \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version:

Q

2022-11-28" \ http(s)://HOSTNAME/api/v3/teams/TEAM\_ID/discussions/DISCUSSION\_NUMBER/comments \ -d '{"body":"Do you like apples?"}'

#### Response

Example response Response schema

```
Status: 201

{ "author": { "login": "octocat", "id": 1, "node_id": "MDQ6VXNlcjE=", "avatar_url":

"https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://HOSTNAME/users/octocat", "html_url":

"https://github.com/octocat", "followers_url": "https://HOSTNAME/users/octocat/followers", "following_url":

"https://HOSTNAME/users/octocat/following{/other_user}", "gists_url": "https://HOSTNAME/users/octocat/gists{/gist_id}",

"starred_url": "https://HOSTNAME/users/octocat/starred{/owner}{/repo}", "subscriptions_url":

"https://HOSTNAME/users/octocat/subscriptions", "organizations_url": "https://HOSTNAME/users/octocat/orgs", "repos_url":
```

# Get a discussion comment (Legacy) &

Works with GitHub Apps

**Deprecation Notice:** This endpoint route is deprecated and will be removed from the Teams API. We recommend migrating your existing code to use the new <u>Get a discussion comment</u> endpoint.

Get a specific comment on a team discussion. OAuth access tokens require the read:discussion scope.

## Parameters for "Get a discussion comment (Legacy)"

#### **Headers**

accept string

Setting to application/vnd.github+json is recommended.

#### **Path parameters**

team id integer Required

The unique identifier of the team.

discussion\_number integer Required

The number that identifies the discussion.

comment\_number integer Required

The number that identifies the comment.

## HTTP response status codes for "Get a discussion comment (Legacy)"

Status code Description

200 OK

#### Code samples for "Get a discussion comment (Legacy)"

GET /teams/{team\_id}/discussions/{discussion\_number}/comments/{comment\_number}

cURL JavaScript GitHub CLI

curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28"

ſŌ

#### Response

```
Example response Response schema

Status: 200

{ "author": { "login": "octocat", "id": 1, "node_id": "MDQ6VXNlcjE=", "avatar_url":

"https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://HOSTNAME/users/octocat", "html_url":

"https://github.com/octocat", "followers_url": "https://HOSTNAME/users/octocat/followers", "following_url":

"https://HOSTNAME/users/octocat/following{/other_user}", "gists_url": "https://HOSTNAME/users/octocat/gists{/gist_id}",

"starred_url": "https://HOSTNAME/users/octocat/starred{/owner}{/repo}", "subscriptions_url":

"https://HOSTNAME/users/octocat/subscriptions", "organizations_url": "https://HOSTNAME/users/octocat/orgs", "repos_url":
```

# **Update a discussion comment (Legacy)** *∂*

Works with GitHub Apps

**Deprecation Notice:** This endpoint route is deprecated and will be removed from the Teams API. We recommend migrating your existing code to use the new <u>Update a discussion comment</u> endpoint.

Edits the body text of a discussion comment. OAuth access tokens require the write:discussion scope.

## Parameters for "Update a discussion comment (Legacy)"

### Headers

accept string
Setting to application/vnd.github+json is recommended.

## Path parameters

team\_id integer Required

The unique identifier of the team.

discussion\_number integer Required

The number that identifies the discussion.

comment\_number integer Required

The number that identifies the comment.

## **Body parameters**

body string Required

The discussion comment's body text.

HTTP response status codes for "Update a discussion comment (Legacy)"

Status code Description

200

#### Code samples for "Update a discussion comment (Legacy)"



OK

#### Response

```
Example response Response schema

Status: 200

{ "author": { "login": "octocat", "id": 1, "node_id": "MDQ6VXNlcjE=", "avatar_url":
    "https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://HOSTNAME/users/octocat", "html_url":
    "https://github.com/octocat", "followers_url": "https://HOSTNAME/users/octocat/followers", "following_url":
    "https://HOSTNAME/users/octocat/following{/other_user}", "gists_url": "https://HOSTNAME/users/octocat/gists{/gist_id}",
    "starred_url": "https://HOSTNAME/users/octocat/starred{/owner}{/repo}", "subscriptions_url":
    "https://HOSTNAME/users/octocat/subscriptions", "organizations_url": "https://HOSTNAME/users/octocat/orgs", "repos_url":
    "https://HOSTNAME/users/octocat/subscriptions", "organizations_url": "https://HOSTNAME/users/octocat/orgs", "repos_url":
```

# Delete a discussion comment (Legacy) @

Works with <u>GitHub Apps</u>

**Deprecation Notice:** This endpoint route is deprecated and will be removed from the Teams API. We recommend migrating your existing code to use the new <u>Delete a discussion comment</u> endpoint.

Deletes a comment on a team discussion. OAuth access tokens require the write:discussion scope.

## Parameters for "Delete a discussion comment (Legacy)"

#### Headers

accept string
Setting to application/vnd.github+json is recommended.

#### Path parameters

team\_id integer Required

The unique identifier of the team.

discussion\_number integer Required

The number that identifies the discussion.

comment\_number integer Required

The number that identifies the comment.

## HTTP response status codes for "Delete a discussion comment (Legacy)"

Status code Description

No Content

## Code samples for "Delete a discussion comment (Legacy)"

DELETE /teams/{team\_id}/discussions/{discussion\_number}/comments/{comment\_number}

cURL JavaScript GitHub CLI

Q

curl -L \ -X DELETE \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ http(s)://HOSTNAME/api/v3/teams/TEAM\_ID/discussions/DISCUSSION\_NUMBER/comments/COMMENT\_NUMBER

## Response

Status: 204

## Legal

© 2023 GitHub, Inc. Terms Privacy Status Pricing Expert services Blog