

# Locking a repository


## In this article

Locking a repository

Unlocking a repository

You can prevent changes to a repository's code and other resources, such as issues and pull requests, by locking the repository.

## Locking a repository

- 1 From an administrative account on GitHub Enterprise Server, in the upper-right corner of any page, click .
- 2 If you're not already on the "Site admin" page, in the upper-left corner, click **Site admin**.
- 3 Under "Search users, organizations, teams, repositories, gists, and applications", type the name of the repository in the text field. Then to the right of the field, click **Search**.

Search users, organizations, teams, repositories, gists, and applications

Users are found by login, email, SSH key SHA256 fingerprint, GPG key, or database ID.

Organizations are found by login, email, or database ID.

Teams are found by organization/team, GraphQL object ID, or database ID.

Repositories are found by name, "username/repository", deploy key SHA256 fingerprint, or database ID.


Gists are found by name or "username/repository".

OAuth applications are found by name, client ID or application ID.

GitHub Apps are found by name or integration ID.

GitHub App installation are found by installation ID.

Webhooks are found by hook ID.


- 4 Under "Search results – Repositories", click the name of the repository.
- 5 In the upper-right corner of the page, click  **Admin**.

 Admin
  Security
  Content
  Collaboration

- 6 In the "Single Repository Lock" section, click **Lock**.

# Unlocking a repository

---

- 1 From an administrative account on GitHub Enterprise Server, in the upper-right corner of any page, click .
- 2 If you're not already on the "Site admin" page, in the upper-left corner, click **Site admin**.
- 3 Under "Search users, organizations, teams, repositories, gists, and applications", type the name of the repository in the text field. Then to the right of the field, click **Search**.

**Search users, organizations, teams, repositories, gists, and applications**

**Users** are found by login, email, SSH key SHA256 fingerprint, GPG key, or database ID.

**Organizations** are found by login, email, or database ID.

**Teams** are found by organization/team, GraphQL object ID, or database ID.

**Repositories** are found by name, "username/repository", deploy key SHA256 fingerprint, or database ID.

**Gists** are found by name or "username/repository".

**OAuth applications** are found by name, client ID or application ID.

**GitHub Apps** are found by name or integration ID.

**GitHub App installation** are found by installation ID.

**Webhooks** are found by hook ID.

Search

- 4 Under "Search results – Repositories", click the name of the repository.
- 5 In the "Single Repository Lock" section, click **Unlock**.

## Legal

© 2023 GitHub, Inc. [Terms](#) [Privacy](#) [Status](#) [Pricing](#) [Expert services](#) [Blog](#)