

The REST API is now versioned. For more information, see "About API versioning."

# Review requests

Use the REST API to interact with review requests.

## About review requests [↗](#)

Pull request authors and repository owners and collaborators can request a pull request review from anyone with write access to the repository. Each requested reviewer will receive a notification asking them to review the pull request.

## Get all requested reviewers for a pull request [↗](#)

✔ Works with [GitHub Apps](#)

Gets the users or teams whose review is requested for a pull request. Once a requested reviewer submits a review, they are no longer considered a requested reviewer. Their review will instead be returned by the [List reviews for a pull request](#) operation.

### Parameters for "Get all requested reviewers for a pull request"

#### Headers

**accept** string  
Setting to `application/vnd.github+json` is recommended.

#### Path parameters

**owner** string **Required**  
The account owner of the repository. The name is not case sensitive.

**repo** string **Required**  
The name of the repository without the `.git` extension. The name is not case sensitive.

**pull\_number** integer **Required**  
The number that identifies the pull request.

### HTTP response status codes for "Get all requested reviewers for a pull request"

Status code	Description
200	OK

## Code samples for "Get all requested reviewers for a pull request"

GET

/repos/{owner}/{repo}/pulls/{pull\_number}/requested\_reviewers

cURL

JavaScript

GitHub CLI

```
curl -L \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ https://api.github.com/repos/OWNER/REPO/pulls/PULL_NUMBER/requested_reviewers
```

### Response

Example response

Response schema

Status: 200

```
{ "users": [ { "login": "octocat", "id": 1, "node_id": "MDQ6VXNlcjE=", "avatar_url": "https://github.com/images/error/octocat_happy.gif", "gravatar_id": "", "url": "https://api.github.com/users/octocat", "html_url": "https://github.com/octocat", "followers_url": "https://api.github.com/users/octocat/followers", "following_url": "https://api.github.com/users/octocat/following{/other_user}", "gists_url": "https://api.github.com/users/octocat/gists{/gist_id}", "starred_url": "https://api.github.com/users/octocat/starred{/owner}/{repo}", "subscriptions_url": "https://api.github.com/users/octocat/subscriptions", "organizations_url": "https://api.github.com/users/octocat/orgs",
```

## Request reviewers for a pull request

✔ Works with [GitHub Apps](#)

Requests reviews for a pull request from a given set of users and/or teams. This endpoint triggers [notifications](#). Creating content too quickly using this endpoint may result in secondary rate limiting. See "[Secondary rate limits](#)" and "[Dealing with secondary rate limits](#)" for details.

### Parameters for "Request reviewers for a pull request"

#### Headers

accept

 string

Setting to `application/vnd.github+json` is recommended.

#### Path parameters

owner

 string 

Required

The account owner of the repository. The name is not case sensitive.

repo

 string 

Required

The name of the repository without the `.git` extension. The name is not case sensitive.

pull\_number

 integer 

Required

The number that identifies the pull request.

Body parameters

**reviewers** array of strings

An array of user `login` s that will be requested.

**team\_reviewers** array of strings

An array of team `slug` s that will be requested.

HTTP response status codes for "Request reviewers for a pull request"

Status code	Description
201	Created
403	Forbidden
422	Unprocessable Entity if user is not a collaborator

Code samples for "Request reviewers for a pull request"

**POST** /repos/{owner}/{repo}/pulls/{pull\_number}/requested\_reviewers

cURL

JavaScript

GitHub CLI

```
curl -L \ -X POST \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-Api-Version: 2022-11-28" \ https://api.github.com/repos/OWNER/REPO/pulls/PULL_NUMBER/requested_reviewers \ -d '{"reviewers": ["octocat", "hubot", "other_user"], "team_reviewers": ["justice-league"]}'
```

Response

Example response

Response schema

Status: 201

```
{ "url": "https://api.github.com/repos/octocat/Hello-World/pulls/1347", "id": 1, "node_id": "MDExO1B1bGxSZXF1ZXN0MQ==", "html_url": "https://github.com/octocat/Hello-World/pull/1347", "diff_url": "https://github.com/octocat/Hello-World/pull/1347.diff", "patch_url": "https://github.com/octocat/Hello-World/pull/1347.patch", "issue_url": "https://api.github.com/repos/octocat/Hello-World/issues/1347", "commits_url": "https://api.github.com/repos/octocat/Hello-World/pulls/1347/commits", "review_comments_url": "https://api.github.com/repos/octocat/Hello-World/pulls/1347/comments", "review_comment_url": "https://api.github.com/repos/octocat/Hello-World/pulls/comments{/number}", "comments_url":
```

Remove requested reviewers from a pull request

✔ Works with [GitHub Apps](#)

Removes review requests from a pull request for a given set of users and/or teams.

Parameters for "Remove requested reviewers from a pull request"

Headers

accept

string

Setting to `application/vnd.github+json` is recommended.

Path parameters

owner

string

Required

The account owner of the repository. The name is not case sensitive.

repo

string

Required

The name of the repository without the `.git` extension. The name is not case sensitive.

pull\_number

integer

Required

The number that identifies the pull request.

Body parameters

reviewers

array of strings

Required

An array of user `login` s that will be removed.

team\_reviewers

array of strings

An array of team `slug` s that will be removed.

HTTP response status codes for "Remove requested reviewers from a pull request"

Status code	Description
200	OK
422	Validation failed, or the endpoint has been spammed.

Code samples for "Remove requested reviewers from a pull request"

DELETE

/repos/{owner}/{repo}/pulls/{pull\_number}/requested\_reviewers

cURL

JavaScript

GitHub CLI

```
curl -L \ -X DELETE \ -H "Accept: application/vnd.github+json" \ -H "Authorization: Bearer <YOUR-TOKEN>" \ -H "X-GitHub-API-Version: 2022-11-28" \ https://api.github.com/repos/OWNER/REPO/pulls/PULL_NUMBER/requested_reviewers \ -d '{"reviewers": ["octocat", "hubot", "other_user"], "team_reviewers": ["justice-league"]}'
```

Response

Example response

Response schema

Status: 200

```
{ "url": "https://api.github.com/repos/octocat/Hello-World/pulls/1347", "id": 1, "node_id": "MDExO1B1bGxSZXF1ZXN0MQ==", "html_url": "https://github.com/octocat/Hello-World/pull/1347", "diff_url": "https://github.com/octocat/Hello-World/pull/1347.diff", "patch_url": "https://github.com/octocat/Hello-World/pull/1347.patch", "issue_url": "https://api.github.com/repos/octocat/Hello-World/issues/1347", "commits_url": "https://api.github.com/repos/octocat/Hello-World/pulls/1347/commits", "review_comments_url": "https://api.github.com/repos/octocat/Hello-World/pulls/1347/comments", "review_comment_url": "https://api.github.com/repos/octocat/Hello-World/pulls/comments{/number}" }
```

## Legal

© 2023 GitHub, Inc. [Terms](#) [Privacy](#) [Status](#) [Pricing](#) [Expert services](#) [Blog](#)