

Permissions required for GitHub Apps

In this article

About GitHub App permissions

Business permissions for "Enterprise administration"

Organization permissions for "Administration"

Organization permissions for "Blocking users"

Organization permissions for "Custom repository roles"

Organization permissions for "Events"

Organization permissions for "GitHub Copilot for Business"

Organization permissions for "Members"

Organization permissions for "Organization announcement banners"

Organization permissions for "Organization codespaces secrets"

Organization permissions for "Organization codespaces settings"

Organization permissions for "Organization codespaces"

Organization permissions for "Organization dependabot secrets"

Organization permissions for "Personal access token requests"

Organization permissions for "Personal access tokens"

Organization permissions for "Projects"

Organization permissions for "Secrets"

Organization permissions for "Self-hosted runners"

Organization permissions for "Team discussions"

Organization permissions for "Variables"

Organization permissions for "Webhooks"

Repository permissions for "Actions"

Repository permissions for "Administration"

Repository permissions for "Checks"

Repository permissions for "Code scanning alerts"

Repository permissions for "Codespaces lifecycle admin"

Repository permissions for "Codespaces metadata"

Repository permissions for "Codespaces secrets"

Repository permissions for "Codespaces"

Repository permissions for "Commit statuses"

Repository permissions for "Contents"

Repository permissions for "Dependabot alerts"

Repository permissions for "Dependabot secrets"

Repository permissions for "Deployments"

Repository permissions for "Environments"

Repository permissions for "Issues"

Repository permissions for "Metadata"

Repository permissions for "Pages"

Repository permissions for "Projects"

Repository permissions for "Pull requests"

Repository permissions for "Repository security advisories"

Repository permissions for "Secret scanning alerts"

Repository permissions for "Secrets"

Repository permissions for "Tags"

- Repository permissions for "Variables"
- Repository permissions for "Webhooks"
- Repository permissions for "Workflows"
- User permissions for "Block another user"
- User permissions for "Codespaces user secrets"
- User permissions for "Email addresses"
- User permissions for "Followers"
- User permissions for "GPG keys"
- User permissions for "Gists"
- User permissions for "Git SSH keys"
- User permissions for "Interaction limits"
- User permissions for "Notifications"
- User permissions for "Plan"
- User permissions for "Profile"
- User permissions for "SSH signing keys"
- User permissions for "Starring"
- User permissions for "Watching"

These are the permissions required for a GitHub App to use each REST API endpoint that works with GitHub Apps.

About GitHub App permissions

GitHub Apps are created with a set of permissions. Permissions define what resources the GitHub App can access via the API. For more information, see "[Choosing permissions for a GitHub App](#)."

To help you choose the correct permissions, you will receive the `X-Accepted-GitHub-Permissions` header in the REST API response. The header will tell you what permissions are required in order to access the endpoint. For more information, see "[Troubleshooting](#)."

Some endpoints require additional permissions. When this is the case, the "Additional permissions" column will indicate the other permissions that are required to use the endpoint.

Business permissions for "Enterprise administration"

Endpoint	Access	Token types	Additional permissions
GET /enterprises/{enterprise}/actions/cache/usage	write	UAT IAT	✖
PUT /enterprises/{enterprise}/actions/oidc/customization/issuer	write	UAT IAT	✖
GET /enterprises/{enterprise}/settings/billing/actions	write	UAT IAT	✖

GET /enterprises/{enterprise}/settings/billing/advanced-security	write	UAT IAT	✕
GET /enterprises/{enterprise}/settings/billing/packages	write	UAT IAT	✕
GET /enterprises/{enterprise}/settings/billing/shared-storage	write	UAT IAT	✕
GET /scim/v2/Groups	write	UAT IAT	✕
POST /scim/v2/Groups	write	UAT IAT	✕
GET /scim/v2/Groups/{scim_group_id}	write	UAT IAT	✕
PUT /scim/v2/Groups/{scim_group_id}	write	UAT IAT	✕
PATCH /scim/v2/Groups/{scim_group_id}	write	UAT IAT	✕
DELETE /scim/v2/Groups/{scim_group_id}	write	UAT IAT	✕
GET /scim/v2/Users	write	UAT IAT	✕
POST /scim/v2/Users	write	UAT IAT	✕
GET /scim/v2/Users/{scim_user_id}	write	UAT IAT	✕
PUT /scim/v2/Users/{scim_user_id}	write	UAT IAT	✕
DELETE /scim/v2/Users/{scim_user_id}	write	UAT IAT	✕
GET /enterprise-installation/{enterprise_or_org}/server-statistics	read	UAT IAT	Organization permissions for "Administration"
GET /enterprises/{enterprise}/audit-log	read	UAT IAT	✕

Organization permissions for "Administration"

Endpoint	Access	Token types	Additional permissions
----------	--------	-------------	------------------------

PATCH /orgs/{org}	write	UAT IAT	✖
DELETE /orgs/{org}	write	UAT IAT	✖
PUT /orgs/{org}/actions/oidc/customization/sub	write	UAT IAT	✖
PUT /orgs/{org}/actions/permissions	write	UAT IAT	✖
PUT /orgs/{org}/actions/permissions/repositories	write	UAT IAT	✖
PUT /orgs/{org}/actions/permissions/repositories/{repository_id}	write	UAT IAT	Repository permissions for "Metadata"
DELETE /orgs/{org}/actions/permissions/repositories/{repository_id}	write	UAT IAT	Repository permissions for "Metadata"
PUT /orgs/{org}/actions/permissions/selected-actions	write	UAT IAT	✖
PUT /orgs/{org}/actions/permissions/workflow	write	UAT IAT	✖
DELETE /orgs/{org}/credential-authorizations/{credential_id}	write	UAT IAT	✖
PUT /orgs/{org}/interaction-limits	write	UAT IAT	✖
DELETE /orgs/{org}/interaction-limits	write	UAT IAT	✖
PATCH /orgs/{org}/properties/schema	write	UAT IAT	✖
PUT /orgs/{org}/properties/schema/{custom_property_name}	write	UAT IAT	✖
DELETE /orgs/{org}/properties/schema/{custom_property_name}	write	UAT IAT	✖
PATCH /orgs/{org}/properties/values	write	UAT IAT	✖
GET /orgs/{org}/rulesets	write	UAT IAT	✖
POST /orgs/{org}/rulesets	write	UAT IAT	✖
GET /orgs/{org}/rulesets/rule-suites	write	UAT	✖

	write	IAT	
GET /orgs/{org}/rulesets/rule-suites/{rule_suite_id}	write	UAT IAT	✖
GET /orgs/{org}/rulesets/{ruleset_id}	write	UAT IAT	✖
PUT /orgs/{org}/rulesets/{ruleset_id}	write	UAT IAT	✖
DELETE /orgs/{org}/rulesets/{ruleset_id}	write	UAT IAT	✖
PUT /orgs/{org}/security-managers/teams/{team_slug}	write	UAT IAT	✖
DELETE /orgs/{org}/security-managers/teams/{team_slug}	write	UAT IAT	✖
POST /orgs/{org}/{security_product}/{enablement}	write	UAT IAT	✖
GET /enterprise-installation/{enterprise_or_org}/server-statistics	read	UAT IAT	Business permissions for "Enterprise administration"
GET /organizations/{organization_id}/custom_roles	read	UAT IAT	Organization permissions for "Custom repository roles"
GET /orgs/{org}/actions/cache/usage	read	UAT IAT	✖
GET /orgs/{org}/actions/cache/usage-by-repository	read	UAT IAT	✖
GET /orgs/{org}/actions/oidc/customization/sub	read	UAT IAT	✖
GET /orgs/{org}/actions/permissions	read	UAT IAT	✖
GET /orgs/{org}/actions/permissions/repositories	read	UAT IAT	✖
GET /orgs/{org}/actions/permissions/selected-actions	read	UAT IAT	✖
GET /orgs/{org}/actions/permissions/workflow	read	UAT IAT	✖
GET /orgs/{org}/audit-log	read	UAT IAT	✖
GET /orgs/{org}/credential-authorizations	read	UAT	✖

		IAT	
GET /orgs/{org}/custom-repository-roles	read	UAT IAT	Organization permissions for "Custom repository roles"
GET /orgs/{org}/custom-repository-roles/{role_id}	read	UAT IAT	Organization permissions for "Custom repository roles"
GET /orgs/{org}/custom_roles/{role_id}	read	UAT IAT	Organization permissions for "Custom repository roles"
GET /orgs/{org}/fine_grained_permissions	read	UAT IAT	Organization permissions for "Custom repository roles"
GET /orgs/{org}/installations	read	UAT IAT	✖
GET /orgs/{org}/interaction-limits	read	UAT IAT	✖
GET /orgs/{org}/security-managers	read	UAT IAT	✖
GET /orgs/{org}/settings/billing/actions	read	UAT IAT	✖
GET /orgs/{org}/settings/billing/advanced-security	read	UAT IAT	✖
GET /orgs/{org}/settings/billing/packages	read	UAT IAT	✖
GET /orgs/{org}/settings/billing/shared-storage	read	UAT IAT	✖

Organization permissions for "Blocking users" [🔗](#)

Endpoint	Access	Token types	Additional permissions
PUT /orgs/{org}/blocks/{username}	write	UAT IAT	✖
DELETE /orgs/{org}/blocks/{username}	write	UAT IAT	✖
GET /orgs/{org}/blocks	read	UAT IAT	✖
GET /orgs/{org}/blocks/{username}	read	UAT	✖

[IAT](#)

Organization permissions for "Custom repository roles"

Endpoint	Access	Token types	Additional permissions
POST /orgs/{org}/custom-repository-roles	write	UAT IAT	✖
PATCH /orgs/{org}/custom-repository-roles/{role_id}	write	UAT IAT	✖
DELETE /orgs/{org}/custom-repository-roles/{role_id}	write	UAT IAT	✖
POST /orgs/{org}/custom_roles	write	UAT IAT	✖
PATCH /orgs/{org}/custom_roles/{role_id}	write	UAT IAT	✖
DELETE /orgs/{org}/custom_roles/{role_id}	write	UAT IAT	✖
GET /organizations/{organization_id}/custom_roles	read	UAT IAT	Organization permissions for "Administration"
GET /orgs/{org}/custom-repository-roles	read	UAT IAT	Organization permissions for "Administration"
GET /orgs/{org}/custom-repository-roles/{role_id}	read	UAT IAT	Organization permissions for "Administration"
GET /orgs/{org}/custom_roles/{role_id}	read	UAT IAT	Organization permissions for "Administration"
GET /orgs/{org}/fine_grained_permissions	read	UAT IAT	Organization permissions for "Administration"

Organization permissions for "Events"

Endpoint	Access	Token types	Additional permissions
GET /users/{username}/events/orgs/{org}	read	UAT	✖

Organization permissions for "GitHub Copilot for Business"

Endpoint	Access	Token types	Additional permissions
GET /orgs/{org}/copilot/billing	write	UAT IAT	✖
GET /orgs/{org}/copilot/billing/seats	write	UAT IAT	✖
POST /orgs/{org}/copilot/billing/selected_teams	write	UAT IAT	✖

Organization permissions for "Members"

Endpoint	Access	Token types	Additional permissions
GET /orgs/{org}/external-group/{group_id}	write	UAT IAT	✖
GET /orgs/{org}/external-groups	write	UAT IAT	✖
POST /orgs/{org}/invitations	write	UAT IAT	✖
DELETE /orgs/{org}/invitations/{invitation_id}	write	UAT IAT	✖
DELETE /orgs/{org}/members/{username}	write	UAT IAT	✖
PUT /orgs/{org}/memberships/{username}	write	UAT IAT	✖
DELETE /orgs/{org}/memberships/{username}	write	UAT IAT	✖
PUT /orgs/{org}/outside_collaborators/{username}	write	UAT IAT	✖
DELETE /orgs/{org}/outside_collaborators/{username}	write	UAT IAT	✖
PUT /orgs/{org}/public_members/{username}	write	UAT	✖
DELETE /orgs/{org}/public_members/{username}	write	UAT	✖
GET /orgs/{org}/team-sync/groups	write	UAT IAT	✖
POST /orgs/{org}/teams	write	UAT IAT	✖
GET /orgs/{org}/teams/{team_slug}/external-groups	write	UAT IAT	✖

		UAT	
PATCH /orgs/{org}/teams/{team_slug}/external-groups	write	UAT IAT	✖
DELETE /orgs/{org}/teams/{team_slug}/external-groups	write	UAT IAT	✖
POST /scim/v2/organizations/{org}/Users	write	UAT IAT	✖
PUT /scim/v2/organizations/{org}/Users/{scim_user_id}	write	UAT IAT	✖
PATCH /scim/v2/organizations/{org}/Users/{scim_user_id}	write	UAT IAT	✖
DELETE /scim/v2/organizations/{org}/Users/{scim_user_id}	write	UAT IAT	✖
PUT /teams/{team_id}/members/{username}	write	UAT IAT	✖
DELETE /teams/{team_id}/members/{username}	write	UAT IAT	✖
PATCH /user/memberships/orgs/{org}	write	UAT	✖
GET /orgs/{org}/failed_invitations	read	UAT IAT	✖
GET /orgs/{org}/invitations	read	UAT IAT	✖
GET /orgs/{org}/invitations/{invitation_id}/teams	read	UAT IAT	✖
GET /orgs/{org}/members	read	UAT IAT	✖
GET /orgs/{org}/members/{username}	read	UAT IAT	✖
GET /orgs/{org}/memberships/{username}	read	UAT IAT	✖
GET /orgs/{org}/outside_collaborators	read	UAT IAT	✖
GET /orgs/{org}/properties/schema	read	UAT IAT	✖
GET /orgs/{org}/properties/schema/{custom_property_name}	read	UAT IAT	✖
GET /orgs/{org}/properties/values	read	UAT IAT	✖

		IAT	
GET /orgs/{org}/public_members	read	UAT IAT	✖
GET /orgs/{org}/public_members/{username}	read	UAT IAT	✖
GET /orgs/{org}/teams	read	UAT IAT	✖
GET /scim/v2/organizations/{org}/Users	read	UAT IAT	✖
GET /scim/v2/organizations/{org}/Users/{scim_user_id}	read	UAT IAT	✖
GET /teams/{team_id}/members/{username}	read	UAT IAT	✖
GET /user/memberships/orgs/{org}	read	UAT	✖

Organization permissions for "Organization announcement banners"

Endpoint	Access	Token types	Additional permissions
PATCH /orgs/{org}/announcement	write	UAT IAT	✖
DELETE /orgs/{org}/announcement	write	UAT IAT	✖
GET /orgs/{org}/announcement	read	UAT IAT	✖

Organization permissions for "Organization codespaces secrets"

Endpoint	Access	Token types	Additional permissions
PUT /orgs/{org}/codespaces/secrets/{secret_name}	write	UAT IAT	✖
DELETE /orgs/{org}/codespaces/secrets/{secret_name}	write	UAT IAT	✖
PUT /orgs/{org}/codespaces/secrets/{secret_name}/repositories	write	UAT IAT	✖
PUT /orgs/{org}/codespaces/secrets/{secret_name}/repositories	write	UAT	Repository permissions for

ories/{repository_id}		IAT	"Metadata"
DELETE /orgs/{org}/codespaces/secrets/{secret_name}/repositories/{repository_id}	write	UAT IAT	Repository permissions for "Metadata"
GET /orgs/{org}/codespaces/secrets	read	UAT IAT	✖
GET /orgs/{org}/codespaces/secrets/public-key	read	UAT IAT	✖
GET /orgs/{org}/codespaces/secrets/{secret_name}	read	UAT IAT	✖
GET /orgs/{org}/codespaces/secrets/{secret_name}/repositories	read	UAT IAT	✖

Organization permissions for "Organization codespaces settings"

Endpoint	Access	Token types	Additional permissions
PUT /orgs/{org}/codespaces/access	write	UAT IAT	✖
POST /orgs/{org}/codespaces/access/selected_users	write	UAT IAT	✖
DELETE /orgs/{org}/codespaces/access/selected_users	write	UAT IAT	✖

Organization permissions for "Organization codespaces"

Endpoint	Access	Token types	Additional permissions
DELETE /orgs/{org}/members/{username}/codespaces/{codespace_name}	write	UAT IAT	Repository permissions for "Codespaces"
POST /orgs/{org}/members/{username}/codespaces/{codespace_name}/stop	write	UAT IAT	Repository permissions for "Codespaces lifecycle admin"
GET /orgs/{org}/codespaces	read	UAT IAT	Repository permissions for "Codespaces"
GET /orgs/{org}/members/{username}/codespaces	read	UAT IAT	Repository permissions for "Codespaces"

Organization permissions for "Organization dependabot secrets"

Endpoint	Access	Token types	Additional permissions
PUT /orgs/{org}/dependabot/secrets/{secret_name}	write	UAT IAT	✖
DELETE /orgs/{org}/dependabot/secrets/{secret_name}	write	UAT IAT	✖
PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories	write	UAT IAT	✖
PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}	write	UAT IAT	Repository permissions for "Metadata"
DELETE /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}	write	UAT IAT	Repository permissions for "Metadata"
GET /orgs/{org}/dependabot/secrets	read	UAT IAT	✖
GET /orgs/{org}/dependabot/secrets/public-key	read	UAT IAT	✖
GET /orgs/{org}/dependabot/secrets/{secret_name}	read	UAT IAT	✖
GET /orgs/{org}/dependabot/secrets/{secret_name}/repositories	read	UAT IAT	✖

Organization permissions for "Personal access token requests"

Endpoint	Access	Token types	Additional permissions
POST /orgs/{org}/personal-access-token-requests	write	UAT IAT	✖
POST /orgs/{org}/personal-access-token-requests/{pat_request_id}	write	UAT IAT	✖
GET /orgs/{org}/personal-access-token-requests	read	UAT IAT	✖
GET /orgs/{org}/personal-access-token-requests/{pat_request_id}/repositories	read	UAT IAT	✖

Organization permissions for "Personal access tokens"

Endpoint	Access	Token types	Additional permissions
POST /orgs/{org}/personal-access-tokens	write	UAT IAT	✖
POST /orgs/{org}/personal-access-tokens/{pat_id}	write	UAT IAT	✖
GET /orgs/{org}/personal-access-tokens	read	UAT IAT	✖
GET /orgs/{org}/personal-access-tokens/{pat_id}/repositories	read	UAT IAT	✖

Organization permissions for "Projects"

Endpoint	Access	Token types	Additional permissions
GET /projects/{project_id}/collaborators	admin	UAT IAT	Repository permissions for "Projects"
PUT /projects/{project_id}/collaborators/{username}	admin	UAT IAT	Repository permissions for "Projects"
DELETE /projects/{project_id}/collaborators/{username}	admin	UAT IAT	Repository permissions for "Projects"
GET /projects/{project_id}/collaborators/{username}/permission	admin	UAT IAT	Repository permissions for "Projects"
POST /orgs/{org}/projects	write	UAT IAT	✖
PATCH /projects/columns/cards/{card_id}	write	UAT IAT	Repository permissions for "Projects"
DELETE /projects/columns/cards/{card_id}	write	UAT IAT	Repository permissions for "Projects"
POST /projects/columns/cards/{card_id}/moves	write	UAT IAT	Repository permissions for "Projects"
PATCH /projects/columns/{column_id}	write	UAT IAT	Repository permissions for "Projects"

DELETE /projects/columns/{column_id}	write	UAT IAT	Repository permissions for "Projects"
POST /projects/columns/{column_id}/cards	write	UAT IAT	Repository permissions for "Projects"
POST /projects/columns/{column_id}/moves	write	UAT IAT	Repository permissions for "Projects"
PATCH /projects/{project_id}	write	UAT IAT	Repository permissions for "Projects"
DELETE /projects/{project_id}	write	UAT IAT	Repository permissions for "Projects"
POST /projects/{project_id}/columns	write	UAT IAT	Repository permissions for "Projects"
GET /orgs/{org}/projects	read	UAT IAT	✖
GET /projects/columns/cards/{card_id}	read	UAT IAT	Repository permissions for "Projects"
GET /projects/columns/{column_id}	read	UAT IAT	Repository permissions for "Projects"
GET /projects/columns/{column_id}/cards	read	UAT IAT	Repository permissions for "Projects"
GET /projects/{project_id}	read	UAT IAT	Repository permissions for "Projects"
GET /projects/{project_id}/columns	read	UAT IAT	Repository permissions for "Projects"

Organization permissions for "Secrets"

Endpoint	Access	Token types	Additional permissions
PUT /orgs/{org}/actions/secrets/{secret_name}	write	UAT IAT	✖
DELETE /orgs/{org}/actions/secrets/{secret_name}	write	UAT IAT	✖
PUT /orgs/{org}/actions/secrets/{secret_name}/repositories	write	UAT IAT	✖

PUT /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}	write	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Metadata"
DELETE /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}	write	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Metadata"
GET /orgs/{org}/actions/secrets	read	<div><div>UAT</div><div>IAT</div></div>	✖
GET /orgs/{org}/actions/secrets/public-key	read	<div><div>UAT</div><div>IAT</div></div>	✖
GET /orgs/{org}/actions/secrets/{secret_name}	read	<div><div>UAT</div><div>IAT</div></div>	✖
GET /orgs/{org}/actions/secrets/{secret_name}/repositories	read	<div><div>UAT</div><div>IAT</div></div>	✖

Organization permissions for "Self-hosted runners"

Endpoint	Access	Token types	Additional permissions
POST /orgs/{org}/actions/runner-groups	write	<div><div>UAT</div><div>IAT</div></div>	✖
PATCH /orgs/{org}/actions/runner-groups/{runner_group_id}	write	<div><div>UAT</div><div>IAT</div></div>	✖
DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}	write	<div><div>UAT</div><div>IAT</div></div>	✖
PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories	write	<div><div>UAT</div><div>IAT</div></div>	✖
PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}	write	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Metadata"
DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}	write	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Metadata"
PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/runners	write	<div><div>UAT</div><div>IAT</div></div>	✖
PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/runners/{runner_id}	write	<div><div>UAT</div><div>IAT</div></div>	✖
DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/runners/{runner_id}	write	<div><div>UAT</div><div>IAT</div></div>	✖
POST /orgs/{org}/actions/runners/generate-jitconfig	write	<div><div>UAT</div></div>	✖

	write	UAT	
POST /orgs/{org}/actions/runners/registration-token	write	UAT IAT	✖
POST /orgs/{org}/actions/runners/remove-token	write	UAT IAT	✖
DELETE /orgs/{org}/actions/runners/{runner_id}	write	UAT IAT	✖
POST /orgs/{org}/actions/runners/{runner_id}/labels	write	UAT IAT	✖
PUT /orgs/{org}/actions/runners/{runner_id}/labels	write	UAT IAT	✖
DELETE /orgs/{org}/actions/runners/{runner_id}/labels	write	UAT IAT	✖
DELETE /orgs/{org}/actions/runners/{runner_id}/labels/{name}	write	UAT IAT	✖
GET /orgs/{org}/actions/runner-groups	read	UAT IAT	✖
GET /orgs/{org}/actions/runner-groups/{runner_group_id}	read	UAT IAT	✖
GET /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories	read	UAT IAT	✖
GET /orgs/{org}/actions/runner-groups/{runner_group_id}/runners	read	UAT IAT	✖
GET /orgs/{org}/actions/runners	read	UAT IAT	✖
GET /orgs/{org}/actions/runners/downloads	read	UAT IAT	✖
GET /orgs/{org}/actions/runners/{runner_id}	read	UAT IAT	✖
GET /orgs/{org}/actions/runners/{runner_id}/labels	read	UAT IAT	✖

Organization permissions for "Team discussions" [↗](#)

Endpoint	Access	Token types	Additional permissions
DELETE /orgs/{org}/teams/{team_slug}/discussions/{discussion_number}/comments/{comment_number}/reactions/{reaction_id}	write	UAT IAT	✖

DELETE /orgs/{org}/teams/{team_slug}/discussions/{discussion_number}/reactions/{reaction_id}	write	UAT IAT	✖
---	-------	--	---

Organization permissions for "Variables"

Endpoint	Access	Token types	Additional permissions
POST /orgs/{org}/actions/variables	write	UAT IAT	✖
PATCH /orgs/{org}/actions/variables/{name}	write	UAT IAT	✖
DELETE /orgs/{org}/actions/variables/{name}	write	UAT IAT	✖
PUT /orgs/{org}/actions/variables/{name}/repositories	write	UAT IAT	✖
PUT /orgs/{org}/actions/variables/{name}/repositories/{repository_id}	write	UAT IAT	Repository permissions for "Metadata"
GET /orgs/{org}/actions/variables	read	UAT IAT	✖
GET /orgs/{org}/actions/variables/{name}	read	UAT IAT	✖
GET /orgs/{org}/actions/variables/{name}/repositories	read	UAT IAT	✖

Organization permissions for "Webhooks"

Endpoint	Access	Token types	Additional permissions
POST /orgs/{org}/hooks	write	UAT IAT	✖
PATCH /orgs/{org}/hooks/{hook_id}	write	UAT IAT	✖
DELETE /orgs/{org}/hooks/{hook_id}	write	UAT IAT	✖
PATCH /orgs/{org}/hooks/{hook_id}/config	write	UAT IAT	✖
POST /orgs/{org}/hooks/{hook_id}/deliveries/{delivery_id}/attempts	write	UAT IAT	✖

POST /orgs/{org}/hooks/{hook_id}/pings	write	UAT IAT	✖
GET /orgs/{org}/hooks	read	UAT IAT	✖
GET /orgs/{org}/hooks/{hook_id}	read	UAT IAT	✖
GET /orgs/{org}/hooks/{hook_id}/config	read	UAT IAT	✖
GET /orgs/{org}/hooks/{hook_id}/deliveries	read	UAT IAT	✖
GET /orgs/{org}/hooks/{hook_id}/deliveries/{delivery_id}	read	UAT IAT	✖

Repository permissions for "Actions" [↗](#)

Endpoint	Access	Token types	Additional permissions
DELETE /repos/{owner}/{repo}/actions/artifacts/{artifact_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/actions/caches	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/actions/caches/{cache_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/actions/jobs/{job_id}/rerun	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/actions/oidc/customization/sub	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/actions/runs/{run_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/actions/runs/{run_id}/approve	write	UAT IAT	✖
POST /repos/{owner}/{repo}/actions/runs/{run_id}/cancel	write	UAT IAT	✖
POST /repos/{owner}/{repo}/actions/runs/{run_id}/force-cancel	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/actions/runs/{run_id}/logs	write	UAT IAT	✖
POST /repos/{owner}/{repo}/actions/runs/{run_id}/rerun	write	UAT IAT	✖

		IAT	
POST /repos/{owner}/{repo}/actions/runs/{run_id}/rerun-failed-jobs	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/actions/workflows/{workflow_id}/disable	write	UAT IAT	✖
POST /repos/{owner}/{repo}/actions/workflows/{workflow_id}/dispatches	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/actions/workflows/{workflow_id}/enable	write	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/artifacts	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/artifacts/{artifact_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/artifacts/{artifact_id}/{archive_format}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/cache/usage	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/caches	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/jobs/{job_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/jobs/{job_id}/logs	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/oidc/customization/sub	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runs	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runs/{run_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runs/{run_id}/approvals	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runs/{run_id}/artifacts	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}	read	UAT	✖

/repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}/jobs	read	UAT IAT	
GET /repos/{owner}/{repo}/actions/runs/{run_id}/attempts/{attempt_number}/logs	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runs/{run_id}/jobs	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runs/{run_id}/logs	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments	read	UAT IAT	✖
POST /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments	read	UAT IAT	Repository permissions for "Checks" , Repository permissions for "Deployments"
GET /repos/{owner}/{repo}/actions/runs/{run_id}/timing	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/workflows	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}/runs	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/workflows/{workflow_id}/timing	read	UAT IAT	✖
GET /repos/{owner}/{repo}/environments	read	UAT IAT	✖
GET /repos/{owner}/{repo}/environments/{environment_name}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies	read	UAT IAT	✖
GET /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules	read	UAT IAT	✖
GET /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules/{protection_rule_id}	read	UAT IAT	✖

Repository permissions for "Administration"

Endpoint	Access	Token types	Additional permissions
POST /orgs/{org}/repos	write	<div>UAT</div> <div>IAT</div>	✖
PATCH /repos/{owner}/{repo}	write	<div>UAT</div> <div>IAT</div>	✖
DELETE /repos/{owner}/{repo}	write	<div>UAT</div> <div>IAT</div>	✖
PUT /repos/{owner}/{repo}/actions/permissions	write	<div>UAT</div> <div>IAT</div>	✖
PUT /repos/{owner}/{repo}/actions/permissions/access	write	<div>UAT</div> <div>IAT</div>	✖
PUT /repos/{owner}/{repo}/actions/permissions/selected-actions	write	<div>UAT</div> <div>IAT</div>	✖
PUT /repos/{owner}/{repo}/actions/permissions/workflow	write	<div>UAT</div> <div>IAT</div>	✖
POST /repos/{owner}/{repo}/actions/runners/generate-jitconfig	write	<div>UAT</div> <div>IAT</div>	✖
POST /repos/{owner}/{repo}/actions/runners/registration-token	write	<div>UAT</div> <div>IAT</div>	✖
POST /repos/{owner}/{repo}/actions/runners/remove-token	write	<div>UAT</div> <div>IAT</div>	✖
DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}	write	<div>UAT</div> <div>IAT</div>	✖
POST /repos/{owner}/{repo}/actions/runners/{runner_id}/labels	write	<div>UAT</div> <div>IAT</div>	✖
PUT /repos/{owner}/{repo}/actions/runners/{runner_id}/labels	write	<div>UAT</div> <div>IAT</div>	✖
DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}/labels	write	<div>UAT</div> <div>IAT</div>	✖
DELETE /repos/{owner}/{repo}/actions/runners/{runner_id}/labels/{name}	write	<div>UAT</div> <div>IAT</div>	✖
POST /repos/{owner}/{repo}/autolinks	write	<div>UAT</div>	✖

	write	UAT IAT	
DELETE /repos/{owner}/{repo}/autolinks/{autolink_id}	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/automated-security-fixes	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/automated-security-fixes	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/branches/{branch}/protection	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection	write	UAT IAT	✖
POST /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews	write	UAT IAT	✖
POST /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks	write	UAT IAT	✖
POST /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts	write	UAT IAT	✖

POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps	write	UAT IAT	✖
POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams	write	UAT IAT	✖
POST /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/code-scanning/default-setup	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/codespaces/secrets/{secret_name}	write	UAT IAT	Repository permissions for "Codespaces secrets"
DELETE /repos/{owner}/{repo}/codespaces/secrets/{secret_name}	write	UAT IAT	Repository permissions for "Codespaces secrets"
PUT /repos/{owner}/{repo}/collaborators/{username}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/collaborators/{username}	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/environments/{environment_name}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/environments/{environment_name}	write	UAT IAT	✖

me}		UAT	
POST /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/environments/{environment_name}/deployment-branch-policies/{branch_policy_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/environments/{environment_name}/deployment_protection_rules/{protection_rule_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/forks	write	UAT IAT	Repository permissions for "Contents"
PUT /repos/{owner}/{repo}/interaction-limits	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/interaction-limits	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/invitations/{invitation_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/invitations/{invitation_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/keys	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/keys/{key_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/pages	write	UAT IAT	Repository permissions for "Pages"
PUT /repos/{owner}/{repo}/pages	write	UAT IAT	Repository permissions for "Pages"
DELETE /repos/{owner}/{repo}/pages	write	UAT IAT	Repository permissions for "Pages"
GET /repos/{owner}/{repo}/pages/health	write	UAT IAT	Repository permissions for "Pages"
PUT /repos/{owner}/{repo}/private-vulnerability-reporting	write	UAT IAT	✖

DELETE /repos/{owner}/{repo}/private-vulnerability-reporting	write	UAT IAT	✖
POST /repos/{owner}/{repo}/rulesets	write	UAT IAT	✖
GET /repos/{owner}/{repo}/rulesets/rule-suites	write	UAT IAT	✖
GET /repos/{owner}/{repo}/rulesets/rule-suites/{rule_suite_id}	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/rulesets/{ruleset_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/rulesets/{ruleset_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/tags/protection	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/tags/protection/{tag_protection_id}	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/topics	write	UAT IAT	✖
POST /repos/{owner}/{repo}/transfer	write	UAT	✖
PUT /repos/{owner}/{repo}/vulnerability-alerts	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/vulnerability-alerts	write	UAT IAT	✖
POST /user/repos	write	UAT	✖
PATCH /user/repository_invitations/{invitation_id}	write	UAT	✖
DELETE /user/repository_invitations/{invitation_id}	write	UAT	✖
GET /repos/{owner}/{repo}/actions/permissions	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/permissions/access	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/permissions/selected-actions	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/permissions/workflow	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runners	read	UAT IAT	✖

GET /repos/{owner}/{repo}/actions/runners/downloads	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runners/{runner_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/runners/{runner_id}/labels	read	UAT IAT	✖
GET /repos/{owner}/{repo}/autolinks	read	UAT IAT	✖
GET /repos/{owner}/{repo}/autolinks/{autolink_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/automated-security-fixes	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection/enforce_admins	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection/required_pull_request_reviews	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection/required_signatures	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection/required_status_checks/contexts	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/apps	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/teams	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}/protection/restrictions/users	read	UAT IAT	✖
GET /repos/{owner}/{repo}/interaction-limits	read	UAT IAT	✖

Repository

/repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments	read	<div>UAT</div> <div>IAT</div>	permissions for "Actions" , Repository permissions for "Deployments"
GET /repos/{owner}/{repo}/check-runs/{check_run_id}	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/check-runs/{check_run_id}/annotations	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/check-suites/{check_suite_id}	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/check-suites/{check_suite_id}/check-runs	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/commits/{ref}/check-runs	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/commits/{ref}/check-suites	read	<div>UAT</div> <div>IAT</div>	✖

Repository permissions for "Code scanning alerts"

Endpoint	Access	Token types	Additional permissions
PATCH /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}	write	<div>UAT</div> <div>IAT</div>	✖
DELETE /repos/{owner}/{repo}/code-scanning/analyses/{analysis_id}	write	<div>UAT</div> <div>IAT</div>	✖
POST /repos/{owner}/{repo}/code-scanning/sarifs	write	<div>UAT</div> <div>IAT</div>	✖
GET /orgs/{org}/code-scanning/alerts	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/code-scanning/alerts	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/code-scanning/alerts/{alert_number}/instances	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/code-scanning/analyses	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/code-scanning/analyses/{analysis_id}	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/code-		<div>IAT</div>	✖

[GET /repos/{owner}/{repo}/code-scanning/sarifs/{sarif_id}](#)

read

[UAT](#)
[IAT](#)

Repository permissions for "Codespaces lifecycle admin"

Endpoint	Access	Token types	Additional permissions
POST /orgs/{org}/members/{username}/codespaces/{codespace_name}/stop	write	UAT IAT	Organization permissions for "Organization codespaces"
POST /user/codespaces/{codespace_name}/exports	write	UAT	✖
POST /user/codespaces/{codespace_name}/start	write	UAT	✖
POST /user/codespaces/{codespace_name}/stop	write	UAT	✖
GET /user/codespaces/{codespace_name}/exports/{export_id}	read	UAT	✖

Repository permissions for "Codespaces metadata"

Endpoint	Access	Token types	Additional permissions
GET /repos/{owner}/{repo}/codespaces/devcontainers	read	UAT IAT	✖
GET /repos/{owner}/{repo}/codespaces/machines	read	UAT IAT	✖
GET /user/codespaces/{codespace_name}/machines	read	UAT	✖

Repository permissions for "Codespaces secrets"

Endpoint	Access	Token types	Additional permissions
GET /repos/{owner}/{repo}/codespaces/secrets	write	UAT IAT	✖
GET /repos/{owner}/{repo}/codespaces/secrets/public-key	write	UAT IAT	✖
GET /repos/{owner}/{repo}/codespaces/secrets/{secret_name}	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/codespaces/secrets/{secret_name}	write	UAT IAT	Repository permissions for "Administration"

DELETE /repos/{owner}/{repo}/codespaces/secrets/{secret_name}	write	UAT IAT	Repository permissions for "Administration"
--	-------	--	---

Repository permissions for "Codespaces"

Endpoint	Access	Token types	Additional permissions
DELETE /orgs/{org}/members/{username}/codespaces/{codespace_name}	write	UAT IAT	Organization permissions for "Organization codespaces"
POST /repos/{owner}/{repo}/codespaces	write	UAT	✖
GET /repos/{owner}/{repo}/codespaces/new	write	UAT	✖
GET /repos/{owner}/{repo}/codespaces/permissions_check	write	UAT	✖
POST /repos/{owner}/{repo}/pulls/{pull_number}/codespaces	write	UAT	✖
POST /user/codespaces	write	UAT	✖
PATCH /user/codespaces/{codespace_name}	write	UAT	✖
DELETE /user/codespaces/{codespace_name}	write	UAT	✖
POST /user/codespaces/{codespace_name}/publish	write	UAT	✖
GET /orgs/{org}/codespaces	read	UAT IAT	Organization permissions for "Organization codespaces"
GET /orgs/{org}/members/{username}/codespaces	read	UAT IAT	Organization permissions for "Organization codespaces"
GET /repos/{owner}/{repo}/codespaces	read	UAT	✖
GET /user/codespaces	read	UAT	✖
GET /user/codespaces/{codespace_name}	read	UAT	✖

Repository permissions for "Commit statuses"

Endpoint	Access	Token types	Additional permissions
POST /repos/{owner}/{repo}/statuses/{sha}	write	UAT IAT	✖

GET /repos/{owner}/{repo}/commits/{ref}/status	read	UAT IAT	✖
GET /repos/{owner}/{repo}/commits/{ref}/statuses	read	UAT IAT	✖

Repository permissions for "Contents" [↗](#)

Endpoint	Access	Token types	Additional permissions
POST /repos/{owner}/{repo}/branches/{branch}/rename	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/comments/{comment_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/comments/{comment_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/comments/{comment_id}/reactions	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/comments/{comment_id}/reactions/{reaction_id}	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/contents/{path}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/contents/{path}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/dependency-graph/snapshots	write	UAT IAT	✖
POST /repos/{owner}/{repo}/dispatches	write	UAT IAT	✖
POST /repos/{owner}/{repo}/git/blobs	write	UAT IAT	✖
POST /repos/{owner}/{repo}/git/commits	write	UAT IAT	✖
POST /repos/{owner}/{repo}/git/refs	write	UAT IAT	Repository permissions for "Workflows"
PATCH /repos/{owner}/{repo}/git/refs/{ref}	write	UAT IAT	Repository permissions for "Workflows"
DELETE /repos/{owner}/{repo}/git/refs/{ref}	write	UAT IAT	✖

POST /repos/{owner}/{repo}/git/tags	write	UAT IAT	✖
POST /repos/{owner}/{repo}/git/trees	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/import	write	UAT	✖
PATCH /repos/{owner}/{repo}/import	write	UAT	✖
DELETE /repos/{owner}/{repo}/import	write	UAT	✖
PATCH /repos/{owner}/{repo}/import/authors/{author_id}	write	UAT	✖
PATCH /repos/{owner}/{repo}/import/lfs	write	UAT	✖
POST /repos/{owner}/{repo}/merge-upstream	write	UAT IAT	✖
POST /repos/{owner}/{repo}/merges	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/pulls/{pull_number}/merge	write	UAT IAT	✖
POST /repos/{owner}/{repo}/releases	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/releases/assets/{asset_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/releases/assets/{asset_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/releases/generate-notes	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/releases/{release_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/releases/{release_id}	write	UAT IAT	✖
GET /repos/{owner}/{repo}/activity	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches	read	UAT IAT	✖
GET /repos/{owner}/{repo}/branches/{branch}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/code-scanning/codeql/databases	read	UAT IAT	✖
GET /repos/{owner}/{repo}/code-scanning/codeql/databases/{language}	read	UAT IAT	✖

GET /repos/{owner}/{repo}/codeowners/errors	read	UAT IAT	✖
GET /repos/{owner}/{repo}/commits	read	UAT IAT	✖
GET /repos/{owner}/{repo}/commits/{commit_sha}/branches-where-head	read	UAT IAT	✖
POST /repos/{owner}/{repo}/commits/{commit_sha}/comments	read	UAT IAT	✖
GET /repos/{owner}/{repo}/commits/{ref}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/community/profile	read	UAT IAT	✖
GET /repos/{owner}/{repo}/compare/{basehead}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/contents/{path}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/dependency-graph/compare/{basehead}	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/dependency-graph/sbom	read	UAT IAT	✖
POST /repos/{owner}/{repo}/forks	read	UAT IAT	Repository permissions for "Administration"
GET /repos/{owner}/{repo}/git/blobs/{file_sha}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/git/commits/{commit_sha}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/git/matching-refs/{ref}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/git/ref/{ref}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/git/tags/{tag_sha}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/git/trees/{tree_sha}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/import	read	UAT	✖

GET /repos/{owner}/{repo}/import/authors	read	UAT	✖
GET /repos/{owner}/{repo}/import/large_files	read	UAT	✖
GET /repos/{owner}/{repo}/pulls/{pull_number}	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/releases	read	UAT IAT	✖
GET /repos/{owner}/{repo}/releases/assets/{asset_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/releases/latest	read	UAT IAT	✖
GET /repos/{owner}/{repo}/releases/tags/{tag}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/releases/{release_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/releases/{release_id}/assets	read	UAT IAT	✖

Repository permissions for "Dependabot alerts" [↗](#)

Endpoint	Access	Token types	Additional permissions
PATCH /repos/{owner}/{repo}/dependabot/alerts/{alert_number}	write	UAT IAT	✖
GET /orgs/{org}/dependabot/alerts	read	UAT IAT	✖
GET /repos/{owner}/{repo}/dependabot/alerts	read	UAT IAT	✖
GET /repos/{owner}/{repo}/dependabot/alerts/{alert_number}	read	UAT IAT	✖

Repository permissions for "Dependabot secrets" [↗](#)

Endpoint	Access	Token types	Additional permissions
PUT /repos/{owner}/{repo}/dependabot/secrets/{secret_name}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/dependabot/secrets/{secret_name}	write	UAT IAT	✖

me}			
GET /repos/{owner}/{repo}/dependabot/secrets	read	UAT IAT	✖
GET /repos/{owner}/{repo}/dependabot/secrets/public-key	read	UAT IAT	✖
GET /repos/{owner}/{repo}/dependabot/secrets/{secret_name}	read	UAT IAT	✖

Repository permissions for "Deployments"

Endpoint	Access	Token types	Additional permissions
POST /repos/{owner}/{repo}/actions/runs/{run_id}/deployment_protection_rule	write	IAT	✖
POST /repos/{owner}/{repo}/deployments	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/deployments/{deployment_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/deployments/{deployment_id}/statuses	write	UAT IAT	✖
POST /repos/{owner}/{repo}/actions/runs/{run_id}/pending_deployments	read	UAT IAT	Repository permissions for "Actions" , Repository permissions for "Checks"
GET /repos/{owner}/{repo}/deployments	read	UAT IAT	✖
GET /repos/{owner}/{repo}/deployments/{deployment_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/deployments/{deployment_id}/statuses	read	UAT IAT	✖
GET /repos/{owner}/{repo}/deployments/{deployment_id}/statuses/{status_id}	read	UAT IAT	✖

Repository permissions for "Environments"

Endpoint	Access	Token types	Additional permissions
----------	--------	-------------	------------------------

PUT /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}	write	UAT IAT	Repository permissions for "Secrets"
DELETE /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}	write	UAT IAT	Repository permissions for "Secrets"
POST /repositories/{repository_id}/environments/{environment_name}/variables	write	UAT IAT	Repository permissions for "Variables"
PATCH /repositories/{repository_id}/environments/{environment_name}/variables/{name}	write	UAT IAT	Repository permissions for "Variables"
DELETE /repositories/{repository_id}/environments/{environment_name}/variables/{name}	write	UAT IAT	Repository permissions for "Variables"
GET /repositories/{repository_id}/environments/{environment_name}/secrets	read	UAT IAT	Repository permissions for "Secrets"
GET /repositories/{repository_id}/environments/{environment_name}/secrets/public-key	read	UAT IAT	Repository permissions for "Secrets"
GET /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}	read	UAT IAT	Repository permissions for "Secrets"
GET /repositories/{repository_id}/environments/{environment_name}/variables	read	UAT IAT	Repository permissions for "Variables"
GET /repositories/{repository_id}/environments/{environment_name}/variables/{name}	read	UAT IAT	Repository permissions for "Variables"

Repository permissions for "Issues"

Endpoint	Access	Token types	Additional permissions
POST /repos/{owner}/{repo}/issues	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/issues/comments/{comment_id}	write	UAT IAT	Repository permissions for "Pull requests"
DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}	write	UAT IAT	Repository permissions for "Pull requests"
POST /repos/{owner}/{repo}/issues/comments/{comment_id}/reactions	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}/reactions/{reaction_id}	write	UAT IAT	✖

[/reactions/{reaction_id}](#)

[PATCH /repos/{owner}/{repo}/issues/{issue_number}](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[POST /repos/{owner}/{repo}/issues/{issue_number}/assignees](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[DELETE /repos/{owner}/{repo}/issues/{issue_number}/assignees](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[POST /repos/{owner}/{repo}/issues/{issue_number}/comments](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[POST /repos/{owner}/{repo}/issues/{issue_number}/labels](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[PUT /repos/{owner}/{repo}/issues/{issue_number}/labels](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels/{name}](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[PUT /repos/{owner}/{repo}/issues/{issue_number}/lock](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[DELETE /repos/{owner}/{repo}/issues/{issue_number}/lock](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[POST /repos/{owner}/{repo}/issues/{issue_number}/reactions](#)

write

UAT
IAT

✖

[DELETE /repos/{owner}/{repo}/issues/{issue_number}/reactions/{reaction_id}](#)

write

UAT
IAT

✖

[POST /repos/{owner}/{repo}/labels](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[PATCH /repos/{owner}/{repo}/labels/{name}](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[DELETE /repos/{owner}/{repo}/labels/{name}](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

[POST /repos/{owner}/{repo}/milestones](#)

write

UAT
IAT

[Repository permissions for "Pull requests"](#)

PATCH /repos/{owner}/{repo}/milestones/{milestone_number} }	write	UAT IAT	Repository permissions for "Pull requests"
DELETE /repos/{owner}/{repo}/milestones/{milestone_number} }	write	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/assignees	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/assignees/{assignee}	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/issues	read	UAT IAT	✖
GET /repos/{owner}/{repo}/issues/comments	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/issues/comments/{comment_id} }	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/issues/comments/{comment_id} }/reactions	read	UAT IAT	✖
GET /repos/{owner}/{repo}/issues/events	read	UAT IAT	✖
GET /repos/{owner}/{repo}/issues/events/{event_id}	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/issues/{issue_number}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/issues/{issue_number}/assignees/{assignee}	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/issues/{issue_number}/comments	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/issues/{issue_number}/events	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/issues/{issue_number}/labels	read	UAT IAT	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/issues/{issue_number}/reactions	read	UAT IAT	✖

GET /repos/{owner}/{repo}/issues/{issue_number}/timeline	read	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/labels	read	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/labels/{name}	read	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/milestones	read	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/milestones/{milestone_number}	read	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Pull requests"
GET /repos/{owner}/{repo}/milestones/{milestone_number}/labels	read	<div><div>UAT</div><div>IAT</div></div>	Repository permissions for "Pull requests"

Repository permissions for "Metadata"

Endpoint	Access	Token types	Additional permissions
POST /gists	read	<div><div>UAT</div></div>	User permissions for "Gists"
PATCH /gists/{gist_id}	read	<div><div>UAT</div></div>	User permissions for "Gists"
DELETE /gists/{gist_id}	read	<div><div>UAT</div></div>	User permissions for "Gists"
POST /gists/{gist_id}/comments	read	<div><div>UAT</div></div>	User permissions for "Gists"
GET /gists/{gist_id}/comments/{comment_id}	read	<div><div>UAT</div></div>	✖
PATCH /gists/{gist_id}/comments/{comment_id}	read	<div><div>UAT</div></div>	User permissions for "Gists"
DELETE /gists/{gist_id}/comments/{comment_id}	read	<div><div>UAT</div></div>	User permissions for "Gists"
POST /gists/{gist_id}/forks	read	<div><div>UAT</div></div>	User permissions for "Gists"
PUT /gists/{gist_id}/star	read	<div><div>UAT</div></div>	User permissions for "Gists"
DELETE /gists/{gist_id}/star	read	<div><div>UAT</div></div>	User permissions for "Gists"
GET /notifications	read	<div><div>UAT</div></div>	User permissions for "Notifications"

PUT /orgs/{org}/actions/permissions/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Administration"
DELETE /orgs/{org}/actions/permissions/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Administration"
PUT /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Self-hosted runners"
DELETE /orgs/{org}/actions/runner-groups/{runner_group_id}/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Self-hosted runners"
PUT /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Secrets"
DELETE /orgs/{org}/actions/secrets/{secret_name}/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Secrets"
PUT /orgs/{org}/actions/variables/{name}/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Variables"
PUT /orgs/{org}/codespaces/secrets/{secret_name}/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Organization codespaces secrets"
DELETE /orgs/{org}/codespaces/secrets/{secret_name}/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Organization codespaces secrets"
PUT /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Organization dependabot secrets"
DELETE /orgs/{org}/dependabot/secrets/{secret_name}/repositories/{repository_id}	read	UAT IAT	Organization permissions for "Organization dependabot secrets"
GET /orgs/{org}/repos	read	UAT IAT	✖
GET /repos/{owner}/{repo}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/collaborators	read	UAT IAT	✖

GET /repos/{owner}/{repo}/collaborators/{username}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/collaborators/{username}/permission	read	UAT IAT	✖
GET /repos/{owner}/{repo}/comments	read	UAT IAT	✖
GET /repos/{owner}/{repo}/comments/{comment_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/comments/{comment_id}/reactions	read	UAT IAT	✖
GET /repos/{owner}/{repo}/commits/{commit_sha}/comments	read	UAT IAT	✖
GET /repos/{owner}/{repo}/contributors	read	UAT IAT	✖
GET /repos/{owner}/{repo}/events	read	UAT IAT	✖
GET /repos/{owner}/{repo}/forks	read	UAT IAT	✖
GET /repos/{owner}/{repo}/languages	read	UAT IAT	✖
GET /repos/{owner}/{repo}/license	read	UAT IAT	✖
GET /repos/{owner}/{repo}/properties/values	read	UAT IAT	✖
GET /repos/{owner}/{repo}/rules/branches/{branch}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/rulesets	read	UAT IAT	✖
GET /repos/{owner}/{repo}/rulesets/{ruleset_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/stargazers	read	UAT IAT	✖
GET /repos/{owner}/{repo}/stats/code_frequency	read	UAT IAT	✖
GET /repos/{owner}/{repo}/stats/commit_activity	read	UAT IAT	✖

GET /repos/{owner}/{repo}/stats/contributors	read	UAT IAT	✖
GET /repos/{owner}/{repo}/stats/participation	read	UAT IAT	✖
GET /repos/{owner}/{repo}/stats/punch_card	read	UAT IAT	✖
GET /repos/{owner}/{repo}/subscribers	read	UAT IAT	✖
GET /repos/{owner}/{repo}/tags	read	UAT IAT	✖
GET /repos/{owner}/{repo}/topics	read	UAT IAT	✖
POST /repos/{template_owner}/{template_repo}/generate	read	UAT	✖
GET /repositories	read	UAT IAT	✖
GET /search/labels	read	UAT IAT	✖
PUT /user/codespaces/secrets/{secret_name}/repositories/{repository_id}	read	UAT	User permissions for "Codespaces user secrets"
DELETE /user/codespaces/secrets/{secret_name}/repositories/{repository_id}	read	UAT	User permissions for "Codespaces user secrets"
GET /user/installations/{installation_id}/repositories	read	UAT	✖
GET /user/repos	read	UAT	✖
GET /users/{username}/repos	read	UAT IAT	✖

Repository permissions for "Pages" [↗](#)

Endpoint	Access	Token types	Additional permissions
POST /repos/{owner}/{repo}/pages	write	UAT IAT	Repository permissions for "Administration"
PUT /repos/{owner}/{repo}/pages	write	UAT IAT	Repository permissions for "Administration"
DELETE /repos/{owner}/{repo}/pages	write	UAT IAT	Repository permissions for "Administration"

POST /repos/{owner}/{repo}/pages/builds	write	UAT IAT	✖
POST /repos/{owner}/{repo}/pages/deployment	write	UAT IAT	✖
GET /repos/{owner}/{repo}/pages/health	write	UAT IAT	Repository permissions for "Administration"
GET /repos/{owner}/{repo}/pages	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pages/builds	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pages/builds/latest	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pages/builds/{build_id}	read	UAT IAT	✖

Repository permissions for "Projects"

Endpoint	Access	Token types	Additional permissions
PATCH /projects/columns/cards/{card_id}	write	UAT IAT	Organization permissions for "Projects"
DELETE /projects/columns/cards/{card_id}	write	UAT IAT	Organization permissions for "Projects"
POST /projects/columns/cards/{card_id}/moves	write	UAT IAT	Organization permissions for "Projects"
PATCH /projects/columns/{column_id}	write	UAT IAT	Organization permissions for "Projects"
DELETE /projects/columns/{column_id}	write	UAT IAT	Organization permissions for "Projects"
POST /projects/columns/{column_id}/cards	write	UAT IAT	Organization permissions for "Projects"
POST /projects/columns/{column_id}/moves	write	UAT IAT	Organization permissions for "Projects"
PATCH /projects/{project_id}	write	UAT IAT	Organization permissions for "Projects"

DELETE /projects/{project_id}	write	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
GET /projects/{project_id}/collaborators	write	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
PUT /projects/{project_id}/collaborators/{username}	write	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
DELETE /projects/{project_id}/collaborators/{username}	write	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
GET /projects/{project_id}/collaborators/{username}/permission	write	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
POST /projects/{project_id}/columns	write	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
POST /repos/{owner}/{repo}/projects	write	<div>UAT</div> <div>IAT</div>	✖
GET /projects/columns/cards/{card_id}	read	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
GET /projects/columns/{column_id}	read	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
GET /projects/columns/{column_id}/cards	read	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
GET /projects/{project_id}	read	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
GET /projects/{project_id}/columns	read	<div>UAT</div> <div>IAT</div>	Organization permissions for "Projects"
GET /repos/{owner}/{repo}/projects	read	<div>UAT</div> <div>IAT</div>	✖

Repository permissions for "Pull requests"

Endpoint	Access	Token types	Additional permissions
PATCH /repos/{owner}/{repo}/issues/comments/{comment_id}	write	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}	write	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"

DELETE /repos/{owner}/{repo}/issues/comments/{comment_id}	write	UAT IAT	Repository permissions for "Issues"
PATCH /repos/{owner}/{repo}/issues/{issue_number}	write	UAT IAT	Repository permissions for "Issues"
POST /repos/{owner}/{repo}/issues/{issue_number}/assignees	write	UAT IAT	Repository permissions for "Issues"
DELETE /repos/{owner}/{repo}/issues/{issue_number}/assignees	write	UAT IAT	Repository permissions for "Issues"
POST /repos/{owner}/{repo}/issues/{issue_number}/comments	write	UAT IAT	Repository permissions for "Issues"
POST /repos/{owner}/{repo}/issues/{issue_number}/labels	write	UAT IAT	Repository permissions for "Issues"
PUT /repos/{owner}/{repo}/issues/{issue_number}/labels	write	UAT IAT	Repository permissions for "Issues"
DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels	write	UAT IAT	Repository permissions for "Issues"
DELETE /repos/{owner}/{repo}/issues/{issue_number}/labels/{name}	write	UAT IAT	Repository permissions for "Issues"
PUT /repos/{owner}/{repo}/issues/{issue_number}/lock	write	UAT IAT	Repository permissions for "Issues"
DELETE /repos/{owner}/{repo}/issues/{issue_number}/lock	write	UAT IAT	Repository permissions for "Issues"
POST /repos/{owner}/{repo}/labels	write	UAT IAT	Repository permissions for "Issues"
PATCH /repos/{owner}/{repo}/labels/{name}	write	UAT IAT	Repository permissions for "Issues"
DELETE /repos/{owner}/{repo}/labels/{name}	write	UAT IAT	Repository permissions for "Issues"
POST /repos/{owner}/{repo}/milestones	write	UAT IAT	Repository permissions for "Issues"
PATCH /repos/{owner}/{repo}/milestones/{milestone_number}	write	UAT IAT	Repository permissions for "Issues"
DELETE /repos/{owner}/{repo}/milestones/{milestone_number}	write	UAT	Repository permissions for "Issues"

/repos/{owner}/{repo}/milestones/{milestone_number}	write	UAT IAT	permissions for "Issues"
POST /repos/{owner}/{repo}/pulls	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/pulls/comments/{comment_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/pulls/comments/{comment_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions/{reaction_id}	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/pulls/{pull_number}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/pulls/{pull_number}/comments	write	UAT IAT	✖
POST /repos/{owner}/{repo}/pulls/{pull_number}/comments/{comment_id}/replies	write	UAT IAT	✖
POST /repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers	write	UAT IAT	✖
POST /repos/{owner}/{repo}/pulls/{pull_number}/reviews	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/dismissals	write	UAT IAT	✖
POST /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/events	write	UAT IAT	✖
PUT /repos/{owner}/{repo}/pulls/{pull_number}/update-branch	write	UAT IAT	✖

GET /repos/{owner}/{repo}/assignees	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/assignees/{assignee}	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/commits/{commit_sha}/pulls	read	<div>UAT</div> <div>IAT</div>	✖
GET /repos/{owner}/{repo}/dependency-graph/compare/{basehead}	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Contents"
GET /repos/{owner}/{repo}/issues/comments	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/issues/comments/{comment_id}	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/issues/events/{event_id}	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/issues/{issue_number}/assignees/{assignee}	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/issues/{issue_number}/comments	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/issues/{issue_number}/events	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/issues/{issue_number}/labels	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/issues/{issue_number}/timeline	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/labels	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/labels/{name}	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/milestones	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/milestones/{milestone_number}	read	<div>UAT</div> <div>IAT</div>	Repository permissions for "Issues"
GET /repos/{owner}/{repo}/milestones/{milestone_number}	read	<div>UAT</div>	Repository permissions for

GET /repos/{owner}/{repo}/milestones/{milestone_number}/labels	read	UAT IAT	permissions for "Issues"
GET /repos/{owner}/{repo}/pulls	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/comments	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/comments/{comment_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/comments/{comment_id}/reactions	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/{pull_number}	read	UAT IAT	Repository permissions for "Contents"
GET /repos/{owner}/{repo}/pulls/{pull_number}/comments	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/{pull_number}/commits	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/{pull_number}/files	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/{pull_number}/merge	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/{pull_number}/requested_reviewers	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/{pull_number}/reviews	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/pulls/{pull_number}/reviews/{review_id}/comments	read	UAT IAT	✖

Repository permissions for "Repository security advisories"

Endpoint	Access	Token types	Additional permissions
GET /orgs/{org}/security-advisories	write	UAT IAT	✖
POST /repos/{owner}/{repo}/security-advisories	write	UAT IAT	✖

POST /repos/{owner}/{repo}/security-advisories/reports	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/security-advisories/{ghsa_id}	write	UAT IAT	✖
POST /repos/{owner}/{repo}/security-advisories/{ghsa_id}/cve	write	UAT IAT	✖
GET /repos/{owner}/{repo}/security-advisories	read	UAT IAT	✖
GET /repos/{owner}/{repo}/security-advisories/{ghsa_id}	read	UAT IAT	✖

Repository permissions for "Secret scanning alerts"

Endpoint	Access	Token types	Additional permissions
PATCH /repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}	write	UAT IAT	✖
GET /orgs/{org}/secret-scanning/alerts	read	UAT IAT	✖
GET /repos/{owner}/{repo}/secret-scanning/alerts	read	UAT IAT	✖
GET /repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/secret-scanning/alerts/{alert_number}/locations	read	UAT IAT	✖

Repository permissions for "Secrets"

Endpoint	Access	Token types	Additional permissions
PUT /repos/{owner}/{repo}/actions/secrets/{secret_name}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/actions/secrets/{secret_name}	write	UAT IAT	✖
PUT /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}	write	UAT IAT	Repository permissions for "Environments"
DELETE /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}	write	UAT IAT	Repository permissions for "Environments"

GET /repos/{owner}/{repo}/actions/organization-secrets	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/secrets	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/secrets/public-key	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/secrets/{secret_name}	read	UAT IAT	✖
GET /repositories/{repository_id}/environments/{environment_name}/secrets	read	UAT IAT	Repository permissions for "Environments"
GET /repositories/{repository_id}/environments/{environment_name}/secrets/public-key	read	UAT IAT	Repository permissions for "Environments"
GET /repositories/{repository_id}/environments/{environment_name}/secrets/{secret_name}	read	UAT IAT	Repository permissions for "Environments"

Repository permissions for "Variables" [↗](#)

Endpoint	Access	Token types	Additional permissions
POST /repos/{owner}/{repo}/actions/variables	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/actions/variables/{name}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/actions/variables/{name}	write	UAT IAT	✖
POST /repositories/{repository_id}/environments/{environment_name}/variables	write	UAT IAT	Repository permissions for "Environments"
PATCH /repositories/{repository_id}/environments/{environment_name}/variables/{name}	write	UAT IAT	Repository permissions for "Environments"
DELETE /repositories/{repository_id}/environments/{environment_name}/variables/{name}	write	UAT IAT	Repository permissions for "Environments"
GET /repos/{owner}/{repo}/actions/organization-variables	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/variables	read	UAT IAT	✖
GET /repos/{owner}/{repo}/actions/variables/{name}	read	UAT IAT	✖

GET /repositories/{repository_id}/environments/{environment_name}/variables	read	UAT	Repository permissions for "Environments"
		IAT	
GET /repositories/{repository_id}/environments/{environment_name}/variables/{name}	read	UAT	Repository permissions for "Environments"
		IAT	

Repository permissions for "Webhooks"

Endpoint	Access	Token types	Additional permissions
POST /repos/{owner}/{repo}/hooks	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/hooks/{hook_id}	write	UAT IAT	✖
DELETE /repos/{owner}/{repo}/hooks/{hook_id}	write	UAT IAT	✖
PATCH /repos/{owner}/{repo}/hooks/{hook_id}/config	write	UAT IAT	✖
POST /repos/{owner}/{repo}/hooks/{hook_id}/deliveries/{delivery_id}/attempts	write	UAT IAT	✖
GET /repos/{owner}/{repo}/hooks	read	UAT IAT	✖
GET /repos/{owner}/{repo}/hooks/{hook_id}	read	UAT IAT	✖
GET /repos/{owner}/{repo}/hooks/{hook_id}/config	read	UAT IAT	✖
GET /repos/{owner}/{repo}/hooks/{hook_id}/deliveries	read	UAT IAT	✖
GET /repos/{owner}/{repo}/hooks/{hook_id}/deliveries/{delivery_id}	read	UAT IAT	✖
POST /repos/{owner}/{repo}/hooks/{hook_id}/pings	read	UAT IAT	✖
POST /repos/{owner}/{repo}/hooks/{hook_id}/tests	read	UAT IAT	✖

Repository permissions for "Workflows"

Endpoint	Access	Token types	Additional permissions
----------	--------	-------------	------------------------

POST /repos/{owner}/{repo}/git/refs	write	UAT IAT	Repository permissions for "Contents"
PATCH /repos/{owner}/{repo}/git/refs/{ref}	write	UAT IAT	Repository permissions for "Contents"

User permissions for "Block another user"

Endpoint	Access	Token types	Additional permissions
PUT /user/blocks/{username}	write	UAT	✖
DELETE /user/blocks/{username}	write	UAT	✖
GET /user/blocks	read	UAT	✖
GET /user/blocks/{username}	read	UAT	✖

User permissions for "Codespaces user secrets"

Endpoint	Access	Token types	Additional permissions
PUT /user/codespaces/secrets/{secret_name}	write	UAT	✖
DELETE /user/codespaces/secrets/{secret_name}	write	UAT	✖
PUT /user/codespaces/secrets/{secret_name}/repositories	write	UAT	✖
PUT /user/codespaces/secrets/{secret_name}/repositories/{repository_id}	write	UAT	Repository permissions for "Metadata"
DELETE /user/codespaces/secrets/{secret_name}/repositories/{repository_id}	write	UAT	Repository permissions for "Metadata"
GET /user/codespaces/secrets	read	UAT	✖
GET /user/codespaces/secrets/public-key	read	UAT	✖
GET /user/codespaces/secrets/{secret_name}	read	UAT	✖
GET /user/codespaces/secrets/{secret_name}/repositories	read	UAT	✖

User permissions for "Email addresses"

Endpoint	Access	Token types	Additional permissions
PATCH /user/email/visibility	write	UAT	✖

POST /user/emails	write	UAT	✖
DELETE /user/emails	write	UAT	✖
GET /user/emails	read	UAT	✖
GET /user/public_emails	read	UAT	✖

User permissions for "Followers" [↗](#)

Endpoint	Access	Token types	Additional permissions
PUT /user/following/{username}	write	UAT	✖
DELETE /user/following/{username}	write	UAT	✖
GET /user/followers	read	UAT	✖
GET /user/following	read	UAT	✖
GET /user/following/{username}	read	UAT	✖

User permissions for "GPG keys" [↗](#)

Endpoint	Access	Token types	Additional permissions
POST /user/gpg_keys	write	UAT	✖
DELETE /user/gpg_keys/{gpg_key_id}	write	UAT	✖
GET /user/gpg_keys	read	UAT	✖
GET /user/gpg_keys/{gpg_key_id}	read	UAT	✖

User permissions for "Gists" [↗](#)

Endpoint	Access	Token types	Additional permissions
POST /gists	write	UAT	Repository permissions for "Metadata"
PATCH /gists/{gist_id}	write	UAT	Repository permissions for "Metadata"
DELETE /gists/{gist_id}	write	UAT	Repository permissions for "Metadata"
POST /gists/{gist_id}/comments	write	UAT	Repository permissions for "Metadata"

PATCH /gists/{gist_id}/comments/{comment_id}	write	UAT	Repository permissions for "Metadata"
DELETE /gists/{gist_id}/comments/{comment_id}	write	UAT	Repository permissions for "Metadata"
POST /gists/{gist_id}/forks	write	UAT	Repository permissions for "Metadata"
PUT /gists/{gist_id}/star	write	UAT	Repository permissions for "Metadata"
DELETE /gists/{gist_id}/star	write	UAT	Repository permissions for "Metadata"

User permissions for "Git SSH keys"

Endpoint	Access	Token types	Additional permissions
POST /user/keys	write	UAT	✖
DELETE /user/keys/{key_id}	write	UAT	✖
GET /user/keys	read	UAT	✖
GET /user/keys/{key_id}	read	UAT	✖
GET /users/{username}/keys	read	UAT IAT	✖

User permissions for "Interaction limits"

Endpoint	Access	Token types	Additional permissions
PUT /user/interaction-limits	write	UAT	✖
DELETE /user/interaction-limits	write	UAT	✖
GET /user/interaction-limits	read	UAT	✖

User permissions for "Notifications"

Endpoint	Access	Token types	Additional permissions
GET /notifications	read	UAT	Repository permissions for "Metadata"

User permissions for "Plan"

Endpoint	Access	Token types	Additional permissions
GET /users/{username}/settings/billing/actions	read	UAT	✖
GET /users/{username}/settings/billing/packages	read	UAT	✖
GET /users/{username}/settings/billing/shared-storage	read	UAT	✖

User permissions for "Profile"

Endpoint	Access	Token types	Additional permissions
PATCH /user	write	UAT	✖
POST /user/social_accounts	write	UAT	✖
DELETE /user/social_accounts	write	UAT	✖

User permissions for "SSH signing keys"

Endpoint	Access	Token types	Additional permissions
POST /user/ssh_signing_keys	write	UAT	✖
DELETE /user/ssh_signing_keys/{ssh_signing_key_id}	write	UAT	✖
GET /user/ssh_signing_keys	read	UAT	✖
GET /user/ssh_signing_keys/{ssh_signing_key_id}	read	UAT	✖

User permissions for "Starring"

Endpoint	Access	Token types	Additional permissions
PUT /user/starred/{owner}/{repo}	write	UAT	✖
DELETE /user/starred/{owner}/{repo}	write	UAT	✖
GET /user/starred	read	UAT	✖
GET /user/starred/{owner}/{repo}	read	UAT	✖
GET /users/{username}/starred	read	UAT IAT	✖

User permissions for "Watching"

Endpoint	Access	Token types	Additional permissions
GET /user/subscriptions	read	UAT	✖
GET /users/{username}/subscriptions	read	UAT IAT	✖

Legal